

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Corn for all purposes ³1964...	1,547,066	49.0	63,514,906	100.0	22.1	41.1	(X)	(X)	(X)	4,635,667,332	100.0	(X)	72.99
1959...	2,144,279	57.8	79,616,031	125.3	25.6	37.1	(X)	(X)	(X)	4,384,427,694	94.6	(X)	55.07
1954...	2,844,369	59.5	78,122,597	123.0	23.5	27.5	(X)	(X)	(X)	4,287,082,666	92.5	(X)	54.88
1949...	3,404,103	63.2	83,336,797	131.2	24.2	24.5	(X)	(X)	(X)	3,823,423,741	82.5	(X)	45.88
1944...	3,922,854	67.0	92,259,098	145.3	26.1	23.5	(X)	(X)	(X)	3,291,109,143	71.0	(X)	35.67
1939...	4,456,365	73.0	86,991,488	137.0	27.1	19.5	(X)	(X)	(X)	1,475,003,617	31.8	(X)	16.96
1934...	4,849,724	71.2	87,476,444	137.7	29.6	18.0	(X)	(X)	(X)	(NA)	(NA)	(X)	(NA)
1929...	4,598,249	73.0	97,742,272	153.9	27.2	21.3	(X)	(X)	(X)	(NA)	(NA)	(X)	(NA)
1924...	4,760,457	74.7	98,401,627	154.9	28.6	20.7	(X)	(X)	(X)	(NA)	(NA)	(X)	(NA)
1919 ⁴ ...	(NA)	(NA)	91,780,853	144.5	26.3	(NA)	(X)	(X)	(X)	3,748,035,508	80.8	(X)	40.84
Bushels													
Corn harvested for grain.....1964...	1,382,773	43.8	53,751,095	100.0	18.7	38.9	3,361,141,669	100.0	62.5	3,897,712,460	100.0	1.16	72.51
1959...	1,989,622	53.6	70,064,959	130.3	22.5	35.2	3,697,190,984	110.0	52.8	3,870,775,924	99.3	1.05	55.25
1954...	2,543,389	53.2	66,792,680	124.3	20.1	26.3	2,612,910,791	77.7	39.1	3,758,243,443	96.4	1.44	56.27
1949...	3,202,407	59.4	75,133,424	139.8	21.8	23.5	2,778,207,344	82.7	37.0	3,451,158,096	88.5	1.24	45.93
1944...	3,669,795	62.6	84,349,033	156.9	23.9	23.0	2,788,432,462	83.0	33.1	3,009,865,637	77.5	1.08	35.68
1939...	4,141,124	67.9	77,433,454	144.1	24.1	18.7	2,311,429,068	68.8	29.9	1,305,150,781	33.5	0.56	16.86
1934...	4,055,986	59.5	62,247,152	115.8	21.1	15.3	1,169,437,531	34.8	18.8	962,548,584	24.7	0.82	15.46
1929...	4,149,091	65.9	83,163,055	154.7	23.1	20.0	2,130,787,639	63.4	25.6	1,635,909,664	42.0	0.77	19.67
1924...	4,195,922	65.9	82,328,843	153.2	23.9	19.6	1,823,880,173	54.3	22.2	1,868,569,375	47.9	1.02	22.70
1919...	4,937,068	76.5	87,777,627	163.3	25.2	17.8	2,345,947,637	69.8	26.7	3,508,013,120	90.0	1.50	39.96
1913...	4,813,697	75.6	98,385,855	183.0	31.6	20.4	2,552,273,410	75.9	25.9	1,438,607,256	36.9	0.56	14.62
1899...	4,697,799	81.8	94,916,911	176.6	33.5	20.2	2,666,440,279	79.3	28.1	828,192,388	21.2	0.31	8.73
1883...	(NA)	(NA)	72,087,752	134.1	32.8	(NA)	2,122,327,547	63.1	29.4	(NA)	(NA)	(NA)	(NA)
1879...	(NA)	(NA)	62,368,504	116.0	37.5	(NA)	1,754,591,676	52.2	28.1	(NA)	(NA)	(NA)	(NA)
1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	760,944,549	22.6	(NA)	(NA)	(NA)	(NA)	(NA)
1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	838,792,742	25.0	(NA)	(NA)	(NA)	(NA)	(NA)
1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	592,071,104	17.6	(NA)	(NA)	(NA)	(NA)	(NA)
1839...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	377,531,875	11.2	(NA)	(NA)	(NA)	(NA)	(NA)
Tons													
Corn cut for silage ⁵1964...	417,392	13.2	8,372,691	100.0	2.9	20.1	79,340,393	100.0	9.5	658,593,343	100.0	8.30	78.66
1959...	422,874	11.4	6,828,471	81.6	2.2	16.1	57,067,201	71.9	8.4	421,527,670	64.0	7.39	61.73
1954...	508,666	10.6	6,911,816	82.5	2.1	13.6	49,425,079	62.3	7.2	374,708,272	56.9	7.58	54.21
1949...	424,779	7.9	4,336,562	51.8	1.3	10.2	38,006,618	47.9	8.8	297,201,871	39.1	6.77	59.31
1939...	422,558	6.9	4,440,397	53.0	1.4	10.5	32,533,463	41.0	7.3	128,373,022	19.5	3.95	28.91
1929...	379,364	6.0	4,005,539	47.8	1.1	10.6	29,172,181	36.8	7.3	142,140,561	21.6	4.87	35.49
1924...	377,961	5.9	4,227,812	50.5	1.2	11.2	28,407,960	35.8	6.7	(NA)	(NA)	(NA)	(NA)
1919...	378,887	5.9	4,003,226	47.8	1.1	10.6	29,682,041	37.4	7.4	240,022,388	36.4	8.09	59.96
Tons													
Corn hogged or grazed, or cut for fodder ⁶1964...	(NA)	(NA)	1,391,120	100.0	0.5	(NA)	(NA)	(NA)	(NA)	79,361,529	100.0	(NA)	57.05
1959...	160,640	4.3	2,722,601	195.7	0.9	16.9	(NA)	(NA)	(NA)	92,124,100	116.1	(NA)	33.84
1954...	310,637	6.5	4,418,061	317.6	1.3	14.2	(NA)	(NA)	(NA)	154,130,951	194.2	(NA)	34.89
1949...	307,617	5.7	3,866,811	278.0	1.1	12.6	(NA)	(NA)	(NA)	115,063,774	145.0	(NA)	29.76
1939...	412,130	6.8	5,117,637	367.9	1.6	12.4	(NA)	(NA)	(NA)	41,479,814	52.3	(NA)	8.11
1929...	(NA)	(NA)	10,573,678	760.1	2.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1924...	(NA)	(NA)	11,844,972	851.5	3.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919 ⁴ ...	1,413,490	21.9	14,502,932	-	4.2	10.3	17,793,742	(NA)	1.23	206,934,650	260.7	11.63	14.27
Tons													
Sorghums for all purposes including sirup (see text) ⁷1964...	248,578	7.9	14,965,707	100.0	5.2	60.2	(X)	(X)	(X)	679,738,922	100.0	(X)	45.42
1959...	328,812	8.9	17,927,257	119.8	5.8	54.5	(X)	(X)	(X)	577,446,281	84.9	(X)	32.21
1954...	376,487	7.9	17,580,729	117.5	5.3	46.7	(X)	(X)	(X)	453,476,196	66.7	(X)	25.79
1949...	349,367	6.5	10,086,999	67.4	2.9	28.9	(X)	(X)	(X)	230,191,400	33.9	(X)	22.82
1944...	572,944	9.8	17,224,413	115.1	4.9	30.1	(X)	(X)	(X)	306,979,811	45.2	(X)	17.82
1939...	949,783	15.6	14,173,932	94.7	4.4	14.9	(X)	(X)	(X)	109,583,087	16.1	(X)	7.74
1934...	(NA)	(NA)	10,279,460	68.7	3.5	(NA)	(X)	(X)	(X)	90,791,089	13.4	(X)	8.83
1929 ⁶ ...	697,900	11.1	8,013,965	53.5	2.2	11.5	(X)	(X)	(X)	94,724,769	13.9	(X)	11.82
1924...	(NA)	(NA)	7,700,094	51.5	2.2	(NA)	(X)	(X)	(X)	(NA)	(NA)	(X)	(NA)
1919 ⁷ ...	(NA)	(NA)	8,954,889	59.8	2.6	(NA)	(X)	(X)	(X)	229,884,601	33.8	(X)	25.67
Bushels													
Sorghums harvested for grain or seed.....1964...	158,363	5.0	11,168,607	100.0	3.9	70.5	462,715,420	100.0	41.4	490,096,636	100.0	1.06	43.88
1959...	223,388	6.0	14,560,604	130.4	4.7	65.2	508,149,209	109.8	34.9	438,617,520	89.5	0.86	30.12
1954...	149,489	3.1	11,303,915	101.2	3.4	75.6	224,013,849	48.4	19.8	281,946,064	57.5	1.26	24.94
1949...	142,036	2.6	6,324,764	56.6	1.8	44.5	140,834,928	30.4	22.3	138,024,445	28.2	0.98	21.82
1944...	182,048	3.1	9,060,514	81.1	2.6	49.8	177,702,212	38.4	19.6	156,144,523	31.9	0.88	17.23
1939...	206,242	3.4	4,693,423	42.0	1.5	22.8	52,442,195	11.3	11.2	29,633,035	6.0	0.57	6.31
1934...	159,897	2.3	2,370,191	21.2	0.8	14.8	18,598,785	4.0	7.8	17,360,241	3.5	0.93	7.32
1929...	167,723	2.7	3,521,903	31.5	1.0	21.0	49,080,233	10.6	13.9	32,640,336	6.7	0.67	9.27
1924...	(NA)	(NA)	3,525,667	31.6	1.0	(NA)	58,700,092	12.7	16.6	52,321,330	10.7	0.89	14.84
1919 ⁸ ...	129,947	2.0	3,725,997	33.4	1.1	28.7	73,653,670	15.9	19.8	92,524,296	18.9	1.26	24.83
1909 ⁹ ...	97,574	1.5	1,635,153	14.6	0.5	16.8	17,597,305	3.8	10.8	10,816,940	2.2	0.61	6.62
1899 ¹⁰ ...	19,782	0.3	266,513	2.4	0.1	13.5	5,169,113	1.1	19.4	1,367,040	0.3	0.26	5.13
Tons													
Sorghums cut for silage.....1964...	47,067	1.5	1,150,180	100.0	0.4	24.4	10,621,452	100.0	9.2	81,745,371	100.0	7.70	71.07
1959...	58,305	1.6	1,311,840	114.1	0.4	22.5	11,190,064	105.4	8.5	78,043,853	95.5	6.97	59.49
1954...	61,819	1.3	1,267,796	110.2	0.4	20.5	6,755,702	63.6	5.3	58,974,389	72.1	8.73	46.52
1949...	27,084	0.5	481,862	41.9	0.1	17.8	3,168,308	31.7	7.0	23,735,537	29.0	7.05	49.26
1939...	49,344	0.8	884,472	76.9	0.3	17.9	4,280,110	40.3	4.8	16,947,419	20.7	3.96	19.16
Tons													
Sorghums or cane hogged or grazed, or cut for dry forage or hay.....1964...	(NA)	(NA)	2,634,873	100.0	0.9	(NA)	2,636,357	100.0	(X)	104,978,482	100.0	(X)	39.84
1959...	96,678	2.6	2,033,210	77.2	0.7	21.0	2,626,041	99.6	(X)	56,537,955	53.9	(X)	27.81
1954...	205,303	4.3	4,707,398	178.7	1.4	22.9	2,874,022	109.0	(X)	102,320,253	97.5	(X)	21.74
1949...	221,823	4.1	3,262,218	123.8	0.9	14.7	4,608,053	174.8	(X)	66,129,849	63.0	(X)	20.27
1939 ¹¹ ...	623,718	10.2	8,419,686	319.5	2.6	13.5	10,162,143	385.5	(X)	57,691,441	55.0	(X)	6.85

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Sorghums for all purposes--Continued													
Sorghums cut for silage, hay, or fodder.....1939...	660,724	10.8	9,304,158	(NA)	2.9	14.1	Tons 14,442,253	(NA)	Tons 1.6	74,638,860	(NA)	5.17	8.02
1934...	743,174	10.9	7,909,269	(NA)	2.7	10.6	7,452,897	(NA)	0.9	73,430,848	(NA)	9.85	9.28
1929...	421,712	6.7	4,355,919	(NA)	1.2	10.3	6,399,385	(NA)	1.5	54,742,980	(NA)	8.55	12.57
1924...	(NA)	(NA)	3,990,312	(NA)	1.2	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919 ¹² ...	475,626	7.4	4,746,849	(NA)	1.4	10.0	7,912,973	(NA)	1.7	112,854,077	(NA)	14.26	23.77
Sorghums saved for hay or dry forage.....1944...	431,711	7.4	7,328,061	(NA)	2.1	17.0	11,131,522	(NA)	1.5	117,392,455	(NA)	10.55	16.02
Sorghums for sirup.....1964...	8,260	0.3	12,047	100.0	(Z)	1.5	Gallons 1,125,587	100.0	Gallons 93	2,918,433	100.0	2.59	242.25
1959...	15,750	0.4	21,603	179.3	(Z)	1.4	1,794,629	159.4	83	4,246,953	145.5	2.37	196.59
1954...	9,377	0.2	15,105	125.4	(Z)	1.6	1,016,241	90.3	67	2,418,373	82.9	2.38	160.10
1949...	19,176	0.4	17,609	146.2	(Z)	0.9	1,293,099	114.9	73	2,274,269	77.9	1.76	129.15
1934...	228,901	3.8	176,351	-	0.1	0.8	9,045,965	803.7	51	5,411,192	185.4	0.60	30.68
1929...	189,184	3.0	136,143	-	(Z)	0.7	8,294,231	736.9	61	7,341,453	251.5	0.89	53.92
1924...	(NA)	(NA)	184,115	-	0.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919...	560,057	8.7	482,043	-	0.1	0.9	21,523,025	-	45	24,506,228	839.7	1.14	50.84
1909...	399,297	6.3	326,352	-	0.1	0.8	16,532,382	-	51	7,963,499	272.9	0.48	24.40
1899...	(NA)	(NA)	293,152	-	0.1	(NA)	16,972,783	-	58	(NA)	(NA)	(NA)	(NA)
1889...	(NA)	(NA)	415,691	-	0.2	(NA)	24,235,219	-	58	(NA)	(NA)	(NA)	(NA)
1879...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	28,444,202	-	(NA)	(NA)	(NA)	(NA)	(NA)
1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	16,050,089	-	(NA)	(NA)	(NA)	(NA)	(NA)
1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	6,749,123	599.6	(NA)	(NA)	(NA)	(NA)	(NA)
All wheat harvested ⁵1964...	739,662	23.4	47,958,362	100.0	16.7	64.8	Bushels 1,217,791,875	100.0	Bushels 25.4	1,672,092,483	100.0	1.37	34.87
1959...	931,195	25.1	49,566,924	103.4	15.9	53.2	1,055,924,506	86.7	21.3	1,871,910,772	111.9	1.77	37.77
1954...	(NA)	(NA)	51,361,684	107.1	15.4	(NA)	908,927,557	74.6	17.7	1,939,861,119	116.0	2.13	37.77
1949...	1,147,741	21.3	71,163,265	148.4	20.7	62.0	1,006,564,548	82.7	14.1	1,874,371,202	112.1	1.86	26.34
1944...	(NA)	(NA)	58,286,103	121.5	16.5	(NA)	1,032,660,440	84.8	17.7	1,458,640,689	87.2	1.41	25.03
1939...	1,385,878	22.7	90,526,542	105.4	15.7	36.5	708,861,077	58.2	14.0	491,699,073	29.4	0.69	9.73
1934...	1,363,741	20.0	41,943,387	87.5	14.2	30.8	513,212,870	42.1	12.2	440,603,053	26.4	0.86	10.50
1929...	1,208,388	19.2	61,999,962	129.3	17.3	51.3	800,650,009	65.7	12.9	838,506,124	50.1	1.05	13.52
1924...	(NA)	(NA)	50,862,230	106.1	14.8	(NA)	800,876,659	65.8	15.7	1,037,627,104	62.1	1.30	20.40
1919...	2,225,181	34.5	73,099,569	152.4	21.0	32.9	945,406,048	77.6	12.9	2,074,089,306	124.0	2.19	28.37
1909...	1,458,668	22.9	44,262,592	92.3	14.2	30.3	683,379,259	56.1	15.4	657,656,805	39.3	0.96	14.86
1899...	2,053,912	35.8	52,588,574	109.7	18.6	25.6	658,534,252	54.1	12.5	969,945,320	22.1	0.56	7.03
1889...	(NA)	(NA)	33,579,514	70.0	15.3	(NA)	468,373,968	38.5	13.9	(NA)	(NA)	(NA)	(NA)
1879...	(NA)	(NA)	35,430,333	73.9	21.3	(NA)	459,483,137	37.7	13.0	(NA)	(NA)	(NA)	(NA)
1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	287,745,626	23.6	(NA)	(NA)	(NA)	(NA)	(NA)
1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	173,104,924	14.2	(NA)	(NA)	(NA)	(NA)	(NA)
1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	100,485,944	8.3	(NA)	(NA)	(NA)	(NA)	(NA)
1839...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	84,823,272	7.0	(NA)	(NA)	(NA)	(NA)	(NA)
Winter wheat ⁵1964...	631,199	20.0	36,620,469	100.0	12.8	58.0	968,496,409	100.0	26.4	1,324,334,904	100.0	1.37	36.16
1959...	767,388	20.7	37,811,395	103.3	12.1	49.3	866,585,546	89.5	22.9	1,520,631,112	114.8	1.75	40.22
1954...	837,026	17.5	36,980,545	101.0	11.1	44.2	742,662,545	76.7	20.1	1,577,596,412	119.1	2.12	42.66
1949...	932,300	17.3	50,828,485	138.8	14.8	54.5	784,109,967	81.0	15.4	1,442,410,408	108.9	1.84	28.38
1944...	987,999	16.9	40,259,556	109.9	11.4	40.7	734,883,182	75.9	18.3	1,047,054,018	79.1	1.42	26.01
1939...	1,124,242	18.4	36,136,280	98.7	11.2	32.1	542,758,267	56.0	15.0	976,650,493	28.4	0.69	10.42
1934...	1,150,863	16.9	34,062,385	93.0	11.5	29.6	431,078,583	44.5	12.7	369,477,561	27.9	0.86	10.85
1929...	940,741	14.9	40,430,409	110.4	11.3	43.0	569,704,642	58.8	14.1	601,979,365	45.5	1.06	14.89
1924...	1,032,553	16.2	34,359,532	93.8	10.0	33.3	553,377,236	57.1	16.1	712,422,869	53.8	1.29	20.73
1919...	1,740,347	27.0	49,913,141	136.3	14.3	28.7	741,751,043	76.6	14.9	1,610,202,403	121.6	2.17	32.26
1909...	1,174,022	18.4	27,151,489	74.1	8.7	23.1	419,732,982	43.3	15.5	411,648,209	31.1	0.98	15.16
1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	175,195,893	18.1	(NA)	(NA)	(NA)	(NA)	(NA)
Spring wheat ⁵1964...	119,546	3.8	11,337,893	100.0	4.0	94.8	249,295,466	100.0	22.0	347,757,579	100.0	1.39	30.67
1959...	163,807	4.4	11,755,529	103.7	3.8	71.8	189,338,960	75.9	16.1	351,279,660	101.0	1.86	29.88
1954...	(NA)	(NA)	14,381,139	126.8	4.3	(NA)	166,265,012	66.7	11.6	362,264,707	104.2	2.18	25.19
1949...	215,441	4.0	20,334,780	179.4	5.9	94.4	222,454,581	89.2	10.9	431,960,794	124.2	1.94	21.24
1944...	(NA)	(NA)	18,026,547	159.0	5.1	(NA)	297,777,258	119.4	16.5	411,586,671	118.4	1.38	22.83
1939...	279,337	4.6	14,390,262	126.9	4.5	51.5	166,102,810	66.6	11.5	115,048,580	33.1	0.69	7.99
1934...	227,130	3.3	7,881,002	69.5	2.7	34.7	82,134,287	32.9	10.4	71,125,492	20.5	0.87	9.02
1929...	(NA)	(NA)	21,569,553	190.2	6.0	(NA)	230,945,367	92.6	10.7	236,526,759	68.0	1.02	10.97
1924...	267,939	4.2	16,502,698	145.6	4.8	61.6	247,499,423	99.3	15.0	325,204,235	93.5	1.31	19.71
1919...	564,811	8.8	23,186,428	204.5	6.7	40.9	203,655,005	81.7	8.8	463,886,903	133.4	2.28	20.01
1909...	(NA)	(NA)	17,111,103	150.9	5.5	(NA)	263,646,277	105.8	15.4	246,008,596	70.7	0.93	14.38
1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	112,549,733	45.1	(NA)	(NA)	(NA)	(NA)	(NA)
Durum wheat ⁵1964...	23,489	0.7	2,445,022	100.0	0.9	104.1	65,983,319	100.0	27.0	88,938,267	100.0	1.35	36.38
1959...	16,355	0.4	1,112,524	45.5	0.4	68.0	18,905,903	28.7	17.0	39,274,886	44.2	2.08	35.30
1954...	13,025	0.3	1,229,331	50.3	0.4	94.4	4,285,037	6.5	3.5	13,541,671	15.2	3.16	11.02
1949...	36,893	0.7	3,568,862	146.0	1.0	96.7	37,503,170	56.8	10.5	73,719,931	82.9	1.97	20.66
1944...	23,361	0.4	1,920,192	78.5	0.5	82.2	27,709,435	42.0	14.4	39,238,590	44.1	1.42	20.43
1939...	49,018	0.8	3,003,228	122.8	0.9	61.3	30,977,380	46.9	10.3	21,008,285	23.6	0.68	7.00
1929...	71,721	1.1	5,856,188	239.5	1.6	81.7	57,352,962	86.9	9.8	52,786,167	59.3	0.92	9.01
1909...	37,017	0.6	2,502,872	102.4	0.8	67.6	39,958,947	60.6	16.0	31,751,233	35.7	0.79	12.69
All other spring wheat ⁵1964...	(NA)	(NA)	8,892,871	100.0	3.1	(NA)	183,312,147	100.0	20.6	258,819,312	100.0	1.41	29.10
1959...	(NA)	(NA)	10,643,005	119.7	3.4	(NA)	170,433,057	93.0	16.0	312,004,774	120.5	1.83	29.32
1954...	154,547	3.2	13,151,808	147.9	4.0	85.1	161,979,975	88.4	12.3	348,723,036	134.7	2.15	26.52
1949...	195,822	3.6	16,765,918	188.5	4.9	85.6	184,951,411	100.9	11.0	358,240,863	138.4	1.94	21.37
1944...	202,243	3.5	16,106,355	181.1	4.6	79.6	270,067,823	147.3	16.8	372,348,081	143.9	1.38	23.12
1939...	253,144	4.1	11,387,034	128.0	3.5	45.0	135,125,430	73.7	11.9	94,040,295	36.3	0.70	8.26
1929...	245,584	3.9	15,713,365	176.7	4.4	64.0	173,592,405	94.7	11.0	183,740,592	71.0	1.06	11.69
1909...	275,990	4.3	14,608,231	164.3	4.7	52.9	223,687,330	122.0	15.3	214,257,363	82.8	0.96	14.67

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)				
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre	
Oats harvested ³	1964...	707,613	22.4	18,935,713	100.0	6.6	26.8	100.0	42.7	510,267,511	100.0	0.63	26.95	
	1959...	1,026,858	27.7	26,572,824	140.3	8.5	25.9	123.8	37.7	638,797,378	125.2	0.64	24.04	
	1954...	1,405,599	29.4	37,920,704	200.3	11.4	27.0	162.6	34.7	927,582,560	181.8	0.71	24.46	
	1949...	1,391,348	25.8	35,344,349	186.7	10.3	25.4	140.6	32.2	740,308,090	145.1	0.65	20.95	
	1944...	1,471,413	25.1	35,424,960	187.1	10.0	24.1	128.8	29.4	721,161,897	141.3	0.69	20.36	
	1939...	1,494,057	24.5	29,933,635	158.1	9.3	20.0	107.7	29.1	269,694,442	52.9	0.31	9.01	
	1934...	1,234,231	18.1	24,588,766	129.9	8.3	19.9	56.8	18.7	215,906,935	42.3	0.47	8.78	
	1929...	1,518,911	24.1	33,466,178	176.7	9.3	22.0	122.8	29.7	410,167,351	80.4	0.41	12.26	
	1924...	1,723,764	27.1	37,650,155	198.8	10.9	21.8	161.4	34.7	610,497,834	119.6	0.47	11.22	
	1919...	2,238,132	34.7	37,991,071	200.6	10.9	17.0	130.5	27.8	855,263,076	167.6	0.81	22.51	
	1909...	2,174,008	34.2	35,159,441	185.7	11.3	16.2	124.6	28.6	414,697,532	81.3	0.41	11.79	
	1899...	2,114,559	36.8	29,539,698	156.0	10.4	14.0	116.7	31.9	217,098,584	42.5	0.23	7.35	
	1889...	(NA)	(NA)	28,320,677	149.6	12.9	(NA)	100.1	28.6	(NA)	(NA)	(NA)	(NA)	
	1879...	(NA)	(NA)	16,144,593	85.3	9.7	(NA)	50.5	25.3	(NA)	(NA)	(NA)	(NA)	
	1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	34.9	(NA)	(NA)	(NA)	(NA)	(NA)	
	1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	21.4	(NA)	(NA)	(NA)	(NA)	(NA)	
	1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	18.1	(NA)	(NA)	(NA)	(NA)	(NA)	
	1839...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	15.2	(NA)	(NA)	(NA)	(NA)	(NA)	
Barley harvested ⁵	1964...	178,669	5.7	9,805,327	100.0	3.4	54.9	100.0	36.9	338,319,699	100.0	0.93	34.50	
	1959...	290,238	7.8	14,199,311	144.8	4.6	48.9	362,198,230	110.0	28.1	343,301,247	101.5	0.86	24.18
	1954...	320,125	6.7	12,555,936	128.0	3.8	39.2	354,716,322	97.9	28.3	384,081,734	113.5	1.08	30.59
	1949...	296,645	5.5	9,180,157	93.6	2.7	30.9	280,963,187	61.0	24.1	231,734,568	68.5	1.05	25.24
	1944...	372,727	6.4	11,693,751	119.3	3.3	31.4	261,424,918	72.2	22.4	262,369,438	77.5	1.00	22.44
	1939...	535,496	8.8	12,024,862	122.6	3.7	22.5	260,994,097	72.1	21.7	106,847,385	31.6	0.41	8.89
	1934...	344,626	5.1	6,193,095	63.2	2.1	18.0	110,041,546	30.4	17.8	74,071,350	21.9	0.67	11.96
	1929...	542,726	8.6	12,890,811	131.5	3.6	23.8	213,590,935	72.8	20.4	140,982,106	41.7	0.53	10.94
	1924...	357,521	5.6	6,766,980	69.0	2.0	18.9	159,139,124	43.9	23.5	122,081,728	36.1	0.77	18.04
	1919...	449,014	7.0	6,472,929	66.0	1.9	14.4	122,025,691	33.7	18.9	160,430,533	47.4	1.31	24.78
	1909...	383,202	6.0	7,698,706	78.5	2.5	20.1	173,344,212	47.9	22.5	92,458,881	27.3	0.53	12.01
	1899...	272,913	4.8	4,470,196	45.6	1.6	16.4	119,634,877	33.0	26.8	41,631,762	12.3	0.35	9.31
	1889...	(NA)	(NA)	3,220,834	32.8	1.5	(NA)	78,332,976	21.6	24.3	(NA)	(NA)	(NA)	(NA)
	1879...	(NA)	(NA)	1,997,727	20.4	1.2	(NA)	43,997,495	12.1	22.0	(NA)	(NA)	(NA)	(NA)
	1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	29,761,305	8.2	(NA)	(NA)	(NA)	(NA)	(NA)
	1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	15,825,898	4.4	(NA)	(NA)	(NA)	(NA)	(NA)
	1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	5,167,015	1.4	(NA)	(NA)	(NA)	(NA)	(NA)
	1839...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	4,161,504	1.1	(NA)	(NA)	(NA)	(NA)	(NA)
Rye harvested ⁵	1964...	59,103	1.9	1,640,020	100.0	0.6	27.7	30,916,416	100.0	18.9	32,267,208	100.0	1.04	19.67
	1959...	67,210	1.8	1,392,072	84.9	0.4	20.7	21,808,902	70.5	15.7	22,326,909	69.2	1.02	16.04
	1954...	88,892	1.9	1,449,683	88.4	0.4	16.3	21,843,970	70.7	15.1	26,549,153	82.3	1.22	18.31
	1949...	78,940	1.5	1,417,944	86.5	0.4	18.0	16,563,013	53.6	11.7	20,236,604	62.7	1.22	14.27
	1944...	118,348	2.0	2,023,338	123.4	0.6	17.1	21,348,502	69.1	10.6	23,256,337	72.1	1.09	11.49
	1939...	207,021	3.4	3,555,729	216.8	1.1	17.2	35,843,953	115.9	10.1	15,852,490	49.1	0.44	4.46
	1934...	180,573	2.6	1,913,771	116.7	0.6	10.6	16,233,692	52.5	8.5	11,781,882	36.5	0.73	6.16
	1929...	175,184	2.8	3,032,802	184.9	0.8	17.3	34,302,824	111.0	11.3	29,343,112	90.9	0.86	9.68
	1924...	230,196	3.6	3,743,562	228.3	1.1	16.3	55,673,814	180.1	14.9	57,885,500	179.4	1.04	15.46
	1919...	469,114	7.3	7,679,005	468.2	2.2	16.4	75,992,225	245.8	9.9	116,537,977	361.2	1.53	15.18
	1909...	275,796	4.3	2,195,561	133.9	0.7	8.0	29,520,457	95.5	13.4	20,421,812	63.3	0.69	9.30
	1899...	295,108	5.1	2,054,292	125.3	0.7	7.0	25,568,625	82.7	12.4	12,290,540	38.1	0.48	5.98
	1889...	(NA)	(NA)	2,172,604	132.4	1.0	(NA)	28,421,398	91.9	13.1	(NA)	(NA)	(NA)	(NA)
	1879...	(NA)	(NA)	1,842,233	112.3	1.1	(NA)	19,831,595	64.1	10.8	(NA)	(NA)	(NA)	(NA)
	1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	16,918,795	54.7	(NA)	(NA)	(NA)	(NA)	(NA)
	1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	21,101,380	68.3	(NA)	(NA)	(NA)	(NA)	(NA)
	1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	14,188,813	45.9	(NA)	(NA)	(NA)	(NA)	(NA)
	1839...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	18,645,567	60.3	(NA)	(NA)	(NA)	(NA)	(NA)
Mixed grains harvested (see text) ⁵ Idaho, Oreg, Wash.	1964...	7,314	0.2	156,228	100.0	0.1	21.4	8,655,296	100.0	55.4	8,544,044	100.0	0.99	54.69
	1954...	52,167	1.1	932,450	596.9	0.3	17.9	27,490,282	317.6	29.5	31,198,774	365.2	1.13	33.46
	1949...	82,470	1.5	1,763,639	-	0.5	21.4	45,773,223	528.8	26.0	51,910,142	607.6	1.13	29.43
	1944...	63,307	1.1	1,146,249	-	0.3	18.1	30,811,753	356.0	26.9	31,224,718	365.5	1.01	27.44
	1939...	91,222	1.5	1,566,660	-	0.5	17.2	39,323,891	454.3	25.1	18,000,374	210.7	0.46	11.49
	1934...	79,061	1.2	1,272,493	-	0.4	16.1	25,431,967	293.8	20.0	16,269,031	190.4	0.64	12.79
	1929...	130,232	2.1	2,438,078	-	0.7	18.7	70,830,831	818.3	29.1	39,461,360	461.9	0.56	16.19
	1919...	46,100	0.7	577,078	369.4	0.2	12.5	14,065,249	162.5	24.4	16,605,245	194.3	1.18	28.77
Flaxseed harvested ⁵	1964...	42,000	1.3	2,650,628	100.0	0.9	63.1	21,739,071	100.0	8.2	61,034,000	100.0	2.81	23.03
	1959...	48,510	1.3	2,848,239	107.5	0.9	58.7	19,597,211	90.1	6.9	59,672,384	97.8	3.04	20.95
	1954...	90,307	1.9	5,178,643	195.4	1.6	57.3	35,494,127	163.3	6.9	107,969,625	176.9	3.04	20.85
	1949...	112,546	2.1	4,812,695	181.6	1.4	42.8	40,189,048	184.9	8.4	144,703,414	237.1	3.60	30.07
	1944...	83,672	1.4	2,477,070	93.4	0.7	29.6	20,765,238	95.5	8.4	60,324,274	98.8	2.91	24.35
	1939...	83,188	1.4	2,081,497	78.5	0.6	25.0	18,829,453	86.6	9.0	27,519,055	45.1	1.46	13.22
	1934...	46,998	0.7	998,031	37.7	0.3	21.2	5,598,054	25.8	5.6	9,531,145	15.6	1.70	9.55
	1929...	87,002	1.4	2,965,635	111.9	0.8	34.1	15,046,097	69.2	5.1	43,104,631	70.6	2.86	14.53
	1924...	104,405	1.6	3,435,115	129.6	1.0	32.9	28,245,739	129.9	8.2	66,135,073	108.4	2.34	19.25
	1919...	53,058	0.8	1,260,687	47.6	0.4	23.8	6,653,200	30.6	5.3	29,360,998	48.1	2.41	23.29
	1909...	77,184	1.2	2,083,142	78.6	0.7	27.0	19,512,765	89.8	9.4	28,970,554	47.5	1.48	13.91
	1899...	88,306	1.5	2,110,517	79.6	0.7	23.9	19,979,492	91.9	9.5	19,624,901	32.2	0.98	9.30
	1889...	(NA)	(NA)	1,318,698	49.7	0.6	(NA)	10,256,410	47.2	7.8	(NA)	(NA)	(NA)	(NA)
	1879...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	7,170,951	33.0	(NA)	(NA)	(NA)	(NA)	(NA)
	1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	1,730,444	8.0	(NA)	(NA)	(NA)	(NA)	(NA)
	1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	566,867	2.6	(NA)	(NA)	(NA)	(NA)	(NA)
	1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	562,312	2.6	(NA)	(NA)	(NA)	(NA)	(NA)

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Buckwheat harvested ³1964...	4,862	0.2	47,656	100.0	(Z)	9.8	Bushels	Bushels					
1959...	7,067	0.2	55,523	116.5	(Z)	7.9	985,771	100.0	20.7	1,057,000	100.0	1.07	22.18
1954...	17,929	0.4	127,703	268.0	(Z)	7.1	923,299	93.7	16.6	997,417	94.4	1.08	17.96
1949...	32,672	0.6	235,931	495.1	0.1	7.2	2,277,099	231.0	17.8	2,210,049	209.1	0.97	17.31
1939...	56,897	0.9	360,753	757.0	0.1	6.3	4,317,916	438.0	18.3	4,065,450	384.6	0.94	17.23
1929...	99,657	1.6	621,854	-	0.2	6.2	5,589,064	567.0	15.5	3,468,541	328.1	0.62	9.61
1924...	131,411	2.1	716,588	-	0.2	5.5	8,359,011	847.9	13.4	8,023,289	759.1	0.96	12.90
1919...	171,167	2.7	742,627	-	0.2	4.3	12,003,699	-	16.8	12,851,965	-	1.07	17.93
1909...	197,789	3.1	878,048	-	0.3	4.4	12,690,391	-	17.1	19,715,343	-	1.55	26.55
1899...	209,450	3.6	807,060	-	0.3	3.9	14,849,332	-	16.9	9,330,592	882.7	0.63	10.63
1889...	(NA)	(NA)	837,164	-	0.4	(NA)	11,233,515	-	13.9	5,747,853	543.8	0.51	7.12
1879...	(NA)	(NA)	848,389	-	0.5	(NA)	12,110,349	-	14.5	(NA)	(NA)	(NA)	(NA)
1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	11,817,327	-	13.9	(NA)	(NA)	(NA)	(NA)
1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	9,821,721	996.3	(NA)	(NA)	(NA)	(NA)	(NA)
1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	17,571,818	-	(NA)	(NA)	(NA)	(NA)	(NA)
1839...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	8,956,912	908.6	(NA)	(NA)	(NA)	(NA)	(NA)
Emmer and spelt harvested ³1964...	2,534	0.1	32,759	100.0	(Z)	12.9	7,291,743	739.7	(NA)	(NA)	(NA)	(NA)	(NA)
1959...	3,941	0.1	56,708	173.1	(Z)	14.4	1,157,975	100.0	35.3	823,000	100.0	0.71	25.12
1954...	3,412	0.1	57,659	176.0	(Z)	16.9	1,270,563	109.7	22.4	1,017,511	123.6	0.80	17.94
1949...	4,550	0.1	62,868	191.9	(Z)	13.8	930,464	80.4	16.1	798,925	97.1	0.86	13.86
1939...	11,216	0.2	140,645	429.3	(Z)	12.5	1,010,323	87.2	16.1	819,606	99.6	0.81	13.04
1929...	18,345	0.3	344,324	-	0.1	18.8	2,762,999	238.6	19.6	1,162,549	141.2	0.42	8.27
1919...	11,923	0.2	166,829	509.2	(Z)	14.0	6,233,657	538.3	18.1	2,725,350	331.1	0.44	7.92
1909...	37,609	0.6	573,622	-	0.2	15.3	2,607,868	225.2	15.6	3,699,590	449.5	1.42	22.18
Rice harvested ⁵1964...	9,908	0.3	1,815,013	100.0	0.6	183.2	12,702,710	-	22.1	5,584,050	678.5	0.44	9.73
1959...	10,445	0.3	1,617,037	89.1	0.5	154.8	7,482,412,000	100.0	4,123	369,008,000	100.0	0.05	203.31
1954...	11,728	0.2	2,498,109	137.6	0.8	213.0	5,440,333,590	72.7	3,364	249,380,338	67.6	0.05	154.22
1949...	10,972	0.2	1,819,262	100.2	0.5	165.8	6,528,397,905	87.2	2,613	296,345,063	80.3	0.05	118.63
1944...	10,510	0.2	1,394,129	76.8	0.4	132.6	4,025,097,810	53.8	2,213	158,435,828	42.9	0.04	87.09
1939...	9,675	0.2	851,569	46.9	0.3	88.0	2,926,977,840	39.1	2,100	114,192,444	30.9	0.04	81.91
1934...	14,234	0.2	705,858	38.9	0.2	49.6	1,973,237,265	26.4	2,317	32,206,463	8.7	0.02	37.82
1929...	9,172	0.1	742,633	40.9	0.2	81.0	1,483,098,525	19.8	2,101	25,530,155	6.9	0.02	36.17
1924...	11,476	0.2	744,033	41.0	0.2	64.8	1,513,686,330	20.2	2,038	32,932,931	8.9	0.02	44.35
1919...	20,856	0.3	917,073	50.5	0.3	44.0	1,328,649,435	17.8	1,786	42,536,686	11.5	0.03	57.17
1909...	14,211	0.2	619,600	34.1	0.2	43.6	1,619,462,835	21.6	1,766	98,771,902	26.8	0.06	107.70
1899...	48,155	0.8	351,344	19.4	0.1	7.3	1,024,563,960	13.7	1,654	17,087,900	4.6	0.02	27.58
1889...	(NA)	(NA)	161,312	8.9	0.1	(NA)	438,572,250	5.9	1,248	7,891,613	2.1	0.02	22.46
1879...	(NA)	(NA)	174,173	9.6	0.1	(NA)	208,150,785	2.8	1,290	(NA)	(NA)	(NA)	(NA)
1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	178,270,200	2.4	1,024	(NA)	(NA)	(NA)	(NA)
1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	119,193,390	1.6	(NA)	(NA)	(NA)	(NA)	(NA)
1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	302,968,215	4.0	(NA)	(NA)	(NA)	(NA)	(NA)
1839...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	348,529,050	4.7	(NA)	(NA)	(NA)	(NA)	(NA)
Proso millet.....1964...	5,424	0.2	237,629	100.0	0.1	43.8	130,858,425	1.7	(NA)	(NA)	(NA)	(NA)	(NA)
1959...	5,008	0.1	194,907	82.0	0.1	38.9	3,788,700	100.0	15.9	3,675,259	100.0	0.97	15.47
1954...	6,939	0.1	128,525	54.1	(Z)	18.5	3,106,728	82.0	15.9	2,752,982	74.9	0.89	14.12
Mustard seed.....1964...	119	(Z)	16,363	100.0	(Z)	137.5	2,185,107	57.7	17.0	2,609,147	71.0	1.19	20.30
1959...	211	(Z)	41,486	253.5	(Z)	196.6	6,895,107	100.0	421	345,000	100.0	0.05	21.08
1954...	201	(Z)	20,709	126.6	(Z)	103.0	15,256,257	221.3	368	764,192	221.5	0.05	15.42
1949...	231	(Z)	17,838	109.0	(Z)	77.2	8,312,183	120.6	401	470,892	136.5	0.06	22.74
1939...	286	(Z)	20,482	125.2	(Z)	71.6	8,228,300	119.3	461	598,792	173.6	0.07	33.57
Safflower seed.....1964...	1,776	0.1	301,095	100.0	0.1	169.5	6,807,671	98.7	332	266,922	77.4	0.04	13.03
1959...	1,816	(Z)	200,217	66.5	0.1	110.3	553,760,176	100.0	1,839	21,786,078	100.0	0.04	72.36
1954...	158	(Z)	20,115	6.7	(Z)	127.3	203,258,943	36.7	1,015	8,261,237	37.9	0.04	41.26
1949...	690	(Z)	17,018	5.7	(Z)	24.7	16,570,974	3.0	824	783,143	3.6	0.05	38.93
1939...	5	(Z)	58	(Z)	(Z)	11.6	10,270,554	1.9	604	420,540	1.9	0.04	24.71
Other grain harvested (see text).....1964...	12,899	0.4	298,582	100.0	0.1	23.1	16,674	(Z)	287	491	(Z)	0.03	8.47
1959...	31,177	0.8	616,254	206.4	0.2	19.8	7,826,148	100.0	26.2	10,514,572	100.0	1.34	35.22
1954...	63,884	1.3	1,921,840	643.6	0.6	30.1	21,636,405	276.4	35.1	23,646,581	224.9	1.09	38.37
1949...	17,296	0.3	348,552	116.7	0.1	20.2	36,455,155	465.8	19.0	49,355,091	469.4	1.35	25.68
Annual legumes:							5,514,887	70.5	15.8	6,404,523	60.9	1.16	18.37
Soybeans grown for all purposes ⁵1964...	(NA)	(NA)	30,351,248	100.0	10.6	(NA)	(X)	(X)	(X)	1,799,477,737	100.0	(X)	59.31
1959...	578,481	15.6	23,070,254	76.0	7.4	39.9	(X)	(X)	(X)	1,036,167,820	57.6	(X)	44.91
1954...	628,120	13.1	18,242,940	60.1	5.5	29.0	(X)	(X)	(X)	851,284,841	47.3	(X)	46.66
1949...	605,888	11.2	12,265,557	40.4	3.6	20.2	(X)	(X)	(X)	491,315,954	27.3	(X)	40.06
1944...	683,061	11.7	13,777,773	45.4	3.9	20.2	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1939...	977,131	16.0	11,458,934	37.8	3.6	11.7	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1934...	694,830	10.2	6,577,479	21.7	2.2	9.5	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1929...	302,852	4.8	2,911,004	9.6	0.8	9.6	(X)	(X)	(X)	(X)	(X)	(X)	(X)
Grown alone.....1959...	558,272	15.0	22,665,012	(NA)	7.3	40.6	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1954...	596,782	12.5	17,684,324	(NA)	5.3	29.6	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1949...	548,413	10.2	11,377,729	(NA)	3.3	20.7	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1944...	683,061	11.7	12,406,935	(NA)	3.5	18.2	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1939...	827,676	13.6	8,964,764	(NA)	2.8	10.8	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1934...	622,746	9.1	5,692,236	(NA)	1.9	9.1	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1929...	(NA)	(NA)	1,961,574	(NA)	0.5	(NA)	(X)	(X)	(X)	(X)	(X)	(X)	(X)
Grown with other crops.....1959...	27,249	0.7	405,242	(NA)	0.1	14.9	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1954...	39,521	0.8	558,616	(NA)	0.2	14.1	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1949...	69,277	1.3	887,828	(NA)	0.3	12.8	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1944...	104,246	1.8	1,370,838	(NA)	0.4	13.2	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1939...	199,396	3.3	2,494,170	(NA)	0.8	12.5	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1934...	90,343	1.3	885,243	(NA)	0.3	9.8	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1929...	(NA)	(NA)	949,430	(NA)	0.3	(NA)	(X)	(X)	(X)	(X)	(X)	(X)	(X)

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Annual legumes—Continued													
Soybeans grown for all purposes ³ —Con.													
Harvested for beans.....							Bushels		Bushels				
1964...	560,156	17.7	29,843,540	100.0	10.4	53.3	669,664,562	100.0	22.4	1,779,620,341	100.0	2.66	59.63
1959...	499,710	13.5	22,079,846	74.0	7.1	44.2	515,627,957	77.0	23.4	1,017,901,533	57.2	1.97	46.10
1954...	471,661	9.9	16,444,225	55.1	4.9	34.9	324,065,464	48.4	19.7	816,097,748	45.9	2.52	49.63
1949...	369,780	6.9	10,147,760	34.0	2.9	27.4	212,439,834	31.7	20.9	451,129,021	25.3	2.12	44.46
1944...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	187,725,831	28.0	(NA)	389,512,246	21.9	2.07	(NA)
1939...	253,762	4.2	4,274,105	14.3	1.3	16.8	87,590,641	13.1	20.5	71,246,404	4.0	0.81	16.67
1934...	148,124	2.2	(NA)	(NA)	(NA)	(NA)	23,014,703	3.4	(NA)	23,210,120	1.3	1.01	(NA)
1929...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	8,661,913	1.3	(NA)	14,446,066	0.8	1.67	(NA)
1919...	31,136	0.5	112,841	0.4	(Z)	3.6	1,085,202	0.2	9.6	4,451,905	0.3	4.10	39.45
1909...	348	(Z)	1,649	(Z)	(Z)	4.7	17,461	(Z)	10.6	21,854	(Z)	1.25	13.25
Grown alone.....	(NA)	(NA)	22,035,805	(NA)	7.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	469,566	9.8	16,376,412	(NA)	4.9	34.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	361,661	6.7	9,997,505	(NA)	2.9	27.6	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939...	236,359	3.9	4,109,067	(NA)	1.3	17.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1959...	3,034	0.1	44,041	(NA)	(Z)	14.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	3,851	0.1	67,813	(NA)	(Z)	17.6	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	8,833	0.2	150,255	(NA)	(Z)	17.0	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939...	18,578	0.3	165,038	(NA)	0.1	8.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Cut for hay.....							Tons		Tons				
1964...	55,358	1.8	421,853	100.0	0.1	7.6	581,617	100.0	1.4	15,437,632	100.0	26.54	36.59
1959...	53,004	1.4	333,537	79.1	0.1	6.3	458,778	78.9	1.4	10,495,058	68.0	22.88	31.47
1954...	125,107	2.6	836,366	198.3	0.3	6.7	847,477	145.7	1.0	23,897,034	154.8	28.20	28.57
1949...	198,451	3.7	1,072,653	254.3	0.3	5.4	1,380,134	237.3	1.3	30,369,339	196.7	22.00	28.31
Grown alone.....	(NA)	(NA)	314,043	(NA)	0.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	121,325	2.5	811,588	(NA)	0.2	6.7	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	188,478	3.5	1,015,473	(NA)	0.3	5.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1959...	2,622	0.1	19,494	(NA)	(Z)	7.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	4,505	0.1	24,778	(NA)	(Z)	5.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	11,007	0.2	57,180	(NA)	(Z)	5.2	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Hogged or grazed, or cut for silage.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1964...	7,989	0.3	85,855	100.0	(Z)	10.7	(NA)	(NA)	(NA)	4,419,764	100.0	(NA)	51.48
1959...	30,660	0.8	411,058	478.8	0.1	13.4	(NA)	(NA)	(NA)	7,771,229	175.8	(NA)	16.91
1954...	43,613	0.9	531,459	619.0	0.2	12.2	(NA)	(NA)	(NA)	11,290,059	255.4	(NA)	21.24
1949...	54,778	1.0	582,845	678.8	0.2	10.6	(NA)	(NA)	(NA)	9,817,594	222.1	(NA)	16.84
Grown alone.....	(NA)	(NA)	169,647	(NA)	0.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	22,384	0.5	208,449	(NA)	0.1	9.3	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	22,093	0.4	137,375	(NA)	(Z)	6.2	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1959...	15,009	0.4	241,411	(NA)	0.1	16.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	22,398	0.5	323,010	(NA)	0.1	14.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	33,808	0.6	445,470	(NA)	0.1	13.2	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Plowed under for green manure.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1959...	16,846	0.5	245,813	(NA)	0.1	14.6	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	28,316	0.6	430,890	(NA)	0.1	15.2	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	40,838	0.8	462,299	(NA)	0.1	11.3	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown alone.....	(NA)	(NA)	145,517	(NA)	(Z)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	18,947	0.4	287,875	(NA)	0.1	15.2	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	22,963	0.4	227,376	(NA)	0.1	9.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1959...	7,434	0.2	100,296	(NA)	(Z)	13.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	9,881	0.2	143,015	(NA)	(Z)	14.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	18,714	0.3	234,923	(NA)	0.1	12.6	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Cowpeas grown for all purposes ⁵													
1964...	(NA)	(NA)	162,974	100.0	0.1	(NA)	(X)	(X)	(X)	5,187,000	100.0	(X)	31.83
1959...	64,579	1.7	549,055	336.9	0.2	8.5	(X)	(X)	(X)	10,842,300	209.0	(X)	19.75
1954...	132,463	2.8	921,120	565.2	0.3	7.0	(X)	(X)	(X)	14,184,815	273.5	(X)	25.40
1949...	261,920	4.9	1,389,587	852.6	0.4	5.3	(X)	(X)	(X)	18,965,642	365.6	(X)	13.65
1944...	296,273	5.1	2,503,552	-	0.7	8.5	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1939...	811,450	13.3	6,714,351	-	2.1	8.3	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1934...	838,761	12.3	5,202,245	-	1.8	6.2	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1929...	273,923	4.4	1,493,228	916.2	0.4	5.5	(X)	(X)	(X)	(X)	(X)	(X)	(X)
Grown alone.....	(NA)	(NA)	470,126	(NA)	0.2	(NA)	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1954...	111,017	2.3	724,637	(NA)	0.2	6.5	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1949...	207,653	3.9	961,719	(NA)	0.3	4.6	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1944...	296,273	5.1	1,415,184	(NA)	0.4	4.8	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1939...	592,326	9.7	2,909,083	(NA)	0.9	4.9	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1934...	592,949	8.7	2,711,469	(NA)	0.9	4.6	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1929...	(NA)	(NA)	775,546	(NA)	0.2	(NA)	(X)	(X)	(X)	(X)	(X)	(X)	(X)
Grown with other crops.....							(X)	(X)	(X)	(X)	(X)	(X)	(X)
1959...	9,684	0.3	78,929	(NA)	(Z)	8.2	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1954...	26,393	0.6	196,483	(NA)	0.1	7.4	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1949...	67,247	1.2	427,868	(NA)	0.1	6.4	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1944...	143,225	2.4	1,088,368	(NA)	0.3	7.6	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1939...	359,453	5.9	3,805,268	(NA)	1.2	10.6	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1934...	298,493	4.4	2,490,776	(NA)	0.8	8.3	(X)	(X)	(X)	(X)	(X)	(X)	(X)
1929...	(NA)	(NA)	717,682	(NA)	0.2	(NA)	(X)	(X)	(X)	(X)	(X)	(X)	(X)

¹See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Annual legumes--Continued													
Cowpeas grown for all purposes--Con.													
Harvested for peas.....1964...	10,740	0.3	78,531	100.0	(Z)	7.3	Bushels 645,878	100.0	Bushels 8.2	2,800,000	100.0	4.34	35.65
1959...	29,427	0.8	179,423	228.5	0.1	6.1	1,475,263	228.4	8.2	5,973,756	213.3	4.05	33.29
1954...	54,281	1.1	267,784	341.0	0.1	4.9	1,179,801	182.7	4.4	5,316,028	189.9	4.51	19.85
1949...	106,851	2.0	382,231	486.7	0.1	3.6	1,953,578	302.5	5.1	6,884,700	245.9	3.52	18.01
1944...	207,032	3.5	(NA)	(NA)	(NA)	(NA)	3,602,688	557.8	(NA)	13,182,499	470.8	3.66	(NA)
1939...	327,007	5.4	1,895,567	-	0.6	5.8	5,959,298	922.6	3.1	8,313,747	296.9	1.40	4.39
1934...	455,968	6.7	(NA)	(NA)	(NA)	(NA)	6,161,734	954.0	(NA)	9,103,198	325.1	1.48	(NA)
1929...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	3,273,813	506.9	(NA)	7,365,563	263.1	2.25	(NA)
1889...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	3,402,912	526.8	(NA)	(NA)	(NA)	(NA)	(NA)
1879 ¹³	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	4,740,240	733.9	(NA)	(NA)	(NA)	(NA)	(NA)
Grown alone.....1959...	(NA)	(NA)	161,904	(NA)	0.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	44,960	0.9	216,210	(NA)	0.1	4.8	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	72,512	1.3	261,837	(NA)	0.1	3.6	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939...	234,115	3.8	824,017	(NA)	0.3	3.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....1959...	3,051	0.1	17,519	(NA)	(Z)	5.7	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	8,826	0.2	51,574	(NA)	(Z)	5.8	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	21,676	0.4	120,394	(NA)	(Z)	5.6	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939...	110,956	1.8	1,071,550	(NA)	0.3	9.7	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Out for hay.....1964...	7,312	0.2	50,244	100.0	(Z)	6.9	Tons 46,440	100.0	Tons 0.92	1,310,000	100.0	28.21	26.07
1959...	16,460	0.4	100,578	200.2	(Z)	6.1	81,393	175.3	0.81	2,226,669	170.0	27.36	22.34
1954...	43,379	0.9	237,444	472.6	0.1	5.5	146,681	315.8	0.62	4,909,787	374.8	33.47	20.68
1949...	62,715	1.2	321,234	639.3	0.1	5.1	262,451	565.1	0.82	6,926,908	528.8	26.39	21.56
Grown alone.....1959...	(NA)	(NA)	85,696	(NA)	(Z)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	38,053	0.8	202,318	(NA)	0.1	5.3	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	49,276	0.9	242,468	(NA)	0.1	4.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....1959...	2,513	0.1	14,882	(NA)	(Z)	5.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	6,230	0.1	35,126	(NA)	(Z)	5.6	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	14,072	0.3	78,766	(NA)	(Z)	5.6	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Hogged or grazed, or out for silage.....1964...	2,764	0.1	34,199	100.0	(Z)	12.4	(NA)	(NA)	(NA)	1,077,000	100.0	(NA)	31.49
1959...	12,323	0.3	125,374	366.6	(Z)	10.2	(NA)	(NA)	(NA)	2,641,875	245.3	(NA)	21.07
1954...	26,844	0.6	205,298	600.3	0.1	7.6	(NA)	(NA)	(NA)	3,959,000	367.6	(NA)	19.28
1949...	44,521	0.8	311,777	911.6	0.1	7.0	(NA)	(NA)	(NA)	5,154,034	478.6	(NA)	28.35
Grown alone.....1959...	(NA)	(NA)	93,205	(NA)	(Z)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	19,155	0.4	136,643	(NA)	(Z)	7.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	29,483	0.5	181,817	(NA)	0.1	6.2	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....1959...	3,298	0.1	32,169	(NA)	(Z)	9.8	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	8,207	0.2	68,655	(NA)	(Z)	8.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	16,441	0.3	129,960	(NA)	(Z)	7.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Plowed under for green manure.....1959...	10,659	0.3	143,680	(NA)	(Z)	13.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	19,237	0.4	210,594	(NA)	0.1	10.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	39,571	0.7	374,345	(NA)	0.1	9.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown alone.....1959...	(NA)	(NA)	129,321	(NA)	(Z)	12.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	14,987	0.3	169,466	(NA)	0.1	11.3	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	28,170	0.5	275,597	(NA)	0.1	9.8	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....1959...	1,482	(Z)	14,359	(NA)	(Z)	9.7	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954...	4,535	0.1	41,128	(NA)	(Z)	9.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	12,372	0.2	98,748	(NA)	(Z)	8.0	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Soybeans and cowpeas harvested for hay.....1944...	463,240	7.9	3,072,014	(NA)	0.9	6.6	3,350,402	(NA)	1.09	78,804,289	(NA)	23.52	25.65
Peanuts grown for all purposes ²1964...													
1959...	66,891	2.1	1,347,253	100.0	0.5	20.1	(X)	(X)	(X)	229,998,000	100.0	(NA)	170.72
1954...	104,331	2.8	1,468,231	109.0	0.5	14.1	(X)	(X)	(X)	140,963,017	61.3	(NA)	96.01
1949...	151,227	3.2	1,697,260	126.0	0.5	11.2	(X)	(X)	(X)	137,986,321	60.0	(NA)	81.30
1944...	225,191	4.2	2,725,473	202.3	0.8	12.1	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1939...	(NA)	(NA)	4,052,028	300.8	1.1	(NA)	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1934...	491,415	8.1	3,593,587	266.8	1.1	7.3	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1929...	576,985	8.5	3,239,525	240.5	1.1	5.6	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1924...	326,330	5.2	2,446,790	181.2	0.7	7.5	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
Grown alone.....1959...	96,674	2.6	1,429,645	(NA)	0.5	14.8	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1954...	142,372	3.0	1,620,788	(NA)	0.5	11.4	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1949...	209,037	3.9	2,529,305	(NA)	0.7	12.1	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1944...	309,021	5.3	3,676,405	(NA)	1.0	11.9	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1939...	458,336	7.5	2,511,960	(NA)	0.8	5.5	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1934...	404,371	5.9	2,016,291	(NA)	0.7	5.0	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1929...	(NA)	(NA)	1,558,951	(NA)	0.4	(NA)	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....1959...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1954 ¹⁴ ...	5,284	0.1	76,472	(NA)	(Z)	14.5	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1949 ¹⁴ ...	13,387	0.2	196,168	(NA)	0.1	14.7	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1944 ¹⁴ ...	28,322	0.5	375,623	(NA)	0.1	13.3	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1939...	61,131	1.0	1,081,627	(NA)	0.3	17.7	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1934...	82,289	1.2	1,223,234	(NA)	0.4	14.9	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)
1929...	(NA)	(NA)	887,839	(NA)	0.2	(NA)	(X)	(X)	(X)	(NA)	(NA)	(NA)	(NA)

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Annual legumes--Continued													
Peanuts grown for all purposes ³ --Con.													
Peanuts harvested for picking or threshing ⁴													
1964.....	66,891	2.1	1,347,253	100.0	0.5	20.1	2,004,045,000	100.0	1,488	224,789,000	100.0	0.11	166.85
1959.....	95,582	2.6	1,333,056	98.9	0.4	13.9	1,413,428,252	70.5	1,060	135,097,013	60.1	0.10	101.34
1954.....	119,188	2.5	1,270,386	94.3	0.4	10.7	884,664,110	44.1	696	107,631,933	47.9	0.12	84.72
1949.....	183,117	3.4	2,133,897	158.4	0.6	11.7	1,721,913,217	85.9	807	177,000,445	78.7	0.10	82.95
1944.....	226,301	3.9	2,957,943	219.6	0.8	13.1	2,008,855,504	100.2	679	162,727,199	72.4	0.08	55.01
1939.....	304,211	5.0	1,787,090	132.6	0.6	5.9	1,155,362,380	57.7	647	39,169,158	17.4	0.03	21.92
1934.....	453,835	6.7	(NA)	(NA)	(NA)	(NA)	44,259,977	(NA)	Busheles	38,592,738	17.2	0.87	(NA)
1929.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	36,590,457	(NA)	(NA)	28,433,245	12.6	0.78	(NA)
1919.....	230,445	3.6	1,125,175	83.5	0.3	4.9	27,454,299	(NA)	24.4	62,763,913	27.9	2.29	55.78
1909.....	219,045	3.4	869,907	64.6	0.3	4.0	19,417,069	(NA)	22.3	18,273,613	8.1	0.94	21.01
1899.....	133,914	2.3	516,658	38.3	0.2	3.9	11,964,957	(NA)	23.2	7,271,230	3.2	0.61	14.07
1889.....	(NA)	(NA)	203,946	15.1	0.1	(NA)	3,588,143	(NA)	17.6	(NA)	(NA)	(NA)	(NA)
Grown alone.....	(NA)	(NA)	1,330,308	(NA)	0.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954.....	112,327	2.3	1,268,712	(NA)	0.4	11.3	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949.....	162,513	3.0	2,130,062	(NA)	0.6	13.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	301,355	4.9	1,766,531	(NA)	0.5	5.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1959.....	432	(Z)	1,674	(NA)	(Z)	3.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954 ¹⁴	779	(Z)	3,835	(NA)	(Z)	4.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949 ¹⁴	3,811	0.1	20,559	(NA)	(Z)	5.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Peanut vines or tops saved for hay.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1964.....	21,888	0.7	392,849	100.0	0.1	17.9	247,656	100.0	0.63	5,209,000	100.0	21.03	13.26
1959.....	28,876	0.8	327,186	83.3	0.1	11.3	197,208	79.6	0.60	3,750,661	72.0	19.02	11.46
1954.....	88,859	1.9	1,001,587	255.0	0.3	11.3	598,889	241.8	0.60	14,778,688	283.7	24.68	14.76
1949.....	111,971	2.1	1,334,617	339.7	0.4	11.9	673,881	272.1	0.50	9,844,304	189.0	14.61	7.38
1944.....	185,705	3.2	(NA)	(NA)	(NA)	(NA)	1,040,781	420.2	(NA)	17,307,231	332.2	16.63	(NA)
Grown alone.....	(NA)	(NA)	325,510	(NA)	0.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954.....	87,773	1.8	998,166	(NA)	0.3	11.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949.....	108,029	2.0	1,329,496	(NA)	0.4	12.3	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops..	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1959 ¹⁴	(NA)	(NA)	(NA)	(NA)	(Z)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1954 ¹⁴	(NA)	(NA)	3,421	(NA)	(Z)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949 ¹⁴	868	(Z)	5,121	(NA)	(Z)	5.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Annual legumes saved for hay.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	972,128	15.9	7,187,327	(NA)	2.2	7.4	8,379,503	(NA)	1.17	74,186,245	(NA)	8.85	10.32
1934.....	1,222,266	17.9	9,500,946	(NA)	3.2	7.8	7,970,423	(NA)	0.84	114,380,565	(NA)	14.35	12.04
1929 ¹⁵	434,472	6.9	3,067,710	(NA)	0.9	7.1	2,935,402	(NA)	0.96	45,464,629	(NA)	15.49	14.82
1924 ¹⁶	(NA)	(NA)	2,572,615	(NA)	0.7	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919 ¹⁷	329,547	5.1	1,846,914	(NA)	0.5	5.6	1,716,195	(NA)	0.93	47,094,363	(NA)	27.44	25.50
Velvetbeans for all purposes.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1964.....	1,392	(Z)	11,670	100.0	(Z)	8.4	7,360,939	100.0	631	129,960	100.0	0.02	(X)
1959.....	7,372	0.2	107,906	924.6	(Z)	14.6	8,792,940	119.5	81	159,747	122.9	0.02	(X)
1954.....	15,391	0.3	218,051	-	0.1	14.2	5,066,580	68.8	23	109,714	84.4	0.02	(X)
1949.....	34,205	0.6	425,126	-	0.1	12.4	30,942,240	420.4	73	643,990	495.5	0.02	(X)
1924.....	115,297	1.8	1,475,951	-	0.4	12.8	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919.....	101,590	1.6	1,142,562	-	0.3	11.2	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Velvetbeans for all purposes except soil improvement.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1929.....	101,639	1.6	1,237,346	(NA)	0.3	12.2	126,888,360	(NA)	103	3,663,384	(NA)	0.03	2.96
Velvetbeans for beans only.....	(NA)	(NA)	12,560	(NA)	(Z)	(NA)	9,286,020	(NA)	739	210,837	(NA)	0.03	16.79
Dry field and seed beans harvested for beans ⁵	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1964.....	27,131	0.9	1,338,304	100.0	0.5	49.3	1,765,685,000	100.0	1,319	136,192,000	100.0	0.08	101.76
1959.....	34,628	0.9	1,414,163	105.7	0.5	40.8	1,908,734,000	108.1	1,350	137,756,402	101.1	0.07	97.41
1954.....	45,732	1.0	1,455,239	108.7	0.4	31.8	1,712,533,600	97.0	1,177	137,574,083	101.0	0.08	94.54
1949.....	67,475	1.3	1,779,669	133.0	0.5	26.4	1,922,298,900	108.9	1,080	131,846,017	96.8	0.07	74.08
1944.....	76,551	1.3	1,897,924	141.8	0.5	24.8	1,564,521,800	88.6	824	97,802,053	71.8	0.06	51.53
Dry field and seed beans harvested for all purposes except green manure.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	102,436	1.7	1,591,211	(NA)	0.5	15.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1934.....	139,753	2.1	1,503,670	(NA)	0.5	10.8	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1929.....	128,613	2.0	1,866,700	(NA)	0.5	14.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown alone.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	101,456	1.7	1,587,373	(NA)	0.5	15.6	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1934.....	(NA)	(NA)	1,488,376	(NA)	0.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1929.....	(NA)	(NA)	1,746,307	(NA)	0.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	1,092	(Z)	3,838	(NA)	(Z)	3.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1934.....	(NA)	(NA)	15,294	(NA)	(Z)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1929.....	(NA)	(NA)	120,393	(NA)	(Z)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Harvested for beans.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	100,949	1.7	1,585,823	(NA)	0.5	15.7	1,419,966,200	80.4	895	46,527,308	34.2	0.03	29.34
Grown alone.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	100,200	1.6	1,582,985	(NA)	0.5	15.8	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	907	(Z)	2,838	(NA)	(Z)	3.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Harvested for beans.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1934.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	1,121,796,900	63.5	(NA)	39,418,609	28.9	0.04	(NA)
1929.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	1,221,258,400	69.2	(NA)	(NA)	(NA)	(NA)	(NA)
1919 ¹⁸	168,251	2.6	1,161,780	(NA)	0.3	6.9	844,975,800	47.9	727	61,803,067	45.4	0.07	53.20
1909 ¹⁹	186,105	2.9	803,160	(NA)	0.3	4.3	675,281,100	38.2	841	21,777,046	16.0	0.03	27.11
1899.....	245,023	4.3	453,867	(NA)	0.2	1.9	303,890,640	17.2	670	7,634,262	5.6	0.03	16.82
1889.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	189,813,240	10.8	(NA)	(NA)	(NA)	(NA)	(NA)
1879.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	184,503,000	10.4	(NA)	(NA)	(NA)	(NA)	(NA)

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Annual legumes—Continued													
Dry field and seed peas, other than cowpeas and Austrian winter peas, for peas ³							Pounds		Pounds				
1964.....	3,080	0.1	299,991	100.0	0.1	97.4	497,997,947	100.0	1,660	19,213,567	100.0	0.04	64.05
1959.....	3,889	0.1	343,773	114.6	0.1	88.4	499,345,680	100.3	1,453	20,247,180	105.4	0.04	58.90
1954.....	4,133	0.1	255,399	85.1	0.1	61.8	337,435,980	67.8	1,321	16,844,200	87.7	0.05	65.96
1949.....	7,787	0.1	365,541	121.8	0.1	46.9	312,918,720	62.8	856	11,465,746	59.7	0.04	31.37
1944.....	11,195	0.2	696,905	232.3	0.2	62.3	857,077,680	172.1	1,230	42,064,168	218.9	0.05	60.36
Dry field and seed peas for all purposes except green manure.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	11,167	0.2	244,975	(NA)	0.1	21.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1929.....	26,634	0.4	286,921	(NA)	0.1	10.8	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown alone.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	10,405	0.2	230,955	(NA)	0.1	22.2	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1929.....	(NA)	(NA)	255,997	(NA)	0.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	839	(Z)	14,020	(NA)	(Z)	16.7	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1929.....	(NA)	(NA)	30,924	(NA)	(Z)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Harvested for peas.....													
1939.....	9,070	0.1	214,397	(NA)	0.1	23.6	227,523,180	45.7	1,061	6,370,437	33.2	0.03	29.71
Grown alone.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	8,790	0.1	209,837	(NA)	0.1	23.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Grown with other crops.....							(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1939.....	328	(Z)	4,560	(NA)	(Z)	13.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Harvested for peas.....													
1929.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	196,884,300	39.5	(NA)	7,444,200	38.7	0.04	(NA)
1919 ²⁰	210,257	3.3	865,679	(NA)	0.2	4.1	344,564,880	69.2	398	20,790,854	108.2	0.06	24.02
1909 ²⁰	261,252	4.1	1,305,113	(NA)	0.4	5.0	427,766,520	85.9	328	10,863,940	57.1	0.03	8.40
1899 ²⁰	417,868	7.3	968,371	(NA)	0.3	2.3	566,416,140	113.7	585	7,909,074	41.2	0.01	8.17
1889.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	168,746,220	33.9	(NA)	(NA)	(NA)	(NA)	(NA)
1879 ¹³	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	106,484,220	21.4	(NA)	(NA)	(NA)	(NA)	(NA)
Hay crops (see text):													
Land from which hay was cut ⁵							Tons		Tons				
1964.....	(NA)	(NA)	65,294,703	100.0	22.8	(NA)	115,760,894	100.0	1.77	2,744,147,055	100.0	23.71	42.03
1959.....	(NA)	(NA)	63,548,557	97.3	20.4	(NA)	106,589,630	92.1	1.68	2,180,621,545	79.5	20.46	34.31
1954.....	(NA)	(NA)	69,940,058	107.1	21.0	(NA)	103,597,282	89.5	1.48	2,301,881,780	83.9	22.22	32.91
1949.....	(NA)	(NA)	67,469,504	103.3	19.6	(NA)	89,009,493	76.9	1.32	1,924,781,153	70.1	21.62	28.53
1944.....	(NA)	(NA)	73,402,007	112.4	20.8	(NA)	94,913,880	82.0	1.29	1,713,794,339	62.5	18.06	23.35
1939.....	(NA)	(NA)	61,229,403	93.8	19.0	(NA)	74,137,847	64.0	1.21	1,647,998,447	59.6	17.44	22.53
1934.....	(NA)	(NA)	63,155,574	96.7	21.4	(NA)	54,113,924	46.7	0.86	747,683,723	27.2	13.82	11.84
1929.....	(NA)	(NA)	67,823,087	103.9	18.9	(NA)	82,349,665	71.1	1.21	942,972,246	34.4	11.45	13.90
1924 ²¹	(NA)	(NA)	74,692,476	114.4	21.7	(NA)	88,384,249	76.3	1.18	1,076,254,296	39.2	12.18	14.41
1919.....	(NA)	(NA)	70,936,449	108.6	20.3	(NA)	88,643,396	76.6	1.25	1,906,264,682	69.5	21.50	26.87
1909.....	(NA)	(NA)	68,227,310	104.5	21.9	(NA)	87,216,351	75.3	1.28	776,163,663	28.3	8.90	11.38
1899.....	(NA)	(NA)	61,691,166	94.5	21.8	(NA)	79,251,946	68.5	1.28	2,484,256,846	17.6	6.11	7.85
1889 ²³	(NA)	(NA)	52,948,797	81.1	24.1	(NA)	66,831,480	57.7	1.26	(NA)	(NA)	(NA)	(NA)
1879.....	(NA)	(NA)	30,631,054	46.9	18.4	(NA)	35,150,711	30.4	1.15	(NA)	(NA)	(NA)	(NA)
1869.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	27,316,048	23.6	(NA)	(NA)	(NA)	(NA)	(NA)
1859.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	19,083,896	16.5	(NA)	(NA)	(NA)	(NA)	(NA)
1849.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	13,838,642	12.0	(NA)	(NA)	(NA)	(NA)	(NA)
1839.....	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	10,248,109	8.9	(NA)	(NA)	(NA)	(NA)	(NA)
Alfalfa cut for hay and for dehydrating ²													
1964.....	893,328	28.3	28,211,434	100.0	9.8	31.6	68,380,940	100.0	2.42	1,653,700,253	100.0	24.18	58.62
1959.....	970,432	26.2	26,107,438	92.5	8.4	26.9	59,871,130	87.5	2.29	1,270,128,032	76.8	21.21	48.65
1954.....	1,132,181	23.7	26,007,771	92.2	7.8	23.0	54,913,793	80.3	2.11	1,257,659,671	76.1	22.90	48.36
1949.....	984,830	18.3	16,411,977	58.2	4.8	16.7	35,254,059	51.6	2.15	793,601,401	48.0	22.51	48.36
1944.....	933,987	15.9	14,977,223	53.1	4.2	16.0	32,669,569	47.8	2.18	605,966,181	36.6	18.55	40.46
1939.....	946,545	15.5	12,802,723	45.4	4.0	13.5	25,653,221	37.5	2.00	236,161,728	14.3	9.21	18.45
1934.....	877,453	12.9	11,669,135	41.4	3.9	13.3	18,742,098	27.4	1.61	268,298,614	16.2	14.32	22.99
1929.....	806,429	12.8	11,515,811	40.8	3.2	14.3	23,493,505	34.4	2.04	317,043,137	19.2	13.49	27.53
1924.....	664,125	10.4	10,402,431	36.9	3.0	15.7	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919.....	542,549	8.4	8,624,811	30.6	2.5	15.9	18,853,133	27.6	2.19	416,178,534	25.2	22.07	48.25
1909.....	283,012	4.4	4,707,146	16.7	1.5	16.6	11,859,881	17.3	2.52	93,103,998	5.6	7.85	19.78
1899.....	96,114	1.7	2,094,011	7.4	0.7	21.8	5,220,671	7.6	2.49	(NA)	(NA)	(NA)	(NA)
Clover or timothy (alone or mixed) cut for hay ³													
1964.....	553,670	17.5	13,412,593	100.0	4.7	24.2	19,566,891	100.0	1.46	486,054,468	100.0	24.84	36.24
1959.....	641,224	17.3	14,040,238	104.7	4.5	21.9	22,063,306	112.8	1.57	437,293,091	90.0	19.82	31.15
1954.....	854,435	17.9	16,930,114	126.2	5.1	19.8	23,686,692	121.1	1.40	535,602,674	110.2	22.61	31.64
1949.....	1,032,833	19.2	18,557,183	138.4	5.4	18.0	23,956,678	122.4	1.29	547,072,057	112.5	22.84	29.48
1944.....	1,223,284	20.9	22,602,650	168.5	6.4	18.5	30,748,725	157.1	1.36	583,027,707	119.9	18.96	25.79
1939.....	1,110,494	18.2	17,273,868	128.8	5.4	15.6	20,660,341	105.6	1.20	195,454,477	40.2	9.46	11.32
1934.....	1,247,079	18.3	19,978,691	149.0	6.8	16.0	16,346,092	83.5	0.82	248,452,709	51.1	15.20	12.44
1929 ²⁴	(25)	(NA)	29,749,886	221.8	8.3	(NA)	37,707,558	192.7	1.27	421,711,053	86.8	11.18	14.18
1924 ²⁴	(26)	(NA)	34,248,812	255.3	9.9	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919 ²⁷	(28)	(NA)	33,451,329	249.4	9.6	(NA)	42,288,428	216.1	1.26	1,009,969,668	207.8	23.88	30.19
1909.....	(29)	(NA)	36,672,038	273.4	11.8	(NA)	45,892,299	234.5	1.25	474,701,636	97.7	10.34	12.94
1899 ³⁰	420,124	7.3	4,103,968	30.6	1.4	9.8	5,167,188	26.4	1.26	(NA)	(NA)	(NA)	(NA)
Lespedeza cut for hay ⁵													
1964.....	169,732	5.4	2,338,945	100.0	0.8	13.8	2,878,326	100.0	1.23	73,633,575	100.0	25.58	31.48
1959.....	247,981	6.7	3,088,648	132.1	1.0	12.5	3,763,202	130.7	1.22	80,223,759	108.9	21.32	25.97
1954.....	313,673	6.6	3,300,667	141.1	1.0	10.5	2,826,315	98.2	0.86	85,301,800	115.8	30.18	25.84
1949.....	624,057	11.6	6,929,153	296.2	2.0	11.1	7,933,598	275.6	1.14	162,254,444	220.3	20.45	23.42
1944.....	522,972	8.9	5,941,370	254.0	1.7	11.4	5,569,192	193.5	0.94	132,474,709	179.9	23.99	22.30
1939.....	481,206	7.9	4,697,609	200.8	1.5	9.8	5,046,772	175.3	1.07	51,427,190	69.8	10.19	10.95

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Hay crops—Con.													
Small grains cut for hay (see text) ³							Tons		Tons				
1964.....	173,585	5.5	2,815,242	100.0	1.0	16.2	3,663,381	100.0	1.30	82,435,804	100.0	22.50	29.28
1959.....	211,145	5.7	3,550,541	126.1	1.1	16.8	3,655,038	99.8	1.03	71,564,976	86.8	19.58	20.16
1954.....	413,001	8.6	4,673,853	166.0	1.4	11.3	5,096,010	139.1	1.09	118,321,530	143.5	23.22	25.32
1949.....	490,537	9.1	4,881,850	173.4	1.4	10.0	3,144,233	85.8	0.64	104,329,783	126.6	(X)	21.37
1944.....	624,047	10.7	5,729,726	203.5	1.6	9.2	1,884,431	51.4	0.33	114,660,351	139.1	(X)	20.01
1939.....	674,996	11.1	6,067,005	215.5	1.9	9.0	3,893,297	106.3	0.64	50,735,878	61.5	(X)	8.36
1934.....	516,228	7.6	11,012,268	391.2	3.7	21.3	4,920,725	134.3	0.45	52,322,272	63.5	10.63	4.75
1929.....	249,812	4.0	6,266,441	222.6	1.7	25.1	3,435,835	93.8	0.55	46,674,267	56.6	13.58	7.45
1924.....	228,819	3.6	6,256,757	222.2	1.8	27.3	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919.....	514,106	8.0	5,676,758	201.6	1.6	11.0	5,465,290	149.2	0.96	120,383,521	146.0	22.03	21.21
1909 ³¹	418,116	6.6	4,324,878	153.6	1.4	10.3	5,367,292	146.5	1.24	61,721,199	74.9	11.50	14.26
1899.....	337,237	5.9	3,883,530	137.9	1.4	11.5	4,964,657	135.5	1.28	(NA)	(NA)	(NA)	(NA)
Coastal Bermuda grass cut for hay.....	11,078	0.4	269,006	100.0	0.1	24.3	661,215	100.0	2.46	19,836,450	100.0	30.00	73.74
1959.....	4,813	0.1	117,869	43.8	(Z)	24.5	233,477	35.3	1.98	7,004,310	35.3	30.00	59.42
Vetch or peas alone or mixed with oats or other grains cut for hay.....	1,405	(Z)	25,910	100.0	(Z)	18.4	45,641	100.0	1.76	981,282	100.0	21.50	37.87
1959.....	1,303	(Z)	31,097	120.0	(Z)	17.2	53,611	117.5	1.72	1,185,028	120.8	22.10	38.11
1954.....	4,528	0.1	55,371	213.7	(Z)	12.2	96,889	212.3	1.75	2,034,669	207.3	21.00	36.75
Other hay cut (see text) ³	262,848	8.3	6,050,613	100.0	2.1	23.0	7,921,283	100.0	1.31	176,468,194	100.0	22.28	29.17
1959.....	245,606	6.6	4,882,714	80.7	1.6	19.9	5,922,372	74.8	1.21	110,981,237	62.9	18.74	22.73
1954.....	333,279	7.0	5,342,940	88.3	1.6	16.0	5,400,598	68.2	1.01	109,811,602	62.2	20.33	20.55
1949.....	421,472	7.8	6,390,747	105.6	1.9	15.2	6,655,425	84.0	1.04	133,140,584	75.4	20.00	20.83
1944.....	472,770	8.1	8,624,617	142.5	2.4	18.1	9,619,993	121.4	1.11	149,183,364	84.5	15.51	17.30
1939.....	(NA)	(NA)	8,367,414	138.3	2.6	(NA)	8,958,477	113.1	1.07	67,927,940	38.5	7.58	8.12
1934.....	(NA)	(NA)	20,495,480	338.7	6.9	(NA)	14,105,009	178.1	0.69	178,610,118	101.2	12.66	8.71
1929.....	(NA)	(NA)	6,773,512	111.9	1.9	(NA)	6,743,622	85.1	1.00	76,362,829	43.3	11.32	11.27
1924.....	(NA)	(NA)	8,761,760	144.8	2.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919.....	(NA)	(NA)	6,055,794	100.1	1.7	(NA)	6,403,946	80.8	1.06	133,185,624	75.5	20.80	21.99
1909.....	(NA)	(NA)	5,336,726	88.2	1.7	(NA)	5,713,305	72.1	1.07	55,576,531	31.5	9.73	10.41
1899.....	(NA)	(NA)	36,152,817	597.5	12.8	(NA)	46,614,478	588.5	1.29	(NA)	(NA)	(NA)	(NA)
Wild hay cut ⁵	169,978	5.4	10,364,254	100.0	3.6	61.0	9,163,182	100.0	0.88	166,266,759	100.0	18.15	16.04
1959.....	187,963	5.1	10,473,654	101.1	3.4	55.7	8,636,487	94.2	0.82	143,758,832	86.5	16.65	13.73
1954.....	231,937	4.8	12,473,387	120.3	3.7	53.8	9,584,279	104.6	0.77	149,716,877	90.0	15.62	12.00
1949.....	283,636	5.3	24,291,781	137.9	4.1	50.4	11,611,714	126.7	0.81	172,077,730	103.5	14.82	12.04
1944.....	381,108	6.5	15,526,421	149.8	4.4	40.1	14,421,970	157.4	0.93	128,482,027	77.3	8.91	8.28
1939.....	413,251	6.8	11,961,440	115.4	3.7	28.9	9,828,420	107.3	0.82	44,993,573	27.1	4.58	3.76
1929.....	441,651	7.0	13,517,437	130.4	3.8	30.6	10,969,145	119.7	0.81	81,180,960	48.8	7.40	6.01
1924.....	(NA)	(NA)	15,022,716	144.9	4.4	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919.....	529,930	8.2	17,127,757	165.3	4.9	32.3	15,632,599	170.6	0.91	226,547,335	136.3	14.49	13.23
1909.....	539,786	8.5	17,186,522	165.8	5.5	31.8	18,383,574	200.6	1.07	91,060,299	54.8	4.95	5.30
1899.....	531,596	9.3	15,456,840	149.1	5.5	29.1	17,284,952	188.6	1.12	(NA)	(NA)	(NA)	(NA)
Silage made from grass or hay crops (see text) ³	75,344	2.4	1,806,706	100.0	0.6	24.0	3,480,035	100.0	1.93	84,770,270	100.0	8.12	46.92
1959.....	68,148	1.8	1,256,358	69.5	0.4	18.4	2,391,007	76.5	1.90	58,482,280	69.1	7.34	46.62
1954.....	74,461	1.6	1,155,955	64.0	0.3	15.5	1,992,706	19.1	1.72	43,432,937	51.2	21.80	37.57
1949.....	21,061	0.4	299,556	16.6	0.1	14.2	453,796	4.3	1.51	12,305,154	14.5	27.12	41.08
1939.....	5,160	0.1	59,334	3.3	(Z)	11.5	97,319	0.9	1.64	1,297,661	1.5	13.33	21.87
Field seed crops:													
Alfalfa seed.....							Pounds		Pounds				
1964.....	22,624	0.7	675,009	100.0	0.2	29.8	131,135,558	100.0	194	39,987,000	100.0	0.30	59.24
1959.....	25,771	0.7	672,788	99.7	0.2	26.1	108,736,763	82.9	162	31,493,443	78.8	0.29	46.81
1954.....	42,271	0.9	1,014,785	150.3	0.3	24.0	160,530,540	122.4	158	52,167,753	130.5	0.32	51.41
1949.....	61,599	1.1	1,055,385	156.3	0.3	17.1	112,894,380	86.1	107	43,340,917	108.4	0.38	41.07
1944.....	53,338	0.9	826,700	122.5	0.2	15.5	56,757,180	43.3	69	19,527,018	48.8	0.34	23.62
1939.....	85,471	1.4	1,009,758	149.6	0.3	11.8	87,214,800	66.5	86	12,681,155	31.7	0.15	12.56
1929.....	29,588	0.5	525,447	77.8	0.1	17.8	59,364,660	45.3	113	11,313,429	28.3	0.19	21.53
1924.....	31,043	0.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919.....	31,043	0.5	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1909.....	7,431	0.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Red clover seed ⁵	57,415	1.8	822,474	100.0	0.3	14.3	78,934,885	100.0	96	18,918,000	100.0	0.24	23.00
1959.....	81,115	2.2	1,141,269	138.8	0.4	14.1	88,393,333	112.0	77	22,805,149	120.5	0.26	19.98
1954.....	68,831	1.4	859,835	104.5	0.3	12.5	55,495,680	70.3	65	24,398,377	129.0	0.44	28.38
1949.....	113,010	2.1	1,326,272	161.2	0.4	11.7	76,065,600	96.4	57	30,937,541	163.5	0.41	23.33
1944.....	150,297	2.6	1,913,737	232.7	0.5	12.7	96,166,980	121.8	50	30,294,363	160.1	0.32	15.83
1939 ³²	134,312	2.2	1,528,159	185.8	0.5	11.4	123,058,200	155.9	81	16,473,582	87.1	0.13	10.78
1929 ³³	213,110	3.4	2,517,819	306.1	0.7	11.8	242,501,580	307.2	96	31,137,339	164.6	0.13	12.37
1924.....	127,405	2.0	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1919.....	72,996	1.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1899.....	105,526	1.8	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Lespedeza seed.....	14,565	0.5	251,106	100.0	0.1	17.2	49,275,788	100.0	196	7,288,000	100.0	0.148	29.02
1959.....	27,570	0.7	422,415	168.2	0.1	15.3	94,705,795	192.2	224	9,062,867	124.4	0.096	21.45
1954.....	36,355	0.8	528,913	210.6	0.2	14.5	90,106,023	182.9	170	17,121,439	234.9	0.190	32.37
1949.....	73,840	1.4	1,007,492	401.2	0.3	13.6	231,939,228	470.7	230	17,057,440	234.0	0.073	16.93
1944.....	57,191	1.0	811,206	323.0	0.2	14.2	174,183,208	353.5	215	14,220,723	195.1	0.082	17.53
1939.....	55,882	0.9	605,652	241.2	0.2	10.8	102,847,667	208.7	170	4,213,989	57.8	0.041	6.96
Sweetclover seed.....	5,607	0.2	110,756	100.0	(Z)	19.8	22,598,614	100.0	204	1,565,000	100.0	0.07	14.13
1959.....	6,827	0.2	114,894	103.7	(Z)	16.8	22,855,140	101.1	199	1,977,377	126.3	0.09	17.21
1954.....	14,486	0.3	237,028	214.0	0.1	16.4	42,534,840	188.2	179	4,669,180	298.3	0.11	19.70
1949.....	21,219	0.4	328,258	296.4	0.1	15.5	51,027,540	225.8	155	7,545,169	482.1	0.15	22.99
1939.....	38,566	0.6	570,034	514.7	0.2	14.8	91,731,000	405.9	161	2,947,484	188.3	0.03	5.17

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop, and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Field seed crops--Continued							Pounds		Pounds				
Timothy seed.....1964...	12,362	0.4	200,685	100.0	0.1	16.2	28,770,156	100.0	143	4,493,000	100.0	0.16	22.39
1959.....	23,780	0.6	324,377	161.6	0.1	13.6	47,863,616	166.4	148	5,210,076	116.0	0.11	16.06
1954.....	19,085	0.4	250,569	124.9	0.1	13.1	37,732,770	131.2	151	6,587,061	146.6	0.17	26.29
1949.....	27,716	0.5	326,483	162.7	0.1	11.8	39,977,640	139.0	122	7,410,098	164.9	0.19	22.70
1929.....	33,447	0.5	453,606	226.0	0.1	13.6	62,834,265	218.4	139	2,788,003	62.0	0.04	6.15
1919.....	65,811	1.0	(NA)	(NA)	(NA)	(NA)	116,427,060	404.7	(NA)	13,673,913	304.3	0.12	(NA)
Alsike clover seed.....1964...	181	(2)	4,313	100.0	(2)	23.8	713,893	100.0	166	121,000	100.0	0.17	28.05
1959.....	1,053	(2)	26,366	611.3	(2)	25.0	4,748,946	665.2	180	879,061	726.5	0.19	33.34
1954.....	1,973	(2)	35,954	833.6	(2)	18.2	7,596,203	-	211	1,999,026	-	0.26	55.60
1949.....	5,143	0.1	75,312	(2)	(2)	14.6	8,537,905	-	113	2,535,169	-	0.30	33.66
Alyce clover seed.....1964...	42	(2)	7,091	100.0	(2)	168.8	1,299,420	100.0	183	156,000	100.0	0.12	22.00
1959.....	59	(2)	5,462	77.0	(2)	92.6	1,604,087	123.4	294	240,614	154.2	0.15	44.05
1954.....	62	(2)	5,042	71.1	(2)	81.3	1,520,360	117.0	302	152,035	97.5	0.10	30.15
1949.....	75	(2)	2,909	41.0	(2)	38.8	570,775	43.9	196	91,390	58.6	0.16	31.42
Bur clover seed.....1954...	19	(2)	530	(NA)	(2)	27.9	(NA)	(NA)	149	15,064	(NA)	0.19	28.42
1949.....	79	(2)	1,139	(NA)	(2)	14.4	172,236	(NA)	151	62,110	(NA)	0.36	54.53
Crimson clover seed.....1964...	1,730	0.1	45,551	100.0	(2)	26.3	12,630,919	100.0	277	1,745,000	100.0	0.14	38.31
1959.....	3,260	0.1	61,305	134.6	(2)	18.8	11,048,621	87.5	180	2,701,625	154.8	0.24	44.07
1954.....	5,971	0.1	99,624	218.7	(2)	16.7	12,989,278	102.8	130	2,479,890	142.1	0.19	24.89
1949.....	8,375	0.2	118,499	260.1	(2)	14.1	18,426,088	145.9	155	3,829,242	219.4	0.21	32.31
Ladino clover seed.....1964...	176	(2)	15,458	100.0	(2)	87.8	4,836,290	100.0	313	2,562,000	100.0	0.53	165.74
1959.....	252	(2)	18,875	122.1	(2)	74.9	4,515,660	93.4	239	2,396,451	93.5	0.53	126.96
1954.....	421	(2)	13,843	89.6	(2)	32.9	2,803,395	58.0	203	1,455,281	56.8	0.52	105.13
1949.....	2,105	(2)	32,542	210.5	(2)	15.5	3,492,281	72.2	107	4,646,640	181.4	1.33	142.79
Persian clover seed.....1954...	5	(2)	93	(NA)	(2)	18.6	8,500	(NA)	91	3,400	(NA)	0.40	36.56
Subterranean clover seed.....1954...	16	(2)	163	(NA)	(2)	10.2	26,445	(NA)	162	13,222	(NA)	0.50	81.12
1949.....	40	(2)	430	(NA)	(2)	10.8	59,935	(NA)	139	42,680	(NA)	0.71	99.26
White clover seed.....1964...	454	(2)	26,747	100.0	(2)	58.9	4,884,033	100.0	183	1,785,000	100.0	0.37	66.74
1959.....	629	(2)	32,171	120.3	(2)	51.1	5,276,535	108.0	164	2,713,882	152.0	0.51	84.36
1954.....	632	(2)	17,532	65.5	(2)	27.7	1,790,823	36.7	102	1,227,227	68.8	0.69	70.00
1949.....	878	(2)	20,846	77.9	(2)	23.7	1,754,830	35.9	84	1,292,185	72.4	0.74	61.99
All other clover seed.....1954...	786	(2)	12,525	(NA)	(2)	15.9	1,417,347	(NA)	113	391,328	(NA)	0.28	31.24
1949.....	148	(2)	1,563	(NA)	(2)	10.6	192,089	(NA)	123	76,897	(NA)	0.40	49.20
Austrian winter peas.....1964...	537	(2)	43,564	100.0	(2)	81.1	72,222,813	100.0	1,658	2,166,000	100.0	0.03	49.72
1959.....	679	(2)	36,380	83.5	(2)	53.6	47,131,487	65.3	1,296	1,417,430	65.4	0.03	38.96
1954.....	1,001	(2)	32,302	74.1	(2)	32.3	39,471,915	54.7	1,222	926,108	42.8	0.02	28.67
1949.....	1,452	(2)	87,599	201.1	(2)	60.3	72,971,267	101.0	833	3,211,969	148.3	0.04	36.67
Birdsfoot trefoil seed.....1964...	718	(2)	13,668	100.0	(2)	19.0	1,418,685	100.0	104	1,027,000	100.0	0.72	75.14
1959.....	669	(2)	13,786	100.9	(2)	20.6	1,257,795	88.7	91	1,036,320	100.9	0.82	75.17
1954.....	601	(2)	8,772	64.2	(2)	14.6	789,430	55.6	90	731,358	71.2	0.93	83.37
1949.....	134	(2)	2,740	20.0	(2)	20.4	203,053	14.3	74	363,881	35.4	1.79	132.80
Crotalaria seed.....1964...	4	(2)	72	100.0	(2)	18.0	11,250	100.0	156	2,000	100.0	0.18	27.78
1959.....	74	(2)	2,657	-	(2)	35.9	523,606	-	197	87,355	-	0.17	32.88
1954.....	56	(2)	1,694	-	(2)	30.2	288,250	-	170	34,590	-	0.12	20.42
Hairy Indigo seed.....1964...	52	(2)	3,773	100.0	(2)	72.6	294,999	100.0	78	65,000	100.0	0.22	17.23
1959.....	148	(2)	8,592	227.7	(2)	58.1	890,165	301.7	104	231,443	356.1	0.26	26.94
1954.....	97	(2)	4,103	108.7	(2)	42.3	376,338	127.6	92	112,901	173.7	0.30	27.52
Lupine seed.....1964...	97	(2)	2,174	100.0	(2)	22.4	1,192,524	100.0	549	59,000	100.0	0.05	27.14
1959.....	481	(2)	10,987	505.4	(2)	22.8	6,282,869	526.9	572	252,726	428.3	0.04	23.00
1954.....	1,749	(2)	42,836	-	(2)	24.5	16,312,138	-	381	705,838	-	0.04	16.48
1949.....	3,462	0.1	92,818	-	(2)	26.8	58,099,051	-	637	2,547,453	-	0.04	27.45
Sesbania seed.....1954...	7	(2)	471	(NA)	(2)	67.3	337,250	(NA)	716	27,285	(NA)	0.08	57.93
Vetch seed.....1964...	2,435	0.1	109,894	100.0	(2)	45.1	27,701,303	100.0	252	2,711,000	100.0	0.10	24.67
1959.....	3,242	0.1	112,956	102.8	(2)	34.8	26,510,267	95.7	235	2,437,360	89.9	0.09	21.58
1954.....	6,365	0.1	161,250	146.7	(2)	24.3	35,270,247	127.3	219	3,192,782	117.8	0.09	19.80
1949.....	6,946	0.1	179,944	163.7	0.1	25.9	36,317,004	131.1	202	5,498,807	202.8	0.15	30.56
Wild (rough winter peas).....1964...	176	(2)	12,971	100.0	(2)	73.7	4,116,025	100.0	317	299,000	100.0	0.07	23.05
1959.....	188	(2)	8,109	62.5	(2)	43.1	1,925,236	46.8	237	166,586	55.7	0.09	20.54
1954.....	624	(2)	26,938	207.7	(2)	43.2	6,340,950	154.1	255	506,352	169.3	0.08	18.80
1949.....	747	(2)	34,631	267.0	(2)	46.4	9,147,847	222.2	264	769,998	297.5	0.08	22.23
Bahia grass seed.....1964...	452	(2)	22,502	100.0	(2)	49.8	2,621,118	100.0	116	397,000	100.0	0.15	17.64
Bentgrass seed.....1964...	375	(2)	30,778	100.0	(2)	82.1	8,763,183	100.0	285	2,277,000	100.0	0.26	73.98
1959.....	335	(2)	23,065	74.9	(2)	68.9	6,468,173	73.8	280	1,431,422	62.9	0.22	62.06
1954.....	335	(2)	18,657	60.6	(2)	55.7	3,197,639	36.5	171	1,755,157	77.1	0.55	94.07
1949.....	270	(2)	14,890	48.4	(2)	55.1	1,497,320	17.1	101	967,479	42.5	0.65	64.98
Bermudagrass seed.....1964...	74	(2)	11,762	100.0	(2)	158.9	8,616,741	100.0	733	2,312,000	100.0	0.27	196.57
1959.....	66	(2)	7,629	64.9	(2)	115.6	4,374,684	50.8	573	656,203	28.4	0.15	86.01
1954.....	66	(2)	5,915	50.3	(2)	89.6	3,968,835	46.1	671	793,767	34.3	0.20	134.20
1949.....	64	(2)	6,069	51.6	(2)	94.8	2,873,624	33.3	473	720,177	31.1	0.25	118.66
Bluegrass seed (see text).....1964...	792	(2)	71,506	100.0	(2)	90.3	18,778,379	100.0	263	7,602,000	100.0	0.40	106.31
1959.....	1,333	(2)	77,081	107.8	(2)	57.8	9,609,462	51.2	125	4,524,784	59.5	0.47	58.70
1954.....	2,575	0.1	148,481	207.6	(2)	57.7	13,582,604	72.3	91	3,013,316	39.6	0.22	20.29
1949.....	3,172	0.1	191,447	267.7	0.1	60.4	22,781,118	121.3	119	1,973,029	26.0	0.09	10.31
Bluestem seed.....1964...	138	(2)	7,316	100.0	(2)	53.0	442,536	100.0	60	435,000	100.0	0.98	59.46
1959.....	177	(2)	15,761	215.4	(2)	89.0	777,064	175.6	49	745,884	171.5	0.96	47.32
1954.....	138	(2)	3,293	45.0	(2)	23.9	137,880	31.2	42	103,312	23.7	0.75	31.37
1949.....	142	(2)	4,887	66.8	(2)	34.4	383,997	86.8	79	118,229	27.2	0.31	24.19

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Field seed crops—Con.							Pounds		Pounds				
Bromegrass seed.....1964...	4,422	0.1	74,834	100.0	(Z)	16.9	14,002,598	100.0	187	1,186,000	100.0	0.08	15.85
.....1959...	2,710	0.1	42,622	57.0	(Z)	15.7	6,244,994	44.6	147	931,298	78.5	0.15	21.85
.....1954...	5,782	0.1	73,650	98.4	(Z)	12.7	13,568,902	96.9	184	1,503,478	126.8	0.11	20.41
.....1949...	5,325	0.1	63,546	84.9	(Z)	11.9	7,807,818	55.8	123	2,096,477	176.8	0.27	32.99
Buffalograss seed.....1964...	20	(Z)	1,761	100.0	(Z)	88.1	66,007	100.0	37	46,000	100.0	0.70	26.12
.....1959...	47	(Z)	3,960	224.9	(Z)	84.3	160,500	243.1	41	160,500	348.9	1.00	40.53
.....1954...	62	(Z)	2,822	160.2	(Z)	45.5	115,121	174.4	41	56,244	122.3	0.49	19.93
Canarygrass seed.....1964...	286	(Z)	17,839	100.0	(Z)	62.4	12,176,568	100.0	683	4,000,000	100.0	0.33	224.23
.....1959...	214	(Z)	12,562	70.4	(Z)	58.7	2,300,629	18.9	183	1,150,316	28.8	0.50	91.57
.....1954...	214	(Z)	3,481	19.5	(Z)	16.3	518,973	4.3	149	99,827	2.5	0.19	28.68
.....1949...	131	(Z)	2,529	14.2	(Z)	19.3	199,540	1.6	79	117,359	2.9	0.59	46.41
Carpetgrass seed.....1964...	22	(Z)	1,634	100.0	(Z)	74.3	84,390	100.0	52	5,000	100.0	0.06	3.06
.....1959...	44	(Z)	4,225	258.6	(Z)	96.0	214,785	254.5	51	64,436	-	0.30	15.25
.....1954...	36	(Z)	2,147	131.4	(Z)	59.6	175,734	208.2	82	52,720	-	0.30	24.56
.....1949...	85	(Z)	4,473	273.7	(Z)	52.6	280,655	332.5	63	64,319	-	0.23	14.38
Dallisgrass seed.....1964...	1	(Z)	50	100.0	(Z)	50.0	9,000	100.0	180	4,000	100.0	0.44	80.00
.....1959...	12	(Z)	707	-	(Z)	58.9	25,801	286.7	36	9,485	237.1	0.37	13.42
.....1954...	47	(Z)	1,550	-	(Z)	33.0	168,236	-	109	67,295	-	0.40	43.42
.....1949...	97	(Z)	4,297	-	(Z)	44.3	339,097	-	78	90,237	-	0.27	21.00
Fescue seed.....1964...	14,045	0.4	344,968	100.0	0.1	24.6	78,504,450	100.0	228	10,266,000	100.0	0.13	29.76
.....1959...	9,177	0.2	193,406	56.1	0.1	21.1	45,729,160	58.2	236	9,251,597	90.1	0.20	47.83
.....1954...	8,601	0.2	159,109	46.1	(Z)	18.5	39,873,994	50.8	251	7,388,743	72.0	0.19	46.44
.....1949...	3,564	0.1	60,120	17.4	(Z)	16.9	10,246,641	13.1	170	4,162,935	40.6	0.41	69.24
Gramagrass seed.....1964...	8	(Z)	261	100.0	(Z)	32.6	67,800	100.0	260	27,000	100.0	0.40	103.45
.....1959...	185	(Z)	33,902	-	(Z)	183.3	1,627,406	-	48	655,114	-	0.40	19.32
.....1954...	23	(Z)	670	256.7	(Z)	29.1	34,553	51.0	52	15,181	56.2	0.44	22.66
.....1949...	35	(Z)	2,831	-	(Z)	80.9	103,433	152.6	37	29,476	109.2	0.28	10.41
Johnsongrass seed.....1954...	29	(Z)	670	(NA)	(Z)	23.1	80,985	(NA)	121	14,577	(NA)	0.18	21.76
.....1949...	28	(Z)	1,076	(NA)	(Z)	38.4	162,270	(NA)	151	9,301	(NA)	0.06	8.64
Meadow foxtail seed.....1964...	16	(Z)	443	100.0	(Z)	27.7	112,573	100.0	254	33,000	100.0	0.29	74.49
.....1959...	42	(Z)	1,256	283.5	(Z)	29.9	204,325	181.7	163	102,270	309.9	0.50	81.43
.....1954...	34	(Z)	615	138.8	(Z)	18.1	75,377	67.0	123	37,688	114.2	0.50	61.28
Millet (foxtail) seed ⁵1964...	442	(Z)	9,713	100.0	(Z)	22.0	6,414,668	100.0	660	490,000	100.0	0.08	50.45
.....1959...	723	(Z)	18,433	189.8	(Z)	25.5	14,373,519	224.1	780	1,408,778	287.5	0.10	76.43
.....1954...	595	(Z)	11,311	116.4	(Z)	19.0	5,211,621	81.2	461	312,450	63.8	0.06	27.62
.....1949...	500	(Z)	5,763	59.3	(Z)	11.5	2,398,236	37.4	416	118,432	24.2	0.05	20.55
Orchardgrass seed.....1964...	3,617	0.1	79,964	100.0	(Z)	22.1	19,704,813	100.0	246	3,461,000	100.0	0.18	43.28
.....1959...	3,087	0.1	58,066	72.6	(Z)	18.8	10,773,425	54.5	185	2,479,209	71.6	0.23	42.70
.....1954...	3,025	0.1	37,042	46.3	(Z)	12.2	6,952,618	35.3	188	1,840,494	53.2	0.26	49.69
.....1949...	3,316	0.1	62,224	77.8	(Z)	18.8	10,164,017	51.6	163	1,724,285	49.8	0.17	27.71
Redtop seed.....1964...	1,500	(Z)	33,007	100.0	(Z)	22.0	3,284,320	100.0	100	1,061,000	100.0	0.32	32.14
.....1959...	3,150	0.1	66,033	200.1	(Z)	21.0	5,828,235	177.5	88	1,670,868	157.5	0.29	25.30
.....1954...	3,194	0.1	55,996	169.6	(Z)	17.5	3,225,995	98.2	58	1,832,451	172.7	0.57	32.72
.....1949...	6,920	0.1	129,217	391.5	(Z)	18.7	7,957,120	242.3	62	3,267,326	307.9	0.41	25.29
Rescuegrass seed.....1964...	4	(Z)	83	100.0	(Z)	20.8	50,180	100.0	605	8,000	100.0	0.16	96.39
.....1959...	51	(Z)	925	-	(Z)	18.1	280,325	558.6	303	50,439	630.7	0.18	54.55
.....1954...	205	(Z)	2,273	-	(Z)	11.1	557,463	-	245	61,321	766.5	0.11	26.98
Ryegrass seed.....1964...	1,511	(Z)	162,393	100.0	0.1	107.5	180,241,912	100.0	1,110	8,754,000	100.0	0.05	53.91
.....1959...	2,147	0.1	175,267	107.9	0.1	81.6	171,460,788	95.1	978	11,945,983	136.5	0.07	68.16
.....1954...	2,762	0.1	156,137	96.1	(Z)	56.5	113,624,149	63.0	728	9,237,239	105.5	0.08	59.16
.....1949...	1,923	(Z)	99,298	61.1	(Z)	51.6	41,572,819	23.1	419	6,230,762	71.2	0.15	62.75
Sudangrass seed.....1964...	480	(Z)	41,625	100.0	(Z)	86.7	39,003,546	100.0	937	1,952,000	100.0	0.05	46.89
.....1959...	1,031	(Z)	43,383	104.2	(Z)	42.1	28,458,815	73.0	656	1,472,615	75.4	0.05	33.94
.....1954...	1,648	(Z)	85,635	205.7	(Z)	52.0	35,118,207	90.0	410	3,119,956	159.8	0.09	36.43
.....1949...	2,382	(Z)	83,037	199.5	(Z)	34.9	38,658,493	99.1	466	2,025,761	103.8	0.05	24.40
Wheatgrass seed.....1964...	941	(Z)	40,547	100.0	(Z)	43.1	4,688,312	100.0	116	783,000	100.0	0.17	19.31
.....1959...	1,272	(Z)	58,416	144.1	(Z)	45.9	5,139,328	109.6	88	1,216,237	155.3	0.24	20.82
.....1954...	925	(Z)	19,358	47.7	(Z)	20.9	1,929,184	41.1	100	334,423	42.7	0.17	17.28
.....1949...	1,443	(Z)	46,301	114.2	(Z)	32.1	4,146,968	88.5	90	1,160,492	148.2	0.28	25.06
Rapeseed.....1964...	72	(Z)	4,294	100.0	(Z)	59.6	5,423,465	100.0	1,263	216,000	100.0	0.04	50.30
.....1959...	59	(Z)	3,048	71.0	(Z)	51.7	3,705,952	68.3	1,216	177,717	82.3	0.05	58.31
.....1954...	49	(Z)	2,606	60.7	(Z)	53.2	1,533,060	28.3	588	90,321	41.8	0.06	34.66
.....1949...	135	(Z)	6,907	160.9	(Z)	51.2	2,908,807	53.6	421	220,996	102.3	0.08	40.00
.....1939...	7	(Z)	124	2.9	(Z)	17.7	26,760	0.5	216	1,418	0.7	0.05	11.44
All other field seeds, including unspecified.....1964...	617	(Z)	26,573	100.0	(Z)	43.1	3,782,904	100.0	142	563,000	100.0	0.15	21.19
.....1959...	2,277	0.1	86,193	324.4	(Z)	37.9	14,053,895	371.5	163	2,649,178	470.5	0.19	30.74
.....1954...	1,852	(Z)	49,154	185.0	(Z)	26.5	5,675,587	150.0	115	1,016,776	180.6	0.18	20.69
.....1949...	999	(Z)	28,089	105.7	(Z)	28.1	2,837,602	75.0	101	1,067,781	189.6	0.38	38.01

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Other field crops:													
Cotton harvested.....	1964 ^{3,5}	324,361	10.3	13,916,648	100.0	4.9	42.9	100.0	Bales	2,390,357,818	100.0	162.23	171.76
	1959 ^{3,5}	509,540	13.7	14,649,264	105.3	4.7	28.7	94.4	1.06	2,342,648,511	98.0	168.37	159.92
	1954...	864,138	18.1	18,858,145	135.5	5.7	21.8	87.7	0.95	2,186,979,459	91.5	169.25	115.97
	1949...	1,110,876	20.6	26,599,263	191.1	7.7	23.9	104.7	0.69	2,212,902,164	92.6	143.51	83.19
	1944 ¹⁴	1,217,547	20.8	18,961,891	136.3	5.4	15.6	80.3	0.58	1,266,372,788	53.0	106.97	66.79
	1939...	1,589,743	26.1	22,811,194	163.9	7.1	14.3	77.9	0.62	538,149,915	22.5	46.87	23.59
	1934...	1,920,123	28.2	26,753,697	192.2	9.0	13.9	64.3	0.50	601,799,399	25.2	63.53	22.49
	1929...	1,986,772	31.6	43,227,660	310.6	12.0	21.8	98.9	0.35	1,248,662,756	52.2	85.67	28.89
	1924...	1,931,307	30.3	39,204,319	281.7	11.4	20.3	92.9	0.34	1,568,501,040	65.6	114.63	40.01
	1919...	1,905,868	29.5	33,740,120	242.4	9.7	17.7	77.2	0.34	2,007,433,831	84.0	176.46	59.50
	1909...	1,714,154	26.9	32,043,875	230.3	10.3	18.7	72.3	0.33	703,620,594	29.4	66.07	21.96
	1899...	1,418,584	24.7	24,275,101	174.4	8.6	17.1	64.7	0.39	323,758,171	13.5	33.96	13.34
	1889...	(NA)	(NA)	20,175,270	145.0	9.2	(NA)	50.7	0.37	(NA)	(NA)	(NA)	(NA)
	1879...	(NA)	(NA)	14,480,019	104.0	8.7	(NA)	39.1	0.40	(NA)	(NA)	(NA)	(NA)
	1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	20.4	(NA)	(NA)	(NA)	(NA)	(NA)
	1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	36.6	(NA)	(NA)	(NA)	(NA)	(NA)
	1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	16.8	(NA)	(NA)	(NA)	(NA)	(NA)
	1839...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	13.4	(NA)	(NA)	(NA)	(NA)	(NA)
Cottonseed (see text) ⁵	1959...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	0.39	Tons	222,418,322	(NA)	38.71	(NA)
	1954...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	0.29	5,412,808	(NA)	(NA)	60.55	(NA)
	1949...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	0.24	6,410,306	(NA)	(NA)	43.43	(NA)
	1944...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	0.26	4,896,363	(NA)	(NA)	53.20	(NA)
	1939...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	0.23	5,258,500	(NA)	(NA)	21.10	(NA)
	1929...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	0.16	6,914,866	(NA)	(NA)	30.34	(NA)
	1919...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	0.16	5,327,721	(NA)	(NA)	65.27	(NA)
	1909...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	0.17	5,324,622	(NA)	(NA)	22.74	(NA)
	1899...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	0.20	4,767,353	(NA)	(NA)	9.85	(NA)
Tobacco harvested ⁵	1964...	331,365	10.5	1,025,240	100.0	0.4	3.1	100.0	Pounds	1,168,278,767	100.0	0.59	1,139.52
	1959...	415,315	11.2	1,108,274	108.1	0.4	2.7	82.8	1,486	947,626,032	81.1	0.58	855.05
	1954...	511,503	10.7	1,557,239	151.9	0.5	3.0	96.7	1,234	973,965,420	83.4	0.51	625.44
	1949...	531,922	9.9	1,532,298	149.5	0.4	2.9	89.0	1,155	820,045,459	70.2	0.46	537.17
	1944...	490,585	8.4	1,630,221	159.0	0.5	3.3	89.5	1,091	740,747,174	63.4	0.42	454.38
	1939...	498,348	8.2	1,853,230	180.8	0.6	3.7	85.5	917	258,990,303	22.2	0.15	139.75
	1934...	422,166	6.2	1,237,117	120.7	0.4	2.9	51.4	826	216,671,975	18.5	0.21	175.14
	1929...	432,981	6.9	1,888,367	184.2	0.5	4.4	73.3	771	265,886,604	22.8	0.18	140.80
	1924...	396,352	6.2	1,537,843	150.0	0.4	3.9	55.7	719	211,732,874	18.1	0.19	137.68
	1919...	448,573	7.0	1,861,480	181.6	0.5	4.1	69.0	737	443,705,050	38.0	0.32	238.36
	1909...	326,939	5.1	1,294,960	126.3	0.4	4.0	53.1	815	104,321,182	8.9	0.10	80.56
	1899...	308,317	5.4	1,101,483	107.4	0.4	3.6	43.7	788	56,993,003	4.9	0.07	51.74
	1889...	(NA)	(NA)	695,301	67.8	0.3	(NA)	24.6	702	(NA)	(NA)	(NA)	(NA)
	1879...	(NA)	(NA)	638,841	62.3	0.4	(NA)	23.8	740	(NA)	(NA)	(NA)	(NA)
	1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	13.2	(NA)	(NA)	(NA)	(NA)	(NA)
	1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	21.8	(NA)	(NA)	(NA)	(NA)	(NA)
	1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	10.1	(NA)	(NA)	(NA)	(NA)	(NA)
	1839...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	11.0	(NA)	(NA)	(NA)	(NA)	(NA)
Burley tobacco.....	1964 ¹⁶	172,288	5.5	269,020	100.0	0.1	1.6	100.0	1,904	307,293,148	100.0	0.60	1,142.27
	1959 ⁷	166,362	4.5	246,042	91.5	0.1	1.5	77.6	1,615	239,496,689	77.9	0.60	973.40
	1954 ⁷	185,437	3.9	315,699	117.3	0.1	1.7	91.6	1,486	233,511,395	76.0	0.50	739.66
	1949 ⁷	193,027	3.6	354,556	131.8	0.1	1.8	86.9	1,256	202,387,434	65.9	0.45	570.82
Dark fire-cured tobacco ³⁷	1964...	9,078	0.3	23,856	100.0	(Z)	2.6	100.0	1,665	16,153,486	100.0	0.41	677.12
	1959...	10,387	0.3	26,902	112.8	(Z)	2.6	100.5	1,483	15,298,694	94.7	0.38	568.68
	1954...	13,805	0.3	39,494	165.6	(Z)	2.9	119.4	1,201	18,430,062	114.1	0.39	466.65
	1949...	17,416	0.3	47,826	200.5	(Z)	2.7	145.1	1,205	17,036,334	105.5	0.30	356.21
Dark air-cured tobacco ³⁷	1964...	12,731	0.4	11,976	100.0	(Z)	0.9	100.0	1,683	7,491,978	100.0	0.37	625.58
	1959...	13,815	0.4	12,964	108.2	(Z)	0.9	92.3	1,435	6,361,258	84.9	0.34	490.69
	1954...	16,612	0.3	19,199	160.3	(Z)	1.2	123.4	1,295	8,454,759	112.8	0.34	440.37
	1949...	19,168	0.4	25,186	210.3	(Z)	1.3	145.9	1,168	8,118,765	108.4	0.28	322.37
Popecorn.....	1964...	4,892	0.2	142,884	100.0	(Z)	29.2	100.0	Pounds (ear corn)	8,160,000	100.0	2.72	57.11
	1959...	16,845	0.5	131,169	91.8	(Z)	7.8	81.6	2,102	5,305,538	65.0	2.17	40.45
	1954...	21,909	0.5	148,281	103.8	(Z)	6.8	71.2	1,868	6,556,135	80.3	3.07	44.21
	1949...	25,063	0.5	113,117	79.2	(Z)	4.5	58.7	1,442	6,330,763	77.6	2.51	55.97
	1939...	44,503	0.7	71,951	50.4	(Z)	1.6	41.0	1,558	2,740,193	33.6	1.56	38.08
	1929...	8,956	0.1	38,487	26.9	(Z)	4.3	18.8	1,711	1,577,480	19.3	1.96	40.99
	1919...	5,914	0.1	50,778	35.5	(Z)	8.6	(NA)	1,467	3,158,504	38.7	(NA)	62.20
	1909...	2,535	(Z)	12,773	8.9	(Z)	5.0	(NA)	(NA)	326,141	4.0	(NA)	25.53
Broomcorn.....	1964...	1,463	(Z)	150,341	100.0	0.1	102.8	100.0	Pounds of brush	6,817,000	100.0	0.18	45.34
	1959...	1,944	0.1	162,028	107.8	0.1	83.3	155.2	250	7,267,730	106.6	0.12	44.85
	1954...	4,745	0.1	251,153	167.1	0.1	52.9	145.0	360	9,898,316	145.2	0.12	39.41
	1949...	4,928	0.1	283,101	188.3	0.1	57.4	235.1	217	9,428,349	138.3	0.11	33.30
	1939...	7,761	0.1	228,557	152.0	0.1	29.4	161.2	312	3,238,348	47.5	0.05	14.17
	1929...	8,687	0.1	311,646	207.3	0.1	35.9	253.5	265	5,675,956	83.3	0.06	18.21
	1919...	44,265	0.7	337,806	224.7	0.1	7.6	300.9	305	7,945,163	116.5	0.07	23.52
	1909...	23,238	0.4	326,102	216.9	0.1	14.0	210.2	335	5,134,434	75.3	0.07	15.74
	1899...	17,477	0.3	178,584	118.8	0.1	10.2	242.1	242	3,588,414	52.6	0.04	20.09
	1889...	(NA)	(NA)	93,423	62.1	(Z)	(NA)	102.7	413	(NA)	(NA)	(NA)	(NA)
	1879...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	78.5	(NA)	(NA)	(NA)	(NA)	(NA)

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)				
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre	
Other field crops--Continued														
Sugarcane for all purposes.....	1939 ³⁸	(NA)	(NA)	512,919	(NA)	0.2	(NA)	(X)	(NA)	(X)	(NA)	-	113.85	
	1934.....	248,441	3.6	413,937	(NA)	0.1	1.7	4,839,008	(NA)	11.7	19,190,475	(NA)	3.97	46.36
	1929...	(NA)	(NA)	448,886	(NA)	0.1	(NA)	(X)	(NA)	(X)	(NA)	(NA)	(NA)	(NA)
Sugarcane for sugar and/or sirup ³⁹	1944...	140,086	2.4	357,275	(NA)	0.1	2.6	(X)	(NA)	(X)	(NA)	-	110.49	
	1939...	222,905	3.7	510,908	(NA)	0.2	2.3	(X)	(NA)	(NA)	(NA)	(NA)	(NA)	114.09
	1929...	204,683	3.3	437,510	(NA)	0.1	2.1	(X)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
	1924 ⁴⁰ ...	97,243	1.5	326,388	(NA)	0.1	3.4	(41)	(NA)	(41)	(NA)	(41)	(41)	(41)
	1919...	272,588	4.2	496,103	(NA)	0.1	1.8	8,407,386	(NA)	16.9	97,057,732	(NA)	11.54	195.64
	1909...	279,261	4.4	663,079	(NA)	0.2	2.4	10,480,498	(NA)	15.8	52,721,699	(NA)	5.03	79.51
	1899...	181,566	3.2	452,673	(NA)	0.2	2.5	6,441,578	(NA)	14.2	39,304,632	(NA)	6.10	86.83
	1889...	(NA)	(NA)	274,975	(NA)	0.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
	1879...	(NA)	(NA)	227,776	(NA)	0.1	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Sugarcane for sirup.....	1964...	5,704	0.2	6,775	100.0	(Z)	1.2	Gallons	293	Gallons	2,611,000	100.0	1.31	385.39
	1959...	15,064	0.4	14,505	214.1	(Z)	1.0	3,069,578	154.6	212	3,847,444	147.4	1.25	265.25
	1954...	32,872	0.7	32,302	476.8	(Z)	1.0	2,807,661	141.4	87	4,189,868	160.5	1.49	129.71
	1949...	81,032	1.5	55,380	817.4	(Z)	0.7	6,505,957	327.6	117	6,543,867	250.6	1.01	118.16
	1944...	131,702	2.2	88,217	-	(Z)	0.7	13,047,870	657.1	148	13,928,066	533.4	1.07	157.88
	1939...	211,366	3.5	127,034	-	(Z)	0.6	16,204,563	816.0	128	7,713,506	295.4	0.48	60.72
	1929...	196,423	3.1	96,224	-	(Z)	0.5	15,168,623	763.9	158	12,071,351	462.3	0.80	125.45
Sugarcane for sugar or for sale to mills.....	1964...	2,806	0.1	643,417	100.0	0.2	229.3	Tons	38.3	Tons	200,590,000	100.0	8.15	311.76
	1959...	3,079	0.1	408,403	63.5	0.1	132.6	16,567,808	67.3	40.6	121,342,340	60.5	7.32	297.11
	1954...	3,396	0.1	278,587	43.3	0.1	82.0	6,531,912	26.5	23.4	43,763,370	21.8	6.70	157.09
	1949...	6,183	0.1	427,756	66.5	0.1	69.2	14,189,722	57.6	33.2	(NA)	(NA)	(NA)	(NA)
	1944...	8,384	0.1	269,058	41.8	0.1	32.1	5,060,527	20.6	18.8	25,547,721	12.7	5.05	94.95
	1939...	12,232	0.2	383,874	59.7	0.1	31.4	13,901,248	56.5	36.2	50,575,479	25.2	3.64	131.75
	1929...	8,260	0.1	341,286	53.0	0.1	41.3	10,463,579	42.5	30.7	(NA)	(NA)	(NA)	(NA)
Sugarcane cut for seed.....	1964...	1,551	(Z)	24,832	100.0	(Z)	16.0	(NA)	(NA)	(NA)	4,088,000	100.0	(NA)	164.63
	1959...	1,584	(Z)	21,105	85.0	(Z)	13.3	(NA)	(NA)	(NA)	3,296,100	80.6	(NA)	156.18
	1954...	1,614	(Z)	16,107	64.9	(Z)	8.9	(NA)	(NA)	(NA)	2,254,980	55.2	(NA)	140.00
	1949...	2,165	(Z)	19,141	77.1	(Z)	8.8	(NA)	(NA)	(NA)	2,114,970	51.7	(NA)	110.49
	1939...	3,192	0.1	1,998	8.0	(Z)	0.6	37,019	(NA)	18.5	107,742	2.6	2.91	53.92
Sugar beets for sugar.....	1964...	22,185	0.7	1,376,026	100.0	0.5	62.0	23,201,661	100.0	16.9	276,914,000	100.0	11.94	201.24
	1959...	23,743	0.6	911,796	66.3	0.3	38.4	16,821,689	72.5	18.4	187,339,907	67.7	11.14	205.46
	1954...	24,916	0.5	864,318	62.8	0.3	34.7	13,637,731	58.8	15.8	152,323,346	55.0	11.17	176.24
	1949...	27,867	0.5	661,517	48.1	0.2	23.7	9,944,016	42.9	15.0	107,593,072	38.9	10.82	162.65
	1944...	30,867	0.5	546,171	39.7	0.2	17.7	6,841,053	29.5	12.5	73,312,041	26.5	10.72	134.23
	1939...	51,428	0.8	867,424	63.0	0.3	16.9	10,299,939	44.4	11.9	48,914,699	17.7	4.75	56.39
	1934...	46,823	0.7	747,135	54.3	0.3	16.0	7,318,589	31.5	9.8	37,105,214	13.4	5.07	49.66
	1929...	35,155	0.6	643,797	46.8	0.2	18.3	7,134,987	30.8	11.1	51,036,671	18.4	7.15	79.27
	1924...	47,543	0.7	742,984	54.0	0.2	15.6	6,989,249	30.1	9.4	55,754,461	20.1	7.98	75.04
	1919...	47,211	0.7	636,434	46.3	0.2	13.5	5,993,409	25.8	9.4	66,051,989	23.9	11.02	103.78
	1909...	33,307	0.5	360,433	26.2	0.2	10.8	3,902,071	16.8	10.8	19,695,384	7.1	5.05	54.64
	1899...	14,035	0.2	110,170	8.0	(Z)	7.8	793,353	3.4	7.2	3,323,240	1.2	4.19	30.16
Irish potatoes.....	1964...	310,008	9.8	1,173,918	100.0	0.4	3.8	Hundredweight	189.0	Hundredweight	760,777,000	100.0	3.43	648.07
	1959...	684,853	18.5	1,200,431	102.3	0.4	1.8	224,140,272	101.0	186.7	479,510,115	63.0	2.14	399.45
	1954...	1,432,466	30.0	1,210,872	103.1	0.4	0.8	204,112,597	92.0	168.6	440,934,166	58.0	2.16	364.15
	1949...	1,650,272	30.6	1,515,233	129.1	0.4	0.9	219,917,345	99.1	145.1	468,074,154	61.5	2.13	308.91
	1944...	2,065,227	35.2	2,536,715	216.1	0.7	1.2	213,928,457	96.4	84.3	519,678,171	68.3	2.43	204.86
	1939...	2,631,803	43.1	2,644,973	225.3	0.8	1.0	190,998,941	86.1	72.2	217,392,440	28.6	1.14	82.19
	1934...	3,102,231	45.5	3,582,344	305.2	1.2	1.2	242,051,748	109.1	67.6	192,468,946	25.3	0.80	53.73
	1929...	2,983,075	47.4	3,944,567	336.0	1.1	1.3	193,480,138	87.2	49.0	414,917,897	54.5	2.14	105.19
	1924...	2,323,810	36.5	2,910,786	248.0	0.8	1.3	211,477,320	95.3	72.7	223,925,487	29.4	1.06	76.93
	1919...	2,888,436	44.8	3,252,539	277.1	0.9	1.1	174,292,645	78.6	53.6	639,571,765	84.1	3.67	196.64
	1909...	3,180,410	50.0	3,669,208	312.6	1.2	1.2	233,526,711	105.3	63.6	166,536,011	21.9	0.71	45.39
	1899...	2,836,196	49.4	2,938,952	250.4	1.0	1.0	163,996,924	73.9	55.8	98,387,614	12.9	0.60	33.48
	1889...	(NA)	(NA)	2,600,750	221.5	1.2	(NA)	130,527,817	58.8	50.2	(NA)	(NA)	(NA)	(NA)
	1879...	(NA)	(NA)	(42)	(NA)	(NA)	(NA)	101,675,123	45.8	(42)	(NA)	(NA)	(NA)	(NA)
	1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	86,002,484	38.8	(NA)	(NA)	(NA)	(NA)	(NA)
	1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	66,659,920	30.0	(NA)	(NA)	(NA)	(NA)	(NA)
	1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	39,478,738	17.8	(NA)	(NA)	(NA)	(NA)	(NA)
Sweetpotatoes (see text).....	1964...	119,074	3.8	112,128	100.0	(Z)	0.9	Bushels	164.1	Bushels	51,760,000	100.0	2.81	461.62
	1959...	310,542	8.4	218,461	194.8	0.1	0.7	29,385,800	159.7	134.5	53,707,032	103.8	1.83	245.84
	1954...	629,564	13.2	261,051	232.8	0.1	0.4	27,396,896	148.9	104.9	68,248,545	131.8	2.49	261.44
	1949...	786,261	14.6	392,570	350.1	0.1	0.5	39,445,875	214.3	100.5	83,060,106	160.5	2.12	211.58
	1944...	1,032,628	17.6	673,121	600.3	0.2	0.7	63,288,203	343.9	94.0	118,422,797	228.8	1.87	175.93
	1939...	1,163,881	19.1	696,654	621.3	0.2	0.6	58,674,501	318.8	84.2	43,384,356	83.8	0.74	62.28
	1934...	1,750,266	25.7	966,681	862.1	0.3	0.6	77,982,661	423.7	80.7	63,066,959	121.8	0.81	65.24
	1929...	1,126,776	17.9	650,183	579.9	0.2	0.6	65,227,231	354.4	100.3	67,724,969	130.8	1.04	104.16
	1924...	685,054	10.8	466,832	416.3	0.1	0.7	37,443,870	203.4	80.2	53,811,800	104.0	1.44	115.27
	1919...	1,407,080	21.8	803,662	716.7	0.2	0.6	78,115,564	424.4	97.2	124,868,203	241.2	1.60	155.37
	1909...	1,122,273	17.6	641,525	572.1	0.2	0.6	59,254,077	321.9	92.4	35,441,967	68.5	0.60	55.25
	1899...	1,001,877	17.5	537,447	479.3	0.2	0.5	42,526,696	231.1	79.1	19,876,200	38.4	0.47	36.98
	1889...	(NA)	(NA)	524,588	467.8	0.2	(NA)	43,950,261	238.8	83.8	(NA)	(NA)	(NA)	(NA)
	1879...	(NA)	(NA)	(42)	(NA)	(NA)	(NA)	33,378,693	181.4	(42)	(NA)	(NA)	(NA)	(NA)
	1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	21,709,824	118.0	(NA)	(NA)	(NA)	(NA)	(NA)
	1859...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	42,095,026	228.7	(NA)	(NA)	(NA)	(NA)	(NA)
	1849...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	38,268,148	207.9	(NA)	(NA)	(NA)	(NA)	(NA)

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of Production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Other field crops—Continued													
Root and grain crops hogged or grazed, other than corn, sorghum, and annual legumes.....1964...	8,692	0.3	186,093	100.0	0.1	21.4	(X)	(X)	(X)	3,165,000	100.0	(X)	17.01
.....1959...	11,675	0.3	240,361	129.2	0.1	20.6	(X)	(X)	(X)	4,326,498	136.7	(X)	18.00
.....1954...	10,608	0.2	221,168	118.8	0.1	20.8	(X)	(X)	(X)	4,299,033	135.8	(X)	19.44
.....1949...	15,731	0.3	202,895	109.0	0.1	12.9	(X)	(X)	(X)	(NA)	(NA)	(X)	(NA)
.....1939 ³ ...	44,780	0.7	936,959	503.5	0.3	20.9	(X)	(X)	(X)	3,651,687	115.4	(X)	3.90
Miscellaneous field crops:													
Anise for seed.....1954...	2	(Z)	28	(NA)	(Z)	14.0	Pounds 14,000	(NA)	Pounds 500	5,600	(NA)	0.40	200.00
Artichokes for feed.....1949...	1	(Z)	43	(NA)	(Z)	43.0	Tons 70	(NA)	Tons 1.63	700	(NA)	10.00	16.28
Basil.....1954...	1	(Z)	50	(NA)	(Z)	50.0	Pounds 60,000	(NA)	Pounds 1,200	9,000	(NA)	0.15	180.00
Belladonna.....1949...	9	(Z)	14	(NA)	(Z)	1.6	20,664	(NA)	1,476	11,494	(NA)	0.56	821.00
Bi-color lespedeza.....1949...	2	(Z)	11	(NA)	(Z)	5.5	Thousands of plants 875	(NA)	Thousands of plants 79.5	2,325	(NA)	2.66	211.36
Broomcorn seed.....1949...	8	(Z)	263	(NA)	(Z)	32.9	Pounds 246,125	(NA)	Pounds 936	22,255	(NA)	0.09	84.62
Caraway seed.....1949...	1	(Z)	40	(NA)	(Z)	40.0	12,000	(NA)	300	700	(NA)	0.06	17.50
Cascara seed.....1949...	1	(Z)	17	(NA)	(Z)	17.0	750	(NA)	44	250	(NA)	0.33	14.71
Cassava.....1954...	4	(Z)	15	(NA)	(Z)	3.8	102,500	(NA)	6,833	8,200	(NA)	0.08	546.67
.....1949...	2	(Z)	4	(NA)	(Z)	2.0	2,100	(NA)	525	168	(NA)	0.01	42.00
.....1939...	27	(Z)	49	(NA)	(Z)	1.8	122,050	(NA)	2,491	1,810	(NA)	0.01	36.94
.....1929...	5	(Z)	5	(NA)	(Z)	1.0	9,225	(NA)	1,845	442	(NA)	0.05	88.40
.....1919...	34	(Z)	146	(NA)	(Z)	4.3	966,202	(NA)	6,618	5,800	(NA)	0.01	39.73
.....1899...	345	(Z)	755	(NA)	(Z)	2.2	9,784,310	(NA)	12,959	22,558	(NA)	(Z)	29.88
Castor beans.....1964...	867	(Z)	49,320	100.0	(Z)	56.9	70,472,179	100.0	1,429	4,128,000	100.0	0.06	83.70
.....1959...	159	(Z)	17,604	35.7	(Z)	110.7	27,857,696	39.5	1,582	1,521,917	36.9	0.05	86.45
.....1954...	1,106	(Z)	23,401	47.4	(Z)	21.2	11,209,429	15.9	479	780,123	18.9	0.07	33.34
.....1949...	56	(Z)	661	1.3	(Z)	11.8	169,377	0.2	256	13,369	0.3	0.08	20.23
.....1939...	19	(Z)	114	0.2	(Z)	6.0	Bushels 506	(NA)	Bushels 4.4	304	(Z)	0.60	2.67
.....1919...	12	(Z)	133	0.3	(Z)	11.1	428	(NA)	3.2	963	(Z)	2.25	7.24
.....1909...	46	(Z)	565	1.1	(Z)	12.3	2,077	(NA)	3.7	3,432	0.1	1.65	6.07
.....1899...	2,329	(Z)	25,738	52.2	(Z)	11.1	143,388	(NA)	5.6	134,084	3.2	0.94	5.21
Chicory.....1959...	1	(Z)	3	(NA)	(Z)	3.0	Pounds 20,000	(NA)	Pounds 6,667	500	(NA)	0.03	166.67
.....1954...	81	(Z)	649	(NA)	(Z)	8.0	6,474,400	(NA)	9,976	64,744	(NA)	0.01	99.76
.....1949...	67	(Z)	433	(NA)	(Z)	6.5	4,263,240	(NA)	9,846	42,632	(NA)	0.01	98.46
.....1939...	785	(Z)	3,331	(NA)	(Z)	4.2	44,122,925	(NA)	13,246	198,755	(NA)	(Z)	59.67
.....1929...	792	(Z)	3,979	(NA)	(Z)	5.0	34,175,089	(NA)	8,589	194,385	(NA)	0.01	48.85
.....1919...	480	(Z)	1,784	(NA)	(Z)	3.7	18,196,063	(NA)	10,200	90,980	(NA)	(Z)	51.00
.....1909...	(NA)	(NA)	1,589	(NA)	(Z)	(NA)	19,284,000	(NA)	12,136	70,460	(NA)	(Z)	44.34
.....1899...	1,143	(Z)	3,069	(NA)	(Z)	2.7	21,495,870	(NA)	7,004	73,627	(NA)	(Z)	23.99
Chufas for nuts.....1964...	4	(Z)	230	100.0	(Z)	57.5	Bushels 6,650	100.0	Bushels 28.9	33,000	100.0	4.96	143.48
.....1959...	24	(Z)	228	99.1	(Z)	9.5	4,029	60.6	17.7	18,156	55.0	4.51	79.63
.....1954...	34	(Z)	397	172.6	(Z)	11.7	3,656	55.0	9.2	16,176	49.0	4.42	40.75
.....1949...	75	(Z)	1,082	470.4	(Z)	14.4	13,146	197.7	12.1	90,189	273.3	6.86	83.35
.....1944...	187	(Z)	1,408	612.2	(Z)	7.5	17,389	261.5	12.4	126,762	384.1	7.29	90.03
.....1939...	213	(Z)	822	357.4	(Z)	3.9	16,842	253.3	20.5	50,157	152.0	2.98	61.02
.....1929...	127	(Z)	458	199.1	(Z)	3.6	7,871	118.4	17.2	28,854	87.4	3.67	63.00
.....1919...	280	(Z)	917	398.7	(Z)	3.3	16,636	250.2	18.1	64,712	196.1	3.89	70.57
.....1909...	(NA)	(NA)	2,193	953.5	(Z)	(NA)	44,792	673.5	20.4	90,585	274.5	2.02	41.31
Digitalis (foxglove).....1954...	26	(Z)	73	(NA)	(Z)	2.8	Pounds 117,358	(NA)	Pounds 1,608	38,679	(NA)	0.33	529.85
.....1949...	6	(Z)	56	(NA)	(Z)	9.3	122,995	(NA)	2,196	38,345	(NA)	0.31	684.73
Dill for oil.....1964...	19	(Z)	905	100.0	(Z)	47.6	Pounds of oil 50,096	100.0	Pounds of oil 55	100,000	100.0	2.00	110.50
.....1959...	29	(Z)	690	76.2	(Z)	23.8	38,666	77.2	56	80,570	80.6	2.08	116.77
.....1954...	69	(Z)	2,130	235.4	(Z)	30.9	67,888	135.5	32	232,961	233.0	3.43	109.77
.....1949...	85	(Z)	1,627	179.8	(Z)	19.1	62,687	125.1	39	289,853	289.9	4.62	178.15
.....1939...	14	(Z)	259	28.6	(Z)	18.5	13,429	26.8	52	15,621	15.6	1.16	60.31
Dill seed.....1949...	2	(Z)	4	(NA)	(Z)	2.0	140	(NA)	35	400	(NA)	2.86	100.00
Flax for fiber.....1954...	49	(Z)	814	(NA)	(Z)	16.6	Tons 2,061	(NA)	Tons 2.53	111,294	(NA)	54.00	136.72
.....1949...	185	(Z)	2,178	(NA)	(Z)	11.8	3,519	(NA)	1.62	140,740	(NA)	39.99	64.62
.....1939...	256	(Z)	3,031	(NA)	(Z)	11.8	4,808	(NA)	1.59	122,730	(NA)	25.53	40.49
.....1929...	297	(Z)	3,903	(NA)	(Z)	13.1	6,688	(NA)	1.71	205,514	(NA)	30.73	52.66
.....1889...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	Pounds 241,389	(NA)	Pounds (NA)	(NA)	(NA)	(NA)	(NA)
.....1879...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	1,565,546	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
.....1869...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	27,133,034	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Fennel seed.....1954...	9	(Z)	21	(NA)	(Z)	2.3	6,072	(NA)	289	7,287	(NA)	1.20	347.00
.....1949...	1	(Z)	4	(NA)	(Z)	4.0	1,000	(NA)	250	1,200	(NA)	1.20	300.00
Fenugreek.....1949...	1	(Z)	50	(NA)	(Z)	50.0	13,192	(NA)	264	416	(NA)	0.03	8.32

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Miscellaneous field crops—Continued													
Ginseng.....1954...	5	(Z)	21	(NA)	(Z)	4.2	88,600	(NA)	4,219	142,785	(NA)	1.61	6,799.29
1949...	19	(Z)	12	(NA)	(Z)	0.6	10,600	(NA)	833	34,734	(NA)	3.28	2,894.50
1929...	303	(Z)	434	(NA)	(Z)	1.4	59,299	(NA)	137	584,274	(NA)	9.85	1,346.25
1919...	(NA)	(NA)	54	(NA)	(Z)	(NA)	18,561	(NA)	344	129,927	(NA)	7.00	2,406.06
1909...	(NA)	(NA)	23	(NA)	(Z)	(NA)	(NA)	(NA)	(NA)	151,888	(NA)	(NA)	6,603.04
Golden seal.....1954...	2	(Z)	1	(NA)	(Z)	0.5	1,030	(NA)	1,030	1,520	(NA)	1.48	1,520.00
1949...	23	(Z)	32	(NA)	(Z)	1.4	15,661	(NA)	489	32,159	(NA)	2.05	1,004.97
1939...	51	(Z)	50	(NA)	(Z)	1.0	15,144	(NA)	303	40,464	(NA)	2.67	809.28
1929...	124	(Z)	87	(NA)	(Z)	0.7	42,638	(NA)	490	76,265	(NA)	1.79	876.61
Gourds.....1949...	1	(Z)	2	(NA)	(Z)	2.0	Number	Number	Number	1,600	(NA)	0.25	800.00
1939...	7	(Z)	81	(NA)	(Z)	11.6	501,000	(NA)	6,185	6,892	(NA)	0.01	85.09
Guar.....1964...	432	(Z)	24,328	100.0	(Z)	56.3	Pounds	100.0	Pounds	627,000	100.0	0.06	25.77
1959...	626	(Z)	28,776	118.3	(Z)	46.0	10,551,958	107.7	395	448,702	71.6	0.04	15.59
1954...	606	(Z)	18,586	76.4	(Z)	30.7	4,118,287	39.0	222	164,959	26.3	0.04	8.88
Hemp for fiber.....1954...	86	(Z)	882	(NA)	(Z)	10.3	758,400	(NA)	860	113,760	(NA)	0.15	128.98
1949...	299	(Z)	3,541	(NA)	(Z)	11.8	3,735,832	(NA)	1,055	373,583	(NA)	0.10	105.50
1939...	91	(Z)	971	(NA)	(Z)	10.7	845,517	(NA)	871	57,359	(NA)	0.07	59.07
1929...	122	(Z)	1,644	(NA)	(Z)	13.5	1,195,640	(NA)	727	90,204	(NA)	0.08	54.92
1919...	573	(Z)	7,252	(NA)	(Z)	12.7	7,148,215	(NA)	986	1,175,037	(NA)	0.16	162.03
1909...	536	(Z)	7,647	(NA)	(Z)	14.3	7,483,295	(NA)	979	412,699	(NA)	0.06	53.97
1899...	964	(Z)	16,042	(NA)	(Z)	16.6	11,750,630	(NA)	732	546,338	(NA)	0.05	34.06
1889...	(NA)	(NA)	24,881	(NA)	(Z)	(NA)	25,636,880	(NA)	1,030	(NA)	(NA)	(NA)	(NA)
1879...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	10,870,720	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Hemp for seed.....1954...	10	(Z)	393	(NA)	(Z)	39.3	235,828	(NA)	600	22,806	(NA)	0.10	58.03
1949...	8	(Z)	500	(NA)	(Z)	62.5	151,976	(NA)	304	17,241	(NA)	0.11	34.48
1939...	12	(Z)	366	(NA)	(Z)	30.5	131,436	(NA)	359	6,125	(NA)	0.05	16.73
1929...	40	(Z)	537	(NA)	(Z)	7.0	Bushels	Bushels	Bushels	13,588	(NA)	2.95	25.30
1919...	37	(Z)	257	(NA)	(Z)	6.9	4,602	(NA)	8.6	10,796	(NA)	4.03	42.71
1909...	82	(Z)	563	(NA)	(Z)	6.9	2,724	(NA)	10.6	20,007	(NA)	3.69	35.54
1899...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	5,416	(NA)	9.6	(NA)	(NA)	(NA)	(NA)
Ginger roots.....1964...	23	(Z)	27	100.0	(Z)	1.2	Pounds	100.0	Pounds	30,000	100.0	0.10	1,111.11
1959...	63	(Z)	35	129.6	(Z)	0.6	297,938	(NA)	11,035	65,489	218.3	(NA)	1,871.11
Lotus roots.....1964...	10	(Z)	33	100.0	(Z)	3.3	Hundredweight	100.0	Hundredweight	10,000	100.0	14.14	303.03
1959...	28	(Z)	64	193.9	(Z)	2.3	707	405.9	21.4	37,109	371.1	12.93	579.83
1939...	19	(Z)	32	97.0	(Z)	1.7	(NA)	(NA)	44.8	(NA)	(NA)	(NA)	(NA)
Hops.....1964...	337	(Z)	32,451	100.0	(Z)	96.3	Pounds	100.0	Pounds	25,348,000	100.0	0.47	781.12
1959...	426	(Z)	33,129	102.1	(Z)	77.8	53,786,315	101.5	1,657	27,112,320	107.0	0.50	818.39
1954...	421	(Z)	25,187	77.6	(Z)	77.8	54,601,916	71.3	1,648	15,510,492	61.2	0.40	615.81
1949...	845	(Z)	36,738	113.2	(Z)	59.8	38,371,837	82.7	1,523	25,327,848	99.9	0.57	689.42
1944...	828	(Z)	27,691	85.3	(Z)	43.5	44,490,670	60.4	1,211	21,614,669	85.3	0.67	780.57
1939...	898	(Z)	29,949	92.3	(Z)	33.4	32,483,021	60.4	1,175	7,943,613	31.3	0.24	265.24
1929...	741	(Z)	23,302	71.8	(Z)	31.4	32,277,483	58.1	1,085	3,749,272	14.8	0.12	160.90
1919...	683	(Z)	15,954	49.2	(Z)	23.4	19,760,793	36.7	1,341	10,364,464	40.9	0.52	649.65
1909...	3,957	0.1	44,693	137.7	(Z)	11.3	40,718,748	75.7	911	7,844,745	30.9	0.19	175.53
1899...	7,633	0.1	55,613	171.4	(Z)	7.3	49,209,704	91.5	885	4,081,929	16.1	0.08	75.40
1889...	(NA)	(NA)	50,190	154.7	(Z)	(NA)	39,152,220	72.8	780	(NA)	(NA)	(NA)	(NA)
1879...	(NA)	(NA)	46,800	144.2	(Z)	(NA)	26,546,378	49.4	567	(NA)	(NA)	(NA)	(NA)
Horsebeans.....1954...	9	(Z)	202	(NA)	(Z)	22.4	Bushels	(NA)	Bushels	7,878	(NA)	3.00	39.00
Koa Hoale.....1950...	6	(Z)	43	(NA)	(Z)	7.2	2,626	(NA)	13.0	(NA)	(NA)	(NA)	(NA)
Kudzu crowns.....1954...	44	(Z)	319	(NA)	(Z)	7.2	Tons	(NA)	Tons	(NA)	(NA)	(NA)	(NA)
1949...	35	(Z)	519	(NA)	(Z)	14.8	305	(NA)	7.1	(NA)	(NA)	(NA)	(NA)
Lavender for oil.....1949...	5	(Z)	17	(NA)	(Z)	3.4	Thousands	(NA)	Thousands	6,388	(NA)	9.78	20.03
Lentils.....1964...	526	(Z)	67,424	100.0	(Z)	128.2	653	(NA)	2	21,308	(NA)	12.06	41.06
1959...	489	(Z)	39,998	59.3	(Z)	81.8	1,767	(NA)	3	(NA)	(NA)	(NA)	(NA)
1954...	160	(Z)	12,619	18.7	(Z)	78.9	(NA)	(NA)	(NA)	1,046	(NA)	(NA)	61.53
1949...	51	(Z)	3,474	5.2	(Z)	68.1	Pounds	100.0	Pounds	4,484,000	100.0	0.06	66.50
Mangels.....1949...	3	(Z)	6	(NA)	(Z)	2.0	75,922,087	35.8	680	2,341,096	52.2	0.09	58.53
Mangel-beet seed.....1949...	5	(Z)	47	(NA)	(Z)	9.4	27,178,910	13.0	782	656,912	14.7	0.07	52.06
Melons for feed.....1959...	38	(Z)	113	100.0	(Z)	3.0	9,862,976	2.0	443	124,252	2.8	0.08	35.77
1954...	191	(Z)	1,359	-	(Z)	7.1	1,540,136	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
1949...	368	(Z)	1,193	-	(Z)	3.2	Tons	(NA)	Tons	995	(NA)	8.65	165.83
1939...	161	(Z)	328	290.3	(Z)	2.0	115	(NA)	19.1	(NA)	(NA)	(NA)	(NA)
							Pounds	(NA)	Pounds	10,556	(NA)	0.17	224.60
							62,480	(NA)	1,329	(NA)	(NA)	(NA)	(NA)
							Tons	(NA)	Tons	1,910	100.0	10.00	16.90
							191	100.0	1.69	17,973	941.0	7.06	13.23
							2,547	-	1.87	27,796	-	8.23	23.30
							3,377	-	2.83	5,006	262.1	4.87	15.26
							1,027	537.7	3.13	(NA)	(NA)	(NA)	(NA)

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Miscellaneous field crops--Continued							Pounds of oil		Pounds of oil				
Mint for oil.....1964...	816	(Z)	54,753	100.0	(Z)	67.1	3,057,423	100.0	56	15,891,000	100.0	5.20	290.23
1959...	1,232	(Z)	54,801	100.1	(Z)	44.5	3,221,298	105.4	59	11,498,105	72.4	3.57	209.82
1954...	1,657	(Z)	51,762	94.5	(Z)	31.2	2,106,947	68.9	41	10,105,316	63.6	4.80	195.23
1949...	2,527	(Z)	64,423	117.7	(Z)	25.5	2,110,023	69.0	33	9,174,817	57.7	4.35	142.42
1939...	1,970	(Z)	32,537	59.4	(Z)	16.5	898,228	29.4	28	1,760,250	11.1	1.96	54.10
1929...	3,006	(Z)	51,092	93.3	(Z)	17.0	882,856	28.9	17	2,631,030	16.6	2.98	51.50
1919...	767	(Z)	11,210	20.5	(Z)	14.6	288,254	9.4	26	1,440,525	9.1	5.00	128.50
1909...	(NA)	(NA)	8,195	15.0	(Z)	(NA)	158,091	5.2	19	253,000	1.6	1.60	30.87
1899...	(NA)	(NA)	8,591	15.7	(Z)	(NA)	187,427	6.1	22	143,618	0.9	0.77	16.72
Mungbeans.....1964...	334	(Z)	19,613	100.0	(Z)	58.7	6,920,075	100.0	353	380,000	100.0	0.05	19.37
1959...	444	(Z)	15,712	80.1	(Z)	35.4	4,237,726	61.2	270	180,817	47.6	0.04	11.51
1954...	354	(Z)	7,815	39.8	(Z)	22.1	1,186,980	17.2	152	135,869	35.8	0.11	17.39
1949...	923	(Z)	21,113	107.6	(Z)	22.9	8,774,880	126.8	416	365,623	96.2	0.04	17.32
Pineapples ⁴⁴1964...	80	(Z)	38,415	100.0	(Z)	505.5	923,729	100.0	24.0	34,640,000	100.0	37.50	901.73
1959...	116	(Z)	44,352	115.5	(Z)	382.3	1,009,804	109.3	22.8	38,372,552	110.8	38.00	865.18
1950...	55	(Z)	37,567	97.8	(Z)	683.0	654,915	70.9	17.4	(NA)	(NA)	(NA)	(NA)
1940...	233	(Z)	48,598	126.5	(Z)	208.6	614,484	66.5	12.6	(NA)	(NA)	(NA)	(NA)
1930...	653	(Z)	(NA)	(NA)	(NA)	(NA)	354,940	38.4	(NA)	(NA)	(NA)	(NA)	(NA)
1920...	280	(Z)	(NA)	(NA)	(NA)	(NA)	149,991	16.2	(NA)	3,545,385	10.2	23.64	(NA)
1910...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	12,361,695	(NA)	(NA)	331,162	1.0	0.03	(NA)
1900...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	116,560	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)
Pangolagrass cuttings.....1949...	2	(Z)	3	(NA)	(Z)	1.5	195	(NA)	65	390	(NA)	2.00	13.00
Plantago.....1949...	2	(Z)	208	(NA)	(Z)	104.0	83,276	(NA)	400	7,331	(NA)	0.09	35.25
Pumpkins for feed.....1954...	133	(Z)	354	(NA)	(Z)	2.7	794	(NA)	2.24	4,987	(NA)	6.28	14.09
1949...	453	(Z)	1,904	(NA)	(Z)	4.2	3,771	(NA)	1.98	24,983	(NA)	6.63	13.12
1939...	1,835	(Z)	12,627	(NA)	(Z)	6.9	17,645	(NA)	1.40	100,379	(NA)	5.69	7.95
Ramie (for fiber).....1954...	4	(Z)	2,843	(X)	(Z)	710.8	2,012,500	(X)	708	583,625	(X)	0.29	205.28
1949...	1	(Z)	1,020	(X)	(Z)	1,020.0	790,498	(X)	775	173,910	(X)	0.22	17.50
1939...	1	(Z)	10	(X)	(Z)	10.0	1,500	(X)	150	120	(X)	0.08	12.00
Root crops for feed.....1959...	155	(Z)	2,074	(NA)	(Z)	13.4	38,184	(NA)	18.41	305,171	(NA)	7.99	147.14
1954...	110	(Z)	334	(NA)	(Z)	3.0	2,909	(NA)	8.71	16,156	(NA)	5.55	48.37
1949...	117	(Z)	331	(NA)	(Z)	2.8	2,487	(NA)	7.51	21,831	(NA)	8.78	65.95
1939...	(NA)	(NA)	9,967	(NA)	(Z)	(NA)	154,919	(NA)	15.54	741,913	(NA)	4.79	74.44
1929...	8,493	0.1	14,781	(NA)	(Z)	1.7	172,748	(NA)	11.69	885,220	(NA)	5.12	59.89
Sesame for seed.....1964...	54	(Z)	1,644	100.0	(Z)	30.4	1,052,809	100.0	640	105,000	100.0	0.10	63.87
1959...	222	(Z)	15,087	917.7	(Z)	68.0	7,601,245	722.0	504	977,032	930.5	0.13	64.76
1954...	244	(Z)	5,823	354.2	(Z)	23.9	1,277,908	121.4	219	135,405	129.0	0.11	23.25
1949...	1	(Z)	5	0.3	(Z)	5.0	2,300	0.2	460	150	0.1	0.07	30.00
Small grains for silage.....1949...	1	(Z)	5	(NA)	(Z)	5.0	7	(NA)	1.40	70	(NA)	10.00	14.00
Sugarcane for chewing.....1949...	1	(Z)	80	(NA)	(Z)	80.0	200	(NA)	2.50	2,000	(NA)	10.00	25.00
Sugarcane for feed.....1949...	1	(Z)	3	(NA)	(Z)	1.5	50	(NA)	16.67	200	(NA)	4.00	66.67
1939...	8	(Z)	13	(NA)	(Z)	1.6	91	(NA)	7.00	616	(NA)	6.77	47.38
1949...	5	(Z)	103	(NA)	(Z)	20.6	1,610	(NA)	15.63	6,440	(NA)	4.00	62.52
Sugar-beet seed.....1964...	220	(Z)	4,991	100.0	(Z)	22.7	13,769,533	100.0	2,759	2,204,000	100.0	0.16	441.59
1959...	185	(Z)	3,776	75.7	(Z)	20.4	8,817,346	64.0	2,335	1,328,263	60.3	0.15	331.76
1954...	163	(Z)	3,293	66.0	(Z)	20.2	10,564,452	76.7	3,208	1,216,791	55.2	0.12	369.51
1949...	219	(Z)	4,996	100.1	(Z)	22.8	14,637,024	106.3	2,930	2,059,878	93.5	0.14	412.31
1939...	285	(Z)	7,087	142.0	(Z)	24.9	11,022,625	80.1	1,555	918,005	41.7	0.08	129.53
1929...	8	(Z)	93	1.9	(Z)	11.6	90,360	0.7	972	13,555	0.6	0.15	145.75
1919...	69	(Z)	7,022	140.7	(Z)	101.8	3,606,947	26.2	514	2,012,142	91.3	0.56	286.55
Sunflower seed.....1964...	707	(Z)	38,745	100.0	(Z)	54.8	27,718,194	100.0	715	1,202,000	100.0	0.04	31.02
1959...	627	(Z)	25,732	66.4	(Z)	41.0	19,932,320	71.9	775	957,286	79.6	0.05	37.20
1954...	320	(Z)	13,950	36.0	(Z)	43.6	13,710,400	49.5	583	725,699	60.4	0.05	52.02
1949...	474	(Z)	24,946	64.4	(Z)	52.6	10,537,984	38.0	422	503,717	41.9	0.05	20.19
1939...	437	(Z)	4,235	10.9	(Z)	9.7	3,341,824	12.1	789	83,989	7.0	0.03	19.83
1929...	1,267	(Z)	25,523	65.9	(Z)	20.1	19,973,792	72.1	783	436,340	36.3	0.02	17.10
1919...	637	(Z)	6,614	17.1	(Z)	10.4	4,350,304	15.7	658	331,708	27.6	0.08	50.15
1909...	665	(Z)	4,731	12.2	(Z)	7.1	2,037,664	7.4	431	58,318	4.9	0.03	12.33
1899...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	28,896	2.4	(NA)	(NA)
Sunflowers for silage.....1949...	9	(Z)	41	(NA)	(Z)	4.6	355	(NA)	8.66	1,995	(NA)	5.62	48.66
Sweet corn for seed.....1964...	324	(Z)	5,946	100.0	(Z)	18.4	11,008,491	100.0	1,851	1,288,000	100.0	0.12	216.62
1959...	391	(Z)	6,968	117.2	(Z)	17.8	13,366,864	121.4	1,918	1,230,724	95.6	0.09	176.63
1954...	471	(Z)	7,474	125.7	(Z)	15.9	14,642,471	133.0	1,959	1,747,958	135.7	0.12	233.87
1949...	409	(Z)	5,977	93.8	(Z)	13.6	11,133,756	101.1	1,996	1,041,683	80.9	0.09	186.78
Sweet corn for silage.....1949...	2	(Z)	50	(NA)	(Z)	25.0	180	(NA)	3.60	1,140	(NA)	6.33	22.80
Tansy.....1949...	1	(Z)	8	(NA)	(Z)	8.0	135	(NA)	17	1,000	(NA)	7.41	125.00
1939...	1	(Z)	80	(NA)	(Z)	80.1	1,200	(NA)	15	3,600	(NA)	3.00	45.00
1929...	2	(Z)	15	(NA)	(Z)	7.5	410	(NA)	27	1,333	(NA)	3.25	88.87
1899...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	415	(NA)	(NA)	(NA)
Taro, dryland.....1964...	25	(Z)	25	100.0	(Z)	1.0	1,455	100.0	58.2	9,000	100.0	6.19	360.00
1959...	128	(Z)	59	236.0	(Z)	0.5	2,629	180.7	44.6	15,774	175.3	6.00	267.36
1950...	87	(Z)	66	264.0	(Z)	0.8	4,415	303.4	66.9	(NA)	(NA)	(NA)	(NA)
1940...	92	(Z)	86	344.0	(Z)	0.9	5,580	383.5	64.9	(NA)	(NA)	(NA)	(NA)

See footnotes at end of table.

TABLE 5. Specified Field Crops Harvested—Farms, Acreage, Production, and Value, for the United States: 1839 to 1964—Continued

Crop and year	Farms		Acreage				Production			Value of production ¹ (dollars)			
	Number	Percent of all farms	Total	Percent of 1964	Percent of cropland harvested ²	Average per farm	Total	Percent of 1964	Yield per acre	Total	Percent of 1964	Average per unit	Average per acre
Miscellaneous field crops—Con.													
Taro, wetland.....1964...	149	(Z)	405	100.0	(Z)	2.7	84,949	100.0	209.8	518,000	100.0	6.10	1,279.01
1959...	171	(Z)	401	99.0	(Z)	2.3	94,179	110.9	234.9	565,074	109.1	6.00	1,409.16
1950...	238	(Z)	525	129.6	(Z)	2.2	100,482	118.3	191.4	(NA)	(NA)	(NA)	(NA)
1940...	229	(Z)	536	132.3	(Z)	2.3	110,220	129.7	205.6	(NA)	(NA)	(NA)	(NA)
Tarragon.....1954...	1	(Z)	4	(NA)	(Z)	4.0	Pounds 4,000	(NA)	1,000	400	(NA)	0.10	100.00
1949...	5	(Z)	103	(NA)	(Z)	20.6	(NA)	(NA)	863	29,000	(NA)	0.33	281.55
Tessels.....1939...	5	(Z)	70	(NA)	(Z)	14.0	43,900	(NA)	627	8,146	(NA)	0.19	116.37
1929...	36	(Z)	173	(NA)	(Z)	4.8	(45)	(NA)	(NA)	58,164	(NA)	(NA)	336.21
1919...	(NA)	(NA)	78	(NA)	(Z)	(NA)	Thousands 16,140	(NA)	207	48,420	(NA)	3.00	620.77
1909...	(NA)	(NA)	162	(NA)	(Z)	(NA)	Tons 78	(NA)	0.48	13,760	(NA)	176.41	84.94
Tobacco seed.....1949...	4	(Z)	17	(NA)	(Z)	4.3	Pounds 5,790	(NA)	341	7,951	(NA)	1.37	467.71
1939...	5	(Z)	26	(NA)	(Z)	5.2	224	(NA)	9	2,278	(NA)	10.17	87.62
1929...	4	(Z)	18	(NA)	(Z)	4.5	1,544	(NA)	86	3,861	(NA)	2.50	214.50
1919...	1	(Z)	1	(NA)	(Z)	1.0	117	(NA)	117	1,404	(NA)	12.00	1,404.00
1909...	3	(Z)	1	(NA)	(Z)	0.3	389	(NA)	389	1,789	(NA)	4.56	1,789.00
Wild ryegrass (plants).....1949...	1	(Z)	6	(NA)	(Z)	6.0	Thousands 2,000	(NA)	333	3,600	(NA)	1.80	600.00
Wormseed oil.....1964...	17	(Z)	73	100.0	(Z)	4.3	Pounds of oil 4,506	100.0	62	20,000	100.0	4.44	273.97
1959...	43	(Z)	205	280.8	(Z)	4.8	12,357	274.2	60	38,905	194.5	3.15	202.68
1954...	180	(Z)	981	-	(Z)	5.4	56,808	-	58	198,828	994.1	3.50	161.65
1949...	99	(Z)	368	504.1	(Z)	3.7	22,921	508.7	62	59,486	297.4	2.60	101.17
1939...	240	(Z)	927	-	(Z)	3.9	38,281	849.5	41	93,787	468.9	2.45	100.96
1929...	124	(Z)	336	460.3	(Z)	2.7	12,336	273.8	37	33,924	169.6	2.75	88.72
Wormwood oil.....1959...	3	(Z)	102	100.0	(Z)	34.0	1,800	100.0	18	7,700	100.0	4.28	75.49
1954...	8	(Z)	363	355.8	(Z)	45.4	6,640	468.9	18	32,204	418.2	4.85	88.72
1949...	23	(Z)	1,653	-	(Z)	71.9	29,082	-	18	172,042	-	5.92	104.08
1939...	19	(Z)	279	273.5	(Z)	14.7	3,672	204.0	13	12,300	159.7	3.35	44.09
1929...	14	(Z)	301	295.1	(Z)	21.5	3,915	217.5	13	56,225	730.2	14.36	186.79
1899...	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	(NA)	2,419	31.4	(NA)	(NA)
All other and unspecified crops...1964...	(NA)	(NA)	9,912	100.0	(Z)	(NA)	(X)	(X)	(X)	2,872,000	100.0	(X)	289.75
1959...	1,193	(Z)	7,170	100.0	(Z)	6.0	(X)	(X)	(X)	897,474	31.2	(X)	125.17
1954...	688	(Z)	6,128	85.5	(Z)	8.9	(X)	(X)	(X)	396,014	13.8	(X)	64.62
1949...	11	(Z)	156	2.2	(Z)	14.2	(X)	(X)	(X)	4638,177,872	-	(X)	(X)

NA Not available. X Not applicable. Z Less than 0.05 percent. ¹Values not always available for Alaska and Hawaii where other data are included for those States. ²For years prior to 1924, percentages are based on the total acreage of crops for which figures are available. For Hawaii, cropland harvested data not available prior to 1940. For Alaska, acres of all crops used for cropland harvested prior to 1940 but such data were not available for 1910. ³Excludes sweet corn (except for silage primarily), popcorn, "Egyptian corn," kafir, and milo maize. ⁴For 1919, data for corn for all purposes represent totals of corn harvested for grain and corn cut for silage. For that year, 14,502,932 acres of corn were reported as cut for fodder, valued at \$206,934,650. These amounts are excluded from the 1919 totals for corn, as most of the acreage was probably duplicated in the acreage harvested for grain. ⁵See the corresponding region and State table for a note bearing on the comparability of data. ⁶Farms reporting is the sum of farms reporting sorghums for all purposes except sirup and farms reporting sorghums for sirup. ⁷Totals for sorghums for all purposes, for 1919, probably contain some duplication as they include the acreage and value of both "kafir, milo, feterita, and durra harvested for grain" and "kafir, milo, durra, sweet sorghums, and sugarcane cut for forage or fodder" as well as "sorghums for sirup." ⁸Farms reporting sorghums for grain only. Acreage, production, and value for sorghums for grain and seed. ⁹Data are restricted to the one schedule inquiry for kafir corn and milo maize with production in bushels. The enumerator was instructed to include all Jerusalem or Egyptian corn and kindred crops. A "coarse forage" inquiry made provisions for reporting corn, kafir corn, Jerusalem corn, milo maize, sorghums; sugarcane, vegetables, and kindred crops grown for corn, forage, or ensilage, or cut green and cured, for feeding livestock. ¹⁰Data are restricted to the one schedule inquiry for kafir corn, listed under the heading grains and seeds, and production required in tons. Schedule instructions mentioned the inclusion of Jerusalem corn, milo maize corn, and durra corn harvested, after ripening, for the grain. Another inquiry for "forage crops" was provided for including corn, kafir corn, cane, sorghums, and similar crops cut and fed green, cured, or siloed for livestock. ¹¹Excludes hogged or grazed. ¹²Kafir, milo maize, durra, sweet sorghum, and sugarcane cut for forage or fodder which duplicated a part of the acreage for grain. ¹³For 1879, the schedule inquiry for field crops was "Canada peas." Although no separate totals were given in the 1880 publication, the production in Alabama, Florida, Georgia, Arkansas, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, Tennessee, Texas, and a portion of Missouri was considered as cowpeas and the production in all other States as "Canada peas." In 1890 publication, 4,740,240 bushels of cowpeas and 1,774,737 bushels of "Canada peas" were given as the production of dry peas for 1879, the entire production of Missouri being included as cowpeas. ¹⁴Totals for States for which information is available. ¹⁵Questionnaire inquiry specified soybeans, cowpeas, peanuts, velvetbeans, Canada peas, and vetches. ¹⁶283,284 farms reported soybeans for beans and/or hay; 407,441 farms reported cowpeas for peas and/or hay; and 250,847 farms reported peanuts for nuts and/or hay. The acreage shown for 1924 is a summation of the area reported as cut for hay for soybeans, cowpeas, and peanuts. ¹⁷Questionnaire inquiry specified cowpeas, soybeans, peanuts, and vetches. ¹⁸Figures do not include 118 farms reporting 1,459 acres and 49,694 bushels of horsebeans valued at \$124,235 and 11 farms reporting 39 acres and 206 bushels of "other beans" valued at \$824. ¹⁹Figures do not include 67 farms reporting 150 acres and 5,534 bushels of horsebeans valued at \$5,659 and 5 farms reporting 43 acres and 520 bushels of "other beans" valued at \$555. ²⁰Includes cowpeas. ²¹Production and value includes an undetermined tonnage of sorghum cut for hay. ²²Includes value of forage. ²³Includes coarse forage. ²⁴In 1929 and 1924, crimson clover included with sweetclover and lespedeza. ²⁵1,491,287 farms reported either timothy, or timothy and clover mixed, or both; 341,546 reported 1 or more of the following clovers—red, alsike, or mammoth. ²⁶672,701 farms reported timothy; 1,264,283 reported clover and timothy mixed; and 315,572 reported 1 or more of the following clovers—red, alsike, or mammoth. ²⁷Includes lespedeza. ²⁸840,591 farms reported timothy; 1,203,384 timothy and clover mixed; and 328,880 clover alone. ²⁹1,024,681 farms reported timothy; 1,184,829, timothy and clover mixed; and 262,892 clover alone. ³⁰Clover only; timothy was included under "Other tame grasses." ³¹Includes soybeans and cowpeas cut for hay. ³²Clover seed except sweetclover. ³³Includes sweetclover. ³⁴Farms reporting represents the sum of farms reporting hairy vetch and farms reporting other vetch in Oregon and Washington in 1954, and Oregon in 1949 and involve some duplication. ³⁵Value includes both lint and seed. ³⁶Includes Kentucky, Tennessee, North Carolina, and Virginia only. ³⁷Totals for Kentucky and Tennessee only. ³⁸Includes data for sugarcane for feed for 1939, as follows: 13 acres (8 farms reporting) and \$616 (91 tons produced). ³⁹Prior to 1930, nominally sugarcane for sugar or sirup, or both. Data prior to 1879 limited to production only. However, statistics for production from 1839 to 1899 are not available in tons, but as pounds of sugar and gallons of sirup as follows: 1899—301,284,395 pounds of sugar and 25,409,228 gallons of sirup; 1879—178,872,000 pounds of sugar and 16,573,273 gallons of sirup; 1869—87,043,000 pounds of sugar and 6,589,694 gallons of sirup; 1859—230,982,000 pounds of sugar and 14,954,005 gallons of sirup; 1849—247,577,000 pounds of sugar and 12,060,230 gallons of sirup; 1839—155,100,809 pounds of sugar of all kinds (separate figures for cane sugar and for sirup not available). ⁴⁰In 1929, the figures shown for farms reporting is a total of 196,423 farms reporting sugarcane for sirup and 6,717 farms reporting sugarcane for sugar, or for sale to mills, of which number not more than 1,217 reported sugarcane for both uses. ⁴¹Not available for the United States. Louisiana produced 1,664,018 tons valued at \$9,504,962 from 265,157 acres. ⁴²Acreage not completely reported. 13 States had a total of 911,325 acres of Irish potatoes and 23 States a total of 444,817 acres of sweetpotatoes. ⁴³Sorghum not excluded in 1939. ⁴⁴Data for Hawaii only. Figures for pineapples for the continental United States published under fruits in Chapter 4. ⁴⁵Production as reported: New York, 3,617 thousands; Oregon, 40,000 pounds; and California 90,000 pounds. ⁴⁶Includes receipts from sales of pasture and grazing privileges, and the value of cowpeas harvested for green peas.