

# part 6


# FRUITS, NUTS, BERRIES

# VOLUME V SPECIAL REPORTS









# 1969 CENSUS OF AGRICULTURE

















**Issued November 1973** 



U. S. DEPARTMENT OF COMMERCE

Frederick B. Dent, Secretary
Sidney L. Jones, Assistant Secretary for Economic Affairs

Social and Economic Statistics Administration Edward D. Failor, Administrator

BUREAU OF THE CENSUS

Vincent P. Barabba, Director



#### **BUREAU OF THE CENSUS**

Vincent P. Barabba, Director Robert L. Hagan, Deputy Director James W. Turbitt, Associate Director for Economic Fields

#### **AGRICULTURE DIVISION**

J. Thomas Breen, Chief

#### REPORTS OF THE 1969 CENSUS OF AGRICULTURE

#### Individual County Reports

Eight-page reports have been issued for each county and State

#### Volume I. Area Reports

A separate report has been published for each State, American Samoa, Guam, Puerto Rico, Trust Territory, and the Virgin Islands. The report consists of two sections. Section 1 contains State summary data, county summary of selected data, and miscellaneous items by counties; Section 2 contains the detailed county reports.

#### Volume II. General Report

Statistics by subject are presented in separate chapters with totals for the United States, regions, geographic divisions, and States. The nine chapters are being issued as individual reports as follows:

- Chapter 1 General Information, Procedures for Collection, Processing, Classification
- Chapter 2 Farms: Number, Use of Land, Size of Farm
- Chapter 3 Farm Management, Farm Operators
- Chapter 4 Equipment, Labor, Expenditures, Chemicals
- Chapter 5 Livestock, Poultry, Livestock and Poultry Products
- Chapter 6 Crops, Nursery and Greenhouse Products, Forest Products
- Chapter 7 Value of Products, Economic Class, Contracts
- Chapter 8 Type of Farm
- Chapter 9 Irrigation and Drainage on Farms

#### Volume III. Agricultural Services

This new report contains data relating to agricultural services for the United States by State and county.

#### Volume IV. Irrigation

Data will be included on drainage basins, land irrigated, crop production on irrigated land, water conveyed, users, and types of organizations.

#### Volume V. Special Reports

Reports may contain data obtained from supplemental surveys, such as type of farm, horticulture, and farm finance; in addition to information obtained in the census.

- Parts 1 to 9. Type-of-Farm Operations.—One for each of nine major type-of-farm classifications.
- Part 10. Horticultural Specialties.
- Part 11. Farm Finance.
- Part 12. Ranking Agricultural Counties.
- Part 13. Forms and Procedures.
- Part 14. Procedural History.
- Part 15. Graphic Summary.
- Part 16. Coverage Evaluation.

#### Volume VI. Drainage of Agricultural Lands

This report will include agricultural drainage statistics collected from individual farms and from publicly organized drainage projects.

ACKNOWLEDGMENTS—As with any data collection effort of this type, credit is due first and foremost to the respondents, the farm operators, members of their families, and employees who filled out and returned the enterprise survey forms; they furnished the information tabulated and published in these reports. Many others made significant contributions.

The Department of Agriculture cooperated at all levels: Local employees in the county offices of the Agriculture Stabilization and Conservation Service, the Farmers Home Administration, the Federal Extension Service, and the Soil Conservation Service aided in the publicity and provided assistance to the farm operators who requested help in filling out the census forms correctly; personnel of the Economic Research Service and the Statistical Reporting Service were especially helpful in the determination of what data should be collected, and the tabulations that were needed.

Members of the Census Advisory Committee on Agriculture Statistics and representatives from public and private agencies and firms gave generously of their time and effort in establishing the data requirements and priorities for collection and publication of the information.

The press, radio, and television media, especially those relating to agribusiness activities, were most helpful in promoting awareness of the 1969 census among farm and ranch operators and enlisting their cooperation.

Charles Merzel, International Statistical Programs Division; Jack H. Margolis and Ralph A. Graham, Agriculture Division, were responsible for the systems and processing procedures, including clerical procedures and computer programing.

A large part of the clerical and data-keying operations were performed in the Data Preparation Division, Jeffersonville, Ind. Hobert A. Yerkey, Chief, under the supervision of Rex L. Pullin, Don L. Adams, and Rebecca Nesbitt. John A. Blackledge, William A. Harlan, and John C. Womack, Agriculture Division, were responsible for the subject-matter review in Jeffersonville.

Computer processing was performed in the Computer Services Division under the supervision of Jaines R. Pepal.

Orvin L. Wilhite, Assistant Division Chief, and Joseph A. Correll, Chief of the Crops Statistics Branch, assisted by John H. Barrett and Donald R. Jahnke, participated in the overall planning and supervised the preparation of the data collection form, specifications for editing and tabulation, review of tabulations, and preparation of tables for the six crop surveys. The specifications for precomputer and computer edit were prepared by Patricia H. Mitchell and Frank J. Shelton, who also participated in review of the tables along with Neng W. Chin, Carl N. McAllister, and Bernard L. Ross. The text specifically related to the crops surveys was written by John H. Barrett, Bernard L. Ross, Carl N. McAllister, and Frank J. Shelton. Reginald Masano prepared the formatting program. The computer edit program was written by Charles King. The tabulation programs were prepared by Charles King, Loyd Brown, William Eng, and Billy Stark.

J. Jack Ingram, Assistant Division Chief for Research and Methodology, assisted by Maurice R. Kniceley, and Harold V. Edwards, designed the sample and wrote the related text. The general part of the text was written by Orvin L. Wilhite. Arnold L. Bollenbacher, Chief of the Farm Economics Branch, assisted by Ted J. McGrath, prepared the agricultural labor tables and text. Joseph A. Correll, assisted by John H. Barrett, prepared the specifications for the fertilizer tables. Helen D. Turner assisted by Janet W. Hall was responsible for editing and liaison in the publications area.

The program was under the primary direction of J. Thomas Breen, Chief, Agriculture Division.

#### SUGGESTED CITATION

U.S. Bureau of the Census, Census of Agriculture, 1969
Volume V. Special Reports
Part 6. Fruits, Nuts, Berries

U.S. Government Printing Office, Washington, D.C. 1973 LIBRARY OF CONGRESS CARD NO. 72-601370

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402-Price \$5.25 Stock Number 0324-00247

# **CONTENTS**

	page
Introduction	
The Farm Enterprise Surveys	
Authority, Area Covered, and Method	. ix
History and Precedent	
Background and Purpose	
Scope of the Survey	
Development of Data Collection Forms, Content, and Format	
Method of Data Collection	
Processing Procedures for Individual Report Forms	
·	
Tabulation Policy and Limitations	
Presentation of Data	
·	
Census Confidentiality	,
Abbreviations and Symbols	
Definitions and Explanations	
Unpublished Data	• • • • • • • • • • • • • • • • • • • •
Sample Selection	
Farm Enterprises by Type of Farm	
Agricultural Labor Related to Specialized Operations	
Exhibit 1. Sampling Rate by Total Value of Products Sold by Type of Farm	
Exhibit 2. Enterprises in the Sample by Value of All Farm Products Sold	xv
Text Table 1. Number of Enterprises in the Sample, by Type of Farm	. xv
2. Number of Enterprises, by Type of Farm: 1969	
3. Relationship of Forms Tabulated to Forms in the Sample and to Farms	•
by Type: 1969	xvi
Fruits, Nuts, Berries	
General Background	
Scope of the Fruit, Nut, Berry Survey	xvii
Availability of Data	
Presentation of Fruit, Nut, Berry Data	
Imputation and Analytical Review	
Crops Reported	
Reporting Problems	xix

### **TABLES**

	07.475.0.474	payo
	STATE DATA	
		2
		4
3.		
		6
		6
	Lemons	6
	Other Citrus	6
	Apples	7
	Cherries	9
	Peaches	11
	Pears	13
	0	15
		17
		18
	0 /5 / 1	19
		19
	• • • • • • • • • • • • • • • • • • • •	
		20
		21
	- · ·	22
	,	23
	Black-Dewberries	24
	Blueberries	25
	All Other Berries	26
	Walnuts	26
	Almonds	26
	Pecans (Improved)	27
	Pecans (Wild)	27
	Other Fruits, Nuts	28
4.		
	Grapefruit	29
	Oranges	29
	Lemons	29
	Other Citrus	29
	Apples	30
		32
	-	33
		34
		35
		36
		37
		37
	• •	37
		38
		38
		39
	Raspberries	39
	Black-Dewberries	
	Black-Dewberries	
		40
	Blueberries	40 40
	Blueberries	40 40 40
	Blueberries	40 40 40 40
	Blueberries All Other Berries Walnuts Almonds Pecans (Improved)	40 40 40 40 41
	Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)	40 40 40 40 41 41
5.	Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) Other Fruits, Nuts	40 40 40 40 41 41
5.	Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) Other Fruits, Nuts  Commercial Fertilizer and Method of Application Used:	40 40 40 40 41 41 42
5.	Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) Other Fruits, Nuts  Commercial Fertilizer and Method of Application Used: Citrus Fruits	40 40 40 40 41 41 42
5.	Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) Other Fruits, Nuts  Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits	40 40 40 40 41 41 42 42
5.	Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) Other Fruits, Nuts  Commercial Fertilizer and Method of Application Used: Citrus Fruits	
	1. 2. 3.	1. Tenure, Land in Farms 2. Farms by Type of Management 3. Farms, Acres, Irrigation, Production: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Strawberries Cranberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wiid) Other Fruits, Nuts 4. Marketing and Harvesting Practices: Grapefices Grapegs Lemons

### **TABLES—Continued**

		Þ
6.	STATE DATA—Continued  Commercial Fertilizer—Fertilizer and Filler, Nutrients, Form Applied:	
υ.	Citrus Fruits	
	Berries	
	Tree Nuts	
_	Other Fruits, Nuts	
7.	Selected Chemicals Used—Acres Treated by Airplane and for Insect Control:	
	Grapefruit	
	Oranges	
	Lemons	
	Other Citrus	
	Apples	
	Cherries	
	Peaches	
	Pears	
	Plums and Prunes	
	Other Noncitrus	
	Grapes	
	Berries	
	Tree Nuts	
8.	Selected Chemicals Used for Disease Control:	
	Grapefruit	
	Oranges	
	Lemons	
	Other Citrus	
	Apples	
	Cherries	
	Peaches	
	Pears	
	Plums and Prunes	
	Other Noncitrus	
	Grapes	
	Berries	
	Tree Nuts	
9.	Selected Chemicals Used for Weed Control:	
٥.	Grapefruit	
	Oranges	
	Lemons	
	Other Citrus	
	Apples	
	Cherries	
	Peaches	
	Pears	
	Plums and Prunes	
	Other Noncitrus	
	Grapes	
	Berries	
	Tree Nuts	
10.	Customwork or Rented Machines Used for Tilling, Planting, Fertilizing, Liming,	
	Pruning, Hedging, etc.:	
	Grapefruit	
	Oranges	
	Lemons	
	Other Citrus	
	Apples	
	Cherries	
	Peaches	
	Pears	
	Plums and Prunes	
	Other Noncitrus	

#### **TABLES—Continued**

	CTATE DATA Continued	page
Table 10.	STATE DATA—Continued  Customwork or Rented Machines Used for Tilling, Planting, Fertilizing, Liming,	
Tubic 10,	Pruning, Hedging, etc.:	
	Grapes	112
	Berries	114
11	Tree Nuts	116
11.	Customwork or Rented Machines Used for Spraying and Dusting, Harvesting, Other, and Total Cost:	
	Grapefruit	117
	Oranges	
	Lemons	117
	Other Citrus	
	Apples	
	Cherries	119
	Peaches	
	Pears	121
	Other Noncitrus	122 122
	Grapes	
	Berries	
	Tree Nuts	
12.	Farms With Contracts or Binding Agreements by Type of Contracts:	
	Grapefruit	126
	Oranges	126
	Lemons	126
	Other Citrus	126
	Apples	127
	Cherries	129
	Peaches	131
	Pears	133
	Plums and Prunes	135 137
	Grapes (American)	138
	Grapes (Raisin)	139
	Grapes (Table)	139
	Grapes (Wine)	140
	Strawberries	141
	Cranberries	142
	Raspberries	143
	Black-Dewberries ,	144
	Blueberries	145
	All Other Berries	146
	Walnuts	146
	Pecans (Improved)	146 147
	Pecans (Wild)	147
	Other Fruits, Nuts	148
13.	Farms by Items Furnished by Contractor:	
	Grapefruit	149
	Oranges	149
	Lemons	149
	Other Citrus	149
	Apples	150
	Cherries	151
	Peaches	152
	Pears	153
	Plums and Prunes	153
	Other Noncitrus	153
	Grapes (American)	154
	Grapes (Raisin)	154 154
	Grapes (rapie)	104

### **TABLES—Continued**

	•	page
	STATE DATA—Continued	
Table 13.	Farms by Items Furnished by Contractor:	
Table 10.	Grapes (Wine)	154
	Strawberries	155
	Cranberries	155
	Raspberries	155
	Black-Dewberries	155
	Blueberries	156
	All Other Berries	156
	Walnuts	156
	Almonds	156
	Pecans (Improved)	156
	Pecans (Wild)	157
	Other Fruits, Nuts	157
4.4	Growth Regulators and Methods of Application:	
14.	Grapefruit	157
	Oranges	157
	Lemons	158
	Other Citrus	158
	Apples	159
	Cherries	161
	Peaches	163
•	Pears	165
	Plums and Prunes	167
	Tree Nuts	169
		170
45		
15.	Method of Thinning:  Grapefruit	171
	Oranges	171
	Lemons	171
	Other Citrus	171
	Apples	172
	Cherries	173
	Peaches	174
	Pears	176
	Plums and Prunes	177
	Tree Nuts	
	Other Tree Fruits	178
16	Storage Facilities	179
16. 17.	Power Sprayer, Power Duster	181
17.	Brush Chipper, Tree Hedger	
19.		
20.	••••	
20. 21.	· · · · · · · · · · · · · · · · · · ·	
22.	,	
23.		
24.	· · · · · · · · · · · · · · · · · · ·	
	Related to This Enterprise	195
25.		
26.	· · · · · · · · · · · · · · · · · · ·	
	Related to This Enterprise	199
27.	Regular Hired Workers-Farms, Workers, and Cash Wages by Days Worked During Year	201
28.		
29.	Farms Reporting, by Number of Man-Days of Hired Labor Worked During the Year	. 205
30.	,	. 207
31.		
	Related to This Enterprise—Total, None, Less than 1/4	. 209
32.	· · · · · · · · · · · · · · · · · · ·	
	3/4 3/4 or More	21

COUNTY DATA (County table numbers are keyed to identical tables for the State)  1. Tenure, Land in Farms  3. Farms, Acres, Irrigation, Production: Grapefruit Oranges Lemons Other Citrus Apples Apples Cherries Peaches Peurs Plums and Prunes Other Noncitrus Grapes (American) Grapes (Table) Grapes (Table) Grapes (Table) Grapes (Wine) Strawberries Blueberries Blueberries All Other Barries Walnuts Almonds Pecans (Uinproved) Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Pears Pears Plums and Prunes Other Noncitrus Grapes (Raisin) Grapes (Table) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Table) Grapes (		TABLES—Continued	pe
3. Farms, Acres, Irrigation, Production: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (American) Grapes (Table) Grapes		COUNTY DATA (County table numbers are keyed to identical tables for the State)	,
Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Peaches Pears Plums and Prunes Other Noncitrus Grapes (Raisin) Grapes (Raisin) Grapes (Rimeirean) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Rimeirean) Grapes (Rimei	le 1.	Tenure, Land in Farms	. 2
Oranges Lemons Other Citrus Apples Cherries Peaches Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Ralisin) Grapes (Table) Grapes (Table) Grapes (Table) Grapes (Table) Grapes (Wine) Strawberries Black-Dewberries Black-Dewberries Black-Dewberries Black-Dewberries Black-Dewberries All Other Berries Walnuts Almonds Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Pears Pears Pears Pears Plums and Prunes Other Noncitrus Grapes (Lamin) Grapes (Lam	3.	Farms, Acres, Irrigation, Production:	
Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Risin) Strawberries Cranberries Black-Dewberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Improved) Pecans (Wing)  4. Marketing and Harvesting Practices: Grapefuit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (Raisin) Gr		Grapefruit	. 2
Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Moncitrus Grapes (American) Grapes (Table) Grapes (Wind) Almonds Peacans (Wild) Almonds Peaches Dears Dear (Wild) Grapes (Paisin) Grapes (Paisin) Grapes (Wind) Almonds Peacans (Improved) Peacans (Wild) Almonds Peacans (Paisin) Grapes (P		Oranges	. 2
Apples Cherries Pears Pears Pears Pears Plums and Prunes Other Moncitrus Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wine) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Table) Grapes (Table) Grapes (Table) Grapes (Table) Grapes (Table) Grapes (Wine) Strawberries Raspberries Raspbe		Lemons	. 2
Cherries Peaches Pears Pears Pears Plums and Prunes Other Moncitrus Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Barnes All Other Barnes All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wilci) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Wine) Strawberries Cranberries Black-Dewberries Black-Dewberries Black-Dewberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Wine) Strawberries Cranberries All Other Berries Black-Dewberries Black-Dew		Other Citrus	. 2
Peaches Pears Plums and Prunes Other Moncitrus Grapes (American) Grapes (Ralisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Moncitrus Grapes (American) Grapes (Ralisin) Grapes (Ralisin) Grapes (Ralisin) Grapes (Table) Grapes (Wine) Strawberries Black-Dewberries Blac		Apples	. 2
Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Blueberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wine) Cherries Lemons Other Citrus Apples Cherries Pears Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Blueberries All Other Berries Walnuts Apples Cherries Pears Pears Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Table) Grapes (Wine) Strawberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (I		Cherries	. 2
Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (Raisin) Grapes (Raisi		Peaches	. 2
Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wind) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Blueberries Blueberries Blueberries Blueberries Blueberries Blueberries Blueberries All Other Berries Walnuts Almonds Pecans (Wind) 5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts PepenDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A		Pears	. 2
Grapes (American) Grapes (Table) Grapes (Wine) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Wine) Strawberries Black-Dewberries Bla		Plums and Prunes	. 2
Grapes (Raisin) Grapes (Wine) Grapes (Wine) Strawberries Cramberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peachs Pears Plums and Prunes Other Noncitrus Grapes (Mine) Grapes (Raisin) Grap		Other Noncitrus	. 2
Grapes (Raisin) Grapes (Wine) Grapes (Wine) Strawberries Cramberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peachs Pears Plums and Prunes Other Noncitrus Grapes (Mine) Grapes (Raisin) Grap		Grapes (American)	. 2
Grapes (Wine)   Grapes (Wine			. 2
Grapes (Wine)   Strawberries   Cranberries   Raspberries   Raspberries   Black-Dewberries   Black-Dewberries   Black-Dewberries   Black-Dewberries   All Other Berries   Walnuts   Almonds   Pecans (Improved)   Pecans (Wild)   Almonds   Pecans   Pears   Pe		· · ·	. 2
Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Wainuts Allmonds Pecans (Improved) Pecans (Wild)  4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Strawberries Black-Dewberries Black-Dewberries Black-Dewberries Black-Dewberries Mainuts Almonds Pecans (Wind)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts AppenDIXES Reminder Car'd A84.1(L)A  AppenDIXES Reminder Car'd A84.1(L)A  AppenDIXES Reminder Car'd A84.1(L)A  AppenDIXES Reminder Car'd A84.1(L)A		and the second s	
Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Other Noncitrus Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Black-Dewberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) 5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			-
Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Wine) Strawberries Cranberries Raspberries Blueberries All Other Berries Walnuts Almonds Pecans (Wind) 5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts APPENDIXES Reminder Card A84.1(L)A			
Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans ((Improved) Pecans ((Wild)  4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Fabie) Grapes (Wile) Strawberries Cranberries Raspberries Blueberries Blueberries All Other Berries Walnuts Almonds Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus PPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A		_	
Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Table) Grapes (Table) Grapes (Wine) Strawberries Cranberries Black-Dewberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts APPENDIXES Reminder Card A84.1(L)A			
All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Table) Grapes (Table) Grapes (Table) Grapes (Bries Bluck-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts Other Fruits, Nuts APPENDIXES Reminder Card A84.1(L)A			
Walnuts			
Almonds Pecans (Improved) Pecans (Wild) 4. Marketing and Harvesting Practices: Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (Raisin) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Black-Dewberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Wild) 5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts APPENDIXES Reminder Card AB4.1(L)A			
Pecans (Improved) Pecans (Wild)  4. Marketting and Harvesting Practices:  Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Roisin) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Pecans (Wild) 4. Marketing and Harvesting Practices:     Grapefruit     Oranges     Lemons     Other Citrus     Apples     Cherries     Peaches     Pears     Plums and Prunes     Other Noncitrus     Grapes (Raisin)     Grapes (Raisin)     Grapes (Raisin)     Grapes (Raisin)     Grapes (Table)     Grapes (Wine)     Strawberries     Cranberries     Raspberries     Black-Dewberries     Blueberries     All Other Berries     Walnuts     Almonds     Pecans (Improved)     Pecans (Wild) 5. Commercial Fertilizer and Method of Application Used:     Citrus Fruits     Noncitrus Fruits     Noncitrus Fruits     Berries     Tree Nuts     Other Fruits, Nuts     Other Fruits, Nuts, Berries Reminder Card A84.1(L)A			
4. Marketing and Harvesting Practices:  Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Wild) 5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Grapefruit Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Table) Grapes (Wine) Strawberries Cranberries Cranberries Black-Dewberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wiid)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A	4.		•
Oranges Lemons Other Citrus Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Raisin) Grapes (Raisin) Grapes (Wine) Strawberries Cranberries Blueberries Blueberries Blueberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wind) 5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A	••		2
Lemons			
Other Citrus Apples Cherries Peaches Pears Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts Other Fruits, Nuts, Berries Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			• -
Apples Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Wine) Strawberries Cranberries Cranberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild) 5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			-
Cherries Peaches Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Cranberries Black-Dewberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Pears       2         Pears       3         Plums and Prunes       3         Other Noncitrus       3         Grapes (American)       3         Grapes (Raisin)       3         Grapes (Wine)       3         Strawberries       3         Cranberries       3         Raspberries       3         Blueberries       3         All Other Berries       3         Walnuts       3         Almonds       3         Pecans (Improved)       3         Pecans (Wild)       3         5. Commercial Fertilizer and Method of Application Used:       3         Citrus Fruits       3         Noncitrus Fruits       3         Berries       3         Tree Nuts       3         Other Fruits, Nuts       3         APPENDIXES         Report Form 69-A15 Fruits, Nuts, Berries         Reminder Card A84.1(L)A			
Pears Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Plums and Prunes Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Other Noncitrus Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Cranberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A		B1 4 B	
Grapes (American) Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Grapes (Raisin) Grapes (Table) Grapes (Wine) Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Grapes (Table) Grapes (Wine) Strawberries Cranberries Cranberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Grapes (Wine) Strawberries Cranberries Cranberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Strawberries Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A		·	
Cranberries Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Raspberries Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			-
Black-Dewberries Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Blueberries All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
All Other Berries Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Walnuts Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Almonds Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A		***************************************	
Pecans (Improved) Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Pecans (Wild)  5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
5. Commercial Fertilizer and Method of Application Used: Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A			
Citrus Fruits Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A	_		. :
Noncitrus Fruits Berries Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries Reminder Card A84.1(L)A	5.	· ·	
Berries			
Tree Nuts Other Fruits, Nuts  APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries  Reminder Card A84.1(L)A			
Other Fruits, Nuts			
APPENDIXES  Report Form 69-A15 Fruits, Nuts, Berries			
Report Form 69-A15 Fruits, Nuts, Berries		Other Fruits, Nuts	. ;
Report Form 69-A15 Fruits, Nuts, Berries		ADDENIDIYES	
Reminder Card A84.1(L)A			

## Introduction

### THE FARM ENTERPRISE SURVEYS

The first part of this text provides information that applies to the nine specialized type-of-farm enterprises included in the survey. The second, provides information specifically related to the enterprise for which data are presented in this book.

#### Authority, Area Covered, and Method

The 1971 Survey of Specialized Agriculture was conducted as part of the 1969 Census of Agriculture authorized by the Congress of the United States in "Title 13, United States Code—Census," Sections 142(a) and 193. The survey was conducted primarily by mail, and covers all States except Alaska.

#### **History and Precedent**

The 1971 Survey of Specialized Agriculture is the first that is devoted almost entirely to providing data at the State and county level, in addition to that obtained on the general census of agriculture report form. It is, however, the natural outgrowth of prior agriculture census-taking activities in the sense that it reflects the Bureau's continuing effort to make available information fully descriptive of current developments in our Nation's agriculture. In association with the 1950 and more recent censuses of agriculture, special supplemental surveys have been utilized to provide, on a sample basis, selected items of information not included in the general reports. In general, these were items for which United States and regional totals were needed, but for which State and county totals could not be justified.

Following World War II, industrial and technological advances in animal breeding and nutrition, in machinery, and in the use of chemicals for fertilization and for weed and insect control together with a number of other factors, accelerated the movement of agricultural management toward specialization. Special tabulations and analyses of data for several major types of farm for the United States and the geographic regions in which each had substantial significance were presented in volume III, part 9, chapters 1 to 9 of the published reports for the 1954 Census of Agriculture.

During the planning of the 1969 census program, it was recognized that specialization had attained a position that could not be adequately described by statistics limited to the national and regional levels. Accordingly, within the limits of the appropriated funds, adjustments were made to provide for specialized type-of-farm enterprise surveys that would provide

supplemental data for States and for counties with significant amounts of the specified activities.

#### **Background and Purpose**

During the planning stage of each agriculture census, opportunity is provided to the various Federal and other government agencies, universities, news media, manufacturers, processors, marketers, farm organizations, and members of the general public to make known the items related to agricultural organization and production for which data are needed. The data demands made in preparation for the five most recent censuses of agriculture have included an increasing number of economic oriented items. More and more of these items are specialized in nature, and not appropriate for inclusion in a general report form directed to all farm operators.

The trend of these data demands has paralleled the movement of agriculture from generalized to specialized operations. The desire to lower the cost per unit of production has led to the development of tractors with more and more power and with an increasing variety of attachments; of specialized, often selfpropelled tilling and harvesting machines; of chemicals for weed and insect control; of improved breeds of livestock and higher-yielding varieties of seeds. These developments have made it feasible for farm operators to handle more and more land. Indeed, the purchase cost of these larger, more specialized machines, and of the improved livestock and seeds, have made it economically mandatory for farm operators to handle more land, and to become more specialized in their agricultural operations. Because it has become increasingly advantageous, many farm operators have specialized in only one product. while others have reduced the number of products but have specialized in several products in order to make fuller use of labor and equipment throughout the year. Thus, the general farms that produce a variety of crops, poultry, livestock and their products have decreased in number and in variety of products, while specialization has increasingly become more representative of North American agriculture.

The purpose of the 1971 Survey of Specialized Agriculture was to collect relevant data specifically related to each of nine specialized types of agricultural production. A separate data collection form was used for each specialization so that the information collected could be restricted to items directly involved in the type of agricultural operation being conducted. Farms that in 1969 reported sales of at least \$10,000 for each of two or more specialized operations were asked to complete the two or more related data collection forms. The results of the

survey are presented in nine separately published reports, as follows:

Volume V.

- Part 1. Grains, Soybeans, Dry Beans and Dry Peas
  - 2. Tobacco
  - 3. Cotton
  - 4. Sugar Crops, Potatoes, Other Specified Crops
  - Vegetables, Including Tomatoes and Melons
  - 6. Fruits, Nuts, and Berries
  - 7. Poultry
  - 8. Dairy
  - 9. Cattle, Hogs, Sheep, Goats

The agricultural products assigned to each of these fields of specialization are generally the same as for the corresponding type-of-farm classifications for which agricultural census data have been presented since 1959. A more detailed listing of the products comprising each type of specialization is given in the discussion of sample selection.

#### Scope of the Survey

The farm operators included in the 1971 Survey of Specialized Agriculture were a stratified sample selected from those who operated farms in 1969 with sales of at least \$2,500. The sample rate varied by economic class and type of farm to provide estimates for quantitative items with an acceptable level of accuracy for publication at the county level for those counties with significant activity and at the same time to minimize the respondent burden.

These surveys were neither intended nor designed to provide universe totals for the items included in the survey at the county, State, or national level. In general, no attempt was made to contact successors to those operators in the sample who had ceased agricultural operations in 1969 or later. Neither was any attempt made to contact newly established operators. Further, for those sample farms still operating in 1971, no attempt was made to obtain data for any additional specialized operations that had not been conducted in 1969, or if conducted, that were not large enough to be included in the survey. Partially offsetting the effects of these omissions, however, those who had enlarged their specialized operations since 1969 were asked to include the entire 1971 specialized operation in their reports.

These surveys were designed to provide information about the extent to which various production and other practices and facilities, including specialized equipment, are reported on farms having the specialized enterprises, and to provide data for those counties where the enterprise has some significance. This information is intended to serve as the basis for further analysis and estimates with regard to related data from other sources.

#### Development of Data Collection Forms, Content, and Format

Development of the specialized report forms began in the latter part of 1968. The principal items included in the report forms were suggested in the meetings of the Census Advisory Committee on Agriculture Statistics in April and October 1968 and in written suggestions received from various governmental agencies and private organizations during 1968 and 1969. These suggestions were augmented and refined by staff research and consultation with the suggesting agencies and organizations. Particularly noteworthy was the assistance provided by the Economic Research Service, U.S. Department of Agriculture.

In May 1969, draft versions of three of the specialized report forms (Grains, Soybeans, Dry Beans, Dry Peas; Cotton; and Cattle, Hogs, Sheep, Goats) were field tested in a limited number of interviews conducted by professional staff members who also obtained the respondent's reactions to the purpose and content of the survey.

Based on an evaluation of these interviews and further research, data collection forms were developed for 11 type-of-farm enterprises for further testing. These forms were mailed on August 28, 1969, to nearly 1,300 addressees who had had agricultural operations in 1964 sufficient to qualify them as operators of specialized agricultural enterprises. One mail followup was sent to nonrespondents in early October. Letters accompanying both mailings stated the purpose of the test and asked for the addressee's assistance on a voluntary basis.

Approximately 400 report forms were returned to the Bureau in various stages of completion. These returns were analyzed for completeness and apparent accuracy of response. Of particular interest were items for which response was not complete or was apparently inconsistent with other data. Also considered was the format of the various sections of the report form. Did the respondent follow the flow of the items to be answered? Did he understand what information was wanted? Was he able to supply the information requested?

On the basis of the analysis, the final versions of the data collection forms were prepared. Two of the 11 types of enterprises (those for "General" and "Miscellaneous" farms) were dropped from the survey as not being identifiable as "specializations" for which the data about management and operation practices, inventory, and equipment would yield sufficient characterization. Other changes included revisions in format, the deletion of some items for which there was evidence of poor response capability, and the standardization of some sections common to two or more enterprises.

#### **Method of Data Collection**

The survey was conducted primarily on a mailout/mailback basis. A farm included in the sample received a separate report form for each of the specialized enterprises for which it qualified. The forms were mailed early in January 1972. A "Thank you" reminder card (see appendix) was sent to each addressee on January 12th, and up to six followup letters were mailed to nonrespondents at intervals between February 1 and June 30. As of April 9, all nonrespondent operators who had reported sales of \$100,000 or more in 1969 were assigned for direct interview by personal visit or telephone. For economic efficiency of field operations, personal visits were restricted to those counties with eight nonrespondents or more. The nonrespondents in all other counties were interviewed by telephone.

Those nonrespondents with sales of less than \$100,000 were handled in a second effort, during July and August 1972. Interviews by personal visit were restricted to counties with 12 nonrespondents or more. In the remaining counties, nonrespondents received additional request letters, supplemented to some extent by telephone interviewing. The general effort to obtain reports from nonrespondents was stopped at the end of August. Of the 412,000 forms mailed out in the surveys, returns were received for 390,000, of which 340,000 were considered in scope and appropriate for inclusion in the survey tabulations. During the processing operations, telephone calls were used to resolve the internal consistency or incompleteness of the reports for large operations.

#### **Processing Procedures for Individual Report Forms**

As the forms were received from the respondents they were checked in. Periodically the address register was updated and a reminder letter was sent to nonrespondents. If more than one specialized form had been required for the same farm, they were held together until completion of the pre-key clerical edit process.

The basic edit policy for the survey was to accumulate and present the publishable data the forms contained without attempting the followup required to obtain data for every section of every form, or, except in a few instances, to impute for missing data.

Implementation of this policy called for a pre-key clerical edit sufficient only to make the data keyable, and to assure consistency between two or more specialized forms for the same farm. The computer edit programs identified and resolved or displayed incomplete items, inconsistencies and data outside limit parameters. In general, no attempt was made to impute for completely missing items of data. However, if one part of a question was answered but some other part was not, the missing item was imputed.

For example, if the number of animals sold was reported but the value was missing, then the value was imputed; if acres were reported without yield, or yield without acres, then the missing component was imputed. Insertion of missing data based on information for an adjacent farm or for other items reported for the same farm was held to a minimum. Nationwide parameters were used for testing the ratios of production to acres, production to sales, etc. Thus, the major review and correction of the individual reports followed computer rejection of questionable data. Corrections were keyed to tape, merged into the record tape and re-edited to assure that the records were acceptable for tabulation.

The edit process included three computer passes. The first of these presented the problems, the second and third, following merging of keyed corrections, monitored the acceptability of the corrected records, as compared with the edit rules.

#### **Tabulation Policy and Limitations**

The type-of-farm enterprise survey was designed as a follow-on survey to the 1969 agriculture census. It was financed out of the savings resulting from the use of mail procedures for data

collection, modification of the evaluation program, and improvements in the programing and processing of the regular census. Limited financial and staff resources dictated a modest tabulation and publication program. The tabulations presented in this report consist, for the most part, of basic summations of individual data items. Selected data are presented separately for farms that reported some specified condition, such as milk cows on hand, or turkeys sold.

The percentages and ratios presented or that may be derived from the data are believed to be representative of the farms conducting that type of enterprise within the geographic area.

The base data are those that were reported by the farms that responded to the survey, multiplied by their assigned sample weights. Thus, published totals are not estimates for all such enterprises in the given county or State but only for those that were represented in the sample drawn and that responded to the item tabulated. No attempt was made to identify and include in the survey enterprises organized since 1969 or grown large enough since 1969 to qualify. In general, no attempt was made to impute for completely missing items of data on partially completed report forms.

#### Presentation of Data

The standard pattern of the tabulations provides three lines of data for each area (State or county) for which data are shown, as follows:

Principal enterprise—That enterprise (product or groups of products for which sales in 1969 amounted to \$10,000 or more) which in 1969 represented 50 percent or more of the total value of sales for the farm. This enterprise is the same as the type of farm code for the place for 1969. EXCEPTION: For 14,538 farms in the \$10,000 to \$19,999 TVP group the principal specialized operation had less than \$10,000 of sales. The in-scope report forms for these operations that were returned by the respondents have been included in the tabulations on the PRINCIPAL line, since the report forms were sorted by total value of products sold by the farm, rather than by the value of sales of the product or group of products comprising the specialized operation.

Secondary enterprise—An enterprise (product or group of products for which sales in 1969 amounted to \$10,000 or more) on a place with a principal enterprise. If three or more enterprises were conducted on the same place, all except the enterprise that agreed with the type-of-farm code were secondary.

**Under \$10,000**—For places with less than \$10,000 total value of products, the specialized operation that agreed with the 1969 type of farm.

The data are weighted estimates, based on the information furnished by the respondents to the survey. Sampling rates are shown in exhibit 1. Data are presented for all States and for all counties in which more than a limited number of farms were engaged in the enterprise. No data are shown separately by county if less than 10 reports for the enterprise were tabulated. For some enterprises the minimum number of tabulated reports for publication at the county level was set at some higher

Exhibit 1. Sampling Rate by Total Value of Products Sold by Type of Farm

Type of farm and expansion factor

	Cash- grain	Tobacco	Cotton	Field crop	Vege- table	Fruit and nut	Poultry	Dairy	Other live- stock <sup>1</sup>	General and misc. <sup>2</sup>
\$100,000 and over	1	1	1	1	1	1	1	1	1	1
\$40,000 to \$99,999	2	1	1	1	1	1	1	2	2	1
\$20,000 to \$39,999	4	2	2	1	1	1	2	4	8	2
\$10,000 to \$19,999	8	4	4	2	2	2	4	8	16	( <sup>3</sup> )
\$5,000 to \$9,999	16	8	8	4	4	4	8	16	32	( <sup>3</sup> )
\$2,500 to \$4,999	32	16	16	8	8	8	16	32	64	( <sup>3</sup> )

NOTE: These rates are based on 1969 Census of Agriculture distribution.

number. The minimum number of tabulated reports for which separate county data are shown for the type-of-farm enterprise presented in this report is given in the part of this text that deals specifically with the enterprise.

Data for all counties with less than the minimum number of reports have been combined and are presented for "All other counties." Those who desire to examine ratios, comparisons between items, etc., for *enterprises* of a given type may do so by first combining the data presented for "principal" and "secondary" enterprises.

Similarly, those who wish to compare 1971 data with data by type of farm previously published from the 1969 Census of Agriculture should combine the data presented for "principal enterprises" and for places whose major agricultural operation had sales of "Under \$10,000."

#### Relationship of Data to Other Agriculture Census Data

The 1971 data presented for the various specialized agricultural enterprises are, for the most part, an extension of the 1969 data previously published by type of farm in volume I and in chapter 8, volume II of the published reports of the 1969 Census of Agriculture.

Acres of land in the farm by ownership, acres of cropland harvested, farm labor information, and total sales and expenses were the only items common to every specialized enterprise report form. In addition, the report form for each specialized enterprise contained inventory, production, and sales items appropriate to the type of agricultural products comprising the enterprise. These basic items provide a rough measure of the coverage of the 1971 specialized enterprise, as compared with 1969 census data for the corresponding type of farm. They also provide some basis for evaluation, analysis, and interpretation of the specialized information obtained and presented.

### **Census Confidentiality**

The data in this report have been reviewed to prevent the disclosure of individual operations, while presenting as many items of data as feasible. The probability of recognizing data

about an individual operation is a function of the size of the operation and the number of farms reporting the item. For State totals, only an extremely large quantity reported would be recognized as possibly pertaining to the operations of an individual farm. For a county also, the number would need to be so large as to be grossly atypical of such operations within the county. Further, it is highly unlikely that anyone would know whether another's enterprise was "principal" or "secondary" in a county with 10 occurrences or more of the enterprise. Thus, the general policy was developed that a report for a secondary enterprise that exceeded 10 percent of the amount reported for the principal enterprises would be suppressed since it might be possible for others to associate the number with the specific farm that reported it. At least two numbers were deleted in the same line of any table that consisted of a total and detail to avoid the possibility of the user obtaining the missing number by subtraction.

This policy was adopted, in lieu of deleting all numbers for which less than three farms were tabulated because it permitted a very large reduction in the number of cells of data to be suppressed (and therefore a large reduction in the time and cost of the operation) with little likelihood of revealing the individual operations of any farm.

#### Abbreviations and Symbols

The following abbreviations and symbols are used throughout the published tables:

- Z-Less than half of one unit reported
- D-Data withheld to avoid disclosure of information for individual enterprises.

#### **Definitions and Explanations**

Except for the introduction of the term "Enterprise" (defined in the paragraph on presentation of data) the definitions and explanations are the same as for the other parts of the 1969 census, and are as fully comparable as possible with reports of earlier censuses. The more important definitions and explanations, including any variations from earlier censuses, are provided on pages 6 through 12 of chapter 1, volume II of the

<sup>&</sup>lt;sup>1</sup> Includes livestock ranches for 17 Western States, Louisiana, Florida, and Hawaii.

<sup>&</sup>lt;sup>2</sup> Expansion factors assigned to secondary enterprises on these types of farm.

<sup>3</sup> Not in survey.

published reports of the 1969 Census of Agriculture. The reproduction of the specialized enterprise data collection form in the appendix provides the content of the survey and the frame of reference for each data item.

#### **Unpublished Data**

The individual enterprise records from which these published tabulations were prepared are being retained for a period of about 5 years in computer processable form. Thus, it will be possible for the Census Bureau to prepare special tabulations for which a demand arises. Such tabulations could be tailored to the specific needs of the requester and would be done at the requester's expense. The cost would include programing, tabulation, review for consistency with published data, and suppression of data that would disclose individual operations. Inquiries should be directed to the Chief, Agriculture Division, Bureau of the Census, Social and Economic Statistics Administration, Washington, D.C. 20233.

#### Sample Selection

For the purpose of the farm enterprise surveys an enterprise occurs within a farm if the value of products sold for the product or product group included in the enterprise description is \$10,000 or greater.

The universe for the 1971 Farm Enterprise Surveys was the 1969 Census of Agriculture data file excluding farms with total value of products less than \$2,500, abnormal (primarily institutional) farms, and all farms located in Alaska.

For selection of the samples, the universe was stratified by value-of-sales class within type of farm, within State. The basic samples were selected by type of farm with all enterprises included in the sample farm (except "General" and "Miscellaneous") also included in enterprise sample. Farms classified as general or miscellaneous types were sent the applicable report forms only for their secondary enterprises, if any. The products or groups of products assigned to each enterprise (or enterpriselike) classification are the same as those for corresponding type-of-farm classifications, except that sales of dairy cattle and calves were included in the livestock-farm type classification in 1969 and in the dairy-farm enterprise classification for 1971.

The procedure used in selecting the sample for the type of farm enterprise survey was-

- 1. For each type of farm, select an indicated number of farms within each total value of products sold (TVP) stratum. Sampling rates by type of farm and TVP stratum are given in exhibit 1. The resulting numbers of enterprises in the samples are given in exhibit 2.
- 2. Once a farm is selected for the sample, determine the enterprises (product or group of products with sales of \$10,000 or more) and provide a report form for each. By definition, only those farms with total value of products of \$10,000 or greater could include an enterprise; however, it was possible for some farms with total value of products between \$10,000 and \$20,000 to have no enterprise. (Note: These farms, however, were tabulated

in the line for PRINCIPAL enterprises since the sorting was based on the total value of products sold by the farm.)

3. If a sample farm has no enterprise, provide a report form matching its type of farm. However, exclude general and miscellaneous farms, regardless of size, when they do not include at least one in-scope enterprise.

The effect of this procedure is-

- 1. Estimates are provided for all nine of the enterprises in scope for the surveys.
- 2. Estimates for enterprise-like statistics are provided for farms with 1969 total value of products of \$2,500 or greater but which include no enterprises. These estimates are by type of farm and are not combined with the estimates for enterprises.
- 3. Except for the qualifying farms containing no enterprise, there are no estimates for farm characteristics which are not included in an enterprise. For example, if a sample farm with \$39,000 total value of products sold has a \$20,000 grains enterprise and an \$11,000 tobacco enterprise and cotton sales of \$8,000, cotton operations characteristics from that farm are not included in the estimates
- 4. No estimates are provided from farms having TVP less than \$2,500.

Simple unbiased estimates are provided for totals. They are based on reports received, with no adjustment for nonresponse, or for enterprises established since 1969. Sampling errors have not been presented. The purpose of the reports is to present characteristics for only those enterprises and farms reporting and not to provide estimates for the universe. Time and other resources were not available to follow up nonrespondents as intensively as was desired and for given enterprises it was believed unsafe to assume a distribution for characteristics. Greatest effort was made in following up nonrespondent farms with expansion factors of 1 and 2. Thus, the sampling error for enterprises such as sugar, potatoes, and other field crops; vegetables, including tomatoes and melons; and fruits and nuts should be close to negligible for characteristics reported by all farms containing the enterprise.

Estimates are provided for specialized enterprises corresponding to nine type-of-farm classifications, as follows:

Grains, Soybeans, Dry Beans, Dry Peas (vol. V, part 1)

Barley for grain Buckwheat for grain Corn for grain

Cow peas for dry peas Dry field and seed beans

Dry field and seed peas Emmer and spelt

Flaxseed

Mixed grains for grain

Mustard seed Oats for grain Proso millet

Rice

Rye for grain Safflower

Sorghum for grain (includes milo)

Soybeans for beans Wheat for grain

Tobacco (vol. V, part 2) Tobacco

XIII

Cotton (vol. V, part 3) Cotton

Sugar Crops, Potatoes, and Other Specified Crops (vol. V, part 4)

Broomcorn Popcorn
Castor beans Sesame seed

Dill for oil Sugar beets for seed Flax for fiber Sugar beets for sugar Guar Sugarcane for seed Hops Sugarcane for sirup Irish potatoes Sugarcane for sugar Lentils Sunflower seed Mint for oil Sweet corn for seed Mung beans Sweetpotatoes

Peanuts for nuts

Vegetables, Including Tomatoes and Melons (vol. V, part 5)

Asparagus Lettuce and romaine

Beets Radishes

Cabbage Snapbeans, bush and pole Cantaloups, persians, Squash and pumpkins

and muskmelons
Carrots
Sweet corn
Sweet peppers
Cucumbers and pickles
Dry onions
Watermelons
Green lima beans
Other vegetables

Green peas

Fruits, Nuts, and Berries (vol. V, part 6)

Citrus fruits: Berries:

Grapefruit Blackberries and dewberries
Oranges Blueberries
Lemons Cranberries
All other citrus Raspberries
Noncitrus tree fruits: Strawberries
Apples All other berries

Cherries Tree nuts:

Peaches Walnuts, English or Persian

Pears Almonds

Plums and prunes Pecans, improved

All other noncitrus fruits Pecans, wild and seedling Grapes, American type Other fruit and nut trees

Grapes, European type: Raisin varieties Table varieties Wine varieties

Poultry, (vol. V., part 7)
Poultry and eggs

Dairy (vol. V., part 8)

Milk

Dairy cows and heifers

Dairy bulls

Cattle, Hogs, Sheep, and Goats (vol. V, part 9)

Beef cattle and calves Hogs and pigs Sheep and lambs

Goats, kids, mohair

Type-of-farm operations not represented by corresponding specialized enterprise survey report forms are—

#### General

Field seed crops, hay, grass, and silage. A farm was also classified as general if it had cash income from three or more sources and did not meet the criteria for any other type.

#### Miscellaneous: 1

Greenhouse and nursery products, mushrooms, sod, forest products, mules, horses, colts, ponies, fur-bearing animals, bees, honey, goat milk, and farms with no value of farm products sold. Also all institutional farms and Indian reservations.

#### Farm Enterprises by Type of Farm

Table 1 shows the enterprises for each census type of farm in the sample. For example, the horizonal line for cash-grain farms shows the various specialized enterprise report forms that cash-grain farms received. The first number (12,028) represents cash-grain farms with less than \$10,000 sales of cash grains. Such farms received the enterprise form that corresponded with their type-of-farm classification. The second number (44,551) represents cash-grain farms with \$10,000 or more sales of cash grains. The third number shows that 66 of the 44,551 farms whose principal enterprise was cash grain also had a secondary tobacco enterprise (\$10,000 or more of tobacco sales). Additional secondary enterprises on the selected sample farms whose principal enterprise was cash grain were cotton, 2,060; other field crops, 741; vegetables, 315; fruit and nut, 88; poultry, 45; dairy, 517; and other livestock, 8,184. The total number of report forms (all nine specializations) sent to farms whose principal type of operation was cash grain was 68,595.

The vertical columns of table 1 show the number of farms by type that received a specific specialized report form. For example, the tobacco column shows 18,852 total tobacco enterprise forms mailed, of which 66 went to cash-grain-type farms, 8,496 to tobacco-type farms, 12 to cotton type of farm, etc. The last entry in this column (7,636) is tobacco-type farms with less than \$10,000 sales of tobacco; therefore they received a tobacco enterprise report form.

To determine the number of farms classified as a specific type of farm, it is necessary to add the "farms under \$10,000" group to the group classified for that type. For example, to determine the number of farms classified as tobacco type, add the "farms under \$10,000" group (7,636) to the tobacco type of farm group (8,496) which equals 16,132. These 16,132 tobacco-type farms received 16,132 tobacco enterprise report forms and 1,495 report forms for other enterprises.

Table 2 shows the universe from which mailing cases were selected. Farm counts derived from table 2 for type-of-farm classifications can be related directly to counts available from the 1969 Census of Agriculture.

Table 3 provides data indicating the extent of coverage shown in the tabulations of the farm enterprise surveys. The unweighted

<sup>&</sup>lt;sup>1</sup> A census of greenhouse products, nursery products, mushrooms and sod was taken for the year 1970. (Volume V, part 10).

Exhibit 2. Enterprises in the Sample by Value of All Farm Products Sold

Type of farm enterprise

	Cash- grain	Tobacco	Cotton	Other field crops	Vegetables	Fruit and nut	Poultry	Dairy	Other livestock
Total	95,700	18,852	18,389	27,141	15,020	29,234	38,920	61,202	107,887
Principal enterprise	48,495	10,172	9,198	17,168	9,311	22,296	36,472	49,985	73,154
Secondary enterprise	39,121	2,720	7,225	7,897	4,103	2,082	1,696	7,701	27,265
Other	8,084	5,960	1,966	2,076	1,606	4,856	752	3,516	7,468
\$10,000 or more	83,672	11,216	15,384	23,693	12,879	23,903	37,917	55,421	97,438
Principal enterprise	44,551	8,496	8,159	15,796	8,776	21,821	36,221	47,720	70,173
Secondary enterprise	39,121	2,720	7,225	7,897	4,103	2,082	1,696	7,701	27,265
Under \$10,000	12,028	7,636	3,005	3,448	2,141	5,331	1,003	5,781	10,449
Principal enterprise	3,944	1,676	1,039	1,372	535	475	251	2,265	2,981
Other	8,084	5,960	1,966	2,076	1,606	4,856	752	3,516	7,468
\$100,000 or more	0,00	0,000	.,	-,	•-	•		•	
Principal	4,120	245	1,128	2,201	2,138	2,788	8,525	4,974	20,939
Secondary	12,344	585	2,929	3,005	1,885	1,093	571	1,286	5,472
\$40,000 to 99,999	72,0		_,	•,	•	•		·	ŕ
Principal	14,529	1,856	3,315	4,955	2,564	5,638	18,388	14,809	30,880
Secondary	20,357	1,548	3,275	3,787	1,770	771	887	4,101	14,423
\$20,000 to 39,999	20,007	.,0.0	0,2	-,	.,			•	,
Principal	17,877	3,746	2,846	6,753	2,903	8,528	7,707	20,345	13,088
Secondary	6,420	587	1,021	1,105	448	218	238	2,314	7,370
\$10,000 to 19,999	0,120	00,	1,021	1,100		2,0		_,	,,
Principal (>\$10,000)	8,025	2,649	870	1,887	1,171	4,867	1,601	7,592	5,266
Principal (<\$10,000)	3,944	1,676	1,039	1,372	535	475	251	2,265	2,981
\$5,000 to 9,999	3,544	1,070	1,000	1,012	000	,,,	201	2,200	2,007
Under \$10,000	5,616	3,797	1,076	1,455	1,055	3,194	535	2,893	4,764
\$2,500 to 4,999	3,010	3,737	1,070	1,733	1,000	9,107	555	2,000	4,704
Under \$10,000	2,468	2,163	890	621	551	1,662	217	623	2,704

Note: These counts are based on 1969 Census of Agriculture distributions.

number of forms tabulated are shown with the unweighted number of forms mailed for each type. Data were not imputed for nonresponse nor for forms received which were incomplete or no longer in scope.

Expanded figures are shown for principal and secondary enterprises and for the reports for farms with less than \$10,000 value of products sold (1969) by type of enterprise and farm.

The expanded figures for specialized reports by type of farm are shown with the number of farms by type from the 1969 Census of Agriculture.

Comparisons with data shown in table 1 and exhibit 2 provide some interesting relationships of the expanded reports tabulated with the unweighted number of forms mailed. For example, the weighted number of principal tobacco enterprises tabulated,

Table 1. Number of Enterprises in the Sample, by Type of Farm

		Enterprises									
	Farms under \$10,000 <sup>1</sup>	Cosh- grain	Tobacco	Cotton	Other field crops	Vege- tables	Fruit and nut	Poultry	Dairy	Other live stack	Total
Total	(x)	95,700	18,852	18,389	27,141	15,020	29,234	38,920	61,202	107,887	412,345
Type of farm:	1										
Cash-grain. Tobacco. Cotton. Other field crops. Vegetables. Fruit and nut.	12,028 7,636 3,005 3,448 2,141 5,331	44,551 659 3,599 2,992 1,087 254	66 8,496 12 93 23	2,060 56 8,159 280 246 158	741 159 157 15,796 704 105	315 29 135 668 8,776 476	88 3 59 88 532 21,821	45 13 4 18 14 33	517 49 9 146 70 74	8,184 527 586 1,489 249 381	68,595 17,627 15,725 25,018 13,842 28,642
Poultry Dairy Other livestock. General and miscellaneous	1,003 5,781 10,449 0	876 2,079 17,350 10,225	329 205 386 1,597	95 211 604 3,515	99 207 1,402 4,323	142 153 255 1,930	184 116 194 819	36,221 231 472 866	851 47,720 2,663 3,322	2.375 3,739 70,173 9,735	42,175 60,442 103,948 36,331
Farms under \$10,0001	(x)	12,028	7,636	3,005	3,448	2,141	5,331	1,003	5,781	10,449	(X)

<sup>1</sup>Not considered an enterprise because sales for the principal product group were under \$10,000. (See exhibit 2.) These places received only the specialized report form corresponding to their type of farm.

Table 2. Number of Enterprises, by Type of Farm: 1969

(Universe from which farms in the sample were selected)

		Enterprises									
	Farms under \$10,000	Cash- grain	Tobacco	Cotton	Other field crops	Vege- tables	Fruit and nut	Poultry	Dairy	Other live- stock	Total
Total	(x)	433,948	95,998	50,865	41,680	24,525	56,101	59,990	276,723	691,087	11,869,280
Type of farm;											
Cash-grain	200,485	168,840	146	4,088	1,577	555	120	100	1,319	19,086	396,316
Tobacco	71,651	758	20,277	<b>56</b>	176	31	3	15	74	684	93,725
Cotton	27,007	4,243	13	13,585	162	142	65	5	9	659	45,890
Other field crops	13,488	2,992	93	280	17,720	668	88	18	146	1,489	36,982
Vegetables	9,755	1,087	23	246	704	9,926	532	14	70	249	22,606
Fruit and nut	27,001	254	9	158	105	476	26,718	33	74	381	55,209
Poultry	8,765	914	336	98	101	145	190	48,739	894	2,478	62,660
Dairy	84,118	4,434	434	256	340	243	155	480	176,280	9,055	275,795
Other livestock	372,238	36,573	916	920	2,152	381	309	812	9,072	271,705	695,078
General and miscellangous	138,363	13,368	2,100	4,171	5,155	2,203	920	1,009	4,667	13,063	185,019
Farms under \$10,000	· (x)	200,485	71,651	27,007	13,488	9,755	27,001	8,765	84,118	372,238	(x)

<sup>&</sup>lt;sup>1</sup>Total includes general and miscellaneous,

Table 3. Relationship of Forms Tabulated to Forms in the Sample and to Farms by Type: 1969

	Cash- grain	Tobacco	Cotton	Field crop	Vegetable	Fruit and nut	Poultry	Dairy	Other livestock	Total
Specialized reports mailed	95,700	18,852	18,389	27,141	15,020	29,234	38,920	61,202	107,887	412,345
Specialized reports tabulated	81,491	14,256	14,816	20,145	10,874	23,352	30,776	50,291	90,546	336,547
Spocialized reports tabulated, expanded	351,906	69,347	37,188	29,921	17,379	45,710	45,345	222,293	561.397	1,380,486
Principal enterprises	172,643	21,124	14,663	16.084	8,441	23,425	39,045	164.218	271,216	730,859
Secondary enterprises	55,618	2,959	8,253	7,799	3,330	2,014	1,779	10,170	39,584	131,506
Under \$10,000	123,645	45,264	14,272	6,038	5,608	20,271	4,521	47,905	250,597	518,121
Farms by type, 1969	369,312	89,903	40,534	31,190	19,660	53,754	57,545	260,956	647,884	1,570,738
Specialized reports by type of farm										
(principal plus under \$10,000)	295,172	66,424	28,935	22,118	11,245	43.548	43,566	212,123	521,813	1,244,944
Percent of 1969 farms by type	79.9	73.9	71.4	70.9	57.2	Ŕ1.O	75.7	81 3	80,5	79.3

21,136, represents the useable returns received from the 10,172 forms mailed (8,496 principal enterprise, \$10,000 or more, table 1; and 1,676, less than \$10,000, exhibit 2). The 45,288 tabulated tobacco reports for farms with less than \$10,000 in sales of all farm products represent the useable returns received from the 5,960 forms mailed (exhibit 2). The figure of 3,007 for secondary tobacco enterprises tabulated represent the useable returns received from the 2,720 secondary tobacco enterprises on farms of all other types that were drawn in the sample and to which tobacco forms were mailed (table 1).

#### Agricultural Labor Related to Specialized Operations

The items pertaining to labor were identical for all nine of the specialized surveys. These inquiries were divided into three separate parts. These three parts are as follows: (1) Operator and unpaid workers, (2) paid workers, and (3) man-days worked by paid workers. (See the reproduced data-collection form in the appendix.)

Data on the number of days the operator worked and the portion of expenditures for hired labor related to the given enterprise are shown only for the reports that provided both the number of days worked and the portion of labor expenditures related to the given enterprise. Incomplete responses were not imputed or otherwise corrected and were not included in the tabulations. Separate data by days worked are shown for those operators who reported that one-half of their work or more was related to the given enterprise.

The same limitation on presentation of the data was used for the number of unpaid workers and the number of days they worked. The reporting of these other unpaid workers was more incomplete than for the operator due to the necessity of listing each unpaid worker. Many operators apparently did not consider their wives or children as farm workers if they did only infrequent work on the farm. There was no attempt made to impute or otherwise correct the reports for unpaid labor.

In presenting data for hired workers the following definitions were used:

Regular workers represent those workers who performed agricultural work on a farm 150 days or more during the year.

Part-time workers (seasonal) represent those workers who performed agricultural work on a farm less than 150 days during the year. Such workers may have worked as little as part of one day or as much as full time for not more than 149 days on a particular farm.

Contract workers represent those workers who performed agricultural work on a farm, but who were paid by a crewleader, contractor, buyer, processor, cooperative, customwork operator, or other such person having an oral or written agreement with the farm operator.

Man-day is considered to be any day on which a person was employed one hour or more.

The data relating to regular hired workers include the number of farms reporting, number of workers, and cash wages for the farms reporting workers working 250 days or more and farms reporting workers working 150 to 249 days. Additional data are also presented for farms reporting 3/4 or more of the cash wages paid for regular farm workers being used on the given enterprise. Only those reports showing number of workers, cash wages, and the proportion of cash wages paid for work on the given enterprise are included in the data shown.

## FRUITS, NUTS, BERRIES

#### General Background

The Specialized Agriculture Survey of Fruits, Nuts, Berries Operations, 1971, was conducted to obtain more in-depth and intensive information on the characteristics of these operations; it had not been feasible to ask all the additional items desired on the regular census report form. Because little information was available nationwide at the county level, data were collected for major fruit, nut, and berry crops pertaining to production practices including proportion used for processing, proportion machine harvested, use of growth regulators and fruit thinners, nutrient components of fertilizers and method of application; use of pesticides, contracts, customwork, specialized machinery, storage facilities, and labor.

Items of information not previously available are compared to traditional census items such as inventory or sales for the same farms in many of the publication tables. These relationships should provide some measure of distribution of the characteristics of fruit, nut, berry operations throughout the United States.

#### Scope of the Fruit, Nut, Berry Survey

The 29.2 thousand farms to which fruit, nut, berry survey forms were mailed included 27.2 thousand fruit-and-nut-type farms and 2.1 thousand fruit and nut operations on other type farms. They represent a total of 56.1 thousand fruit and nut operations. The number of sample farms from which acceptable reports were received and which are included in the tabulations shown in this publication is 23.4 thousand. When weighted, these reports represent 45.7 thousand fruit and nut operations or approximately 81 percent of those in the universe being sampled.

The sampling rate by value of all agricultural products sold for fruit-and-nut-type farms is shown in the table below:

	Number of fruit and nut-type	Sampling rate for
	farms in	the 1971
	1969 census	survey
\$100,000 and over	2,787	1
\$40,000 to \$99,999	5,654	1
\$20,000 to \$39,999	8,515	1
\$10,000 to \$19,999	10,660	2
\$5,000 to \$9,999	12,819	4
\$2,500 to \$4,999	13,319	8

The following table shows, on a weighted basis, the proportion that each level of fruit, nut, berry operation (principal, secondary, under \$10,000) contributed to the count of fruit, nut, berry operations represented in the sample.

	Farms reporting	Percent
Total	45,709	100
Principal	23,430	51
Secondary	2,014	4
Under \$10,000	20,265	44

#### Availability of Data

Data are shown at the State level for 32 tables and at the county level for the most important States for the 4 tables believed to be of most general interest. Space limitations preclude publication of data for all 32 tables at the county level; however, the data are available in the form of unpublished tabulations for all counties with 10 fruit, nut, berry survey reports or more included in the tabulations. Copies of any or all of the 28 unpublished county tables can be provided upon payment of the cost of review for disclosures and consistency and of making reproductions. A cost estimate will be furnished upon request. Inquiries should be addressed to Chief, Agriculture Division, Bureau of the Census, Washington, D.C. 20233.

#### Presentation of Fruit, Nut, Berry Data

The tabulations for the fruit, nut, berry survey are limited for most items to those farms that reported the item on their report forms, with the further limitation that the item reported was acceptable in comparison to related items on the form. Many of the tables have one column or more of data that can be related to the universe reporting. For example, the number of farms reporting citrus fruits, the acres of trees not of bearing age, and the acres of trees of bearing age are shown in "Table 5, Commercial Fertilizer Used and Method of Application."

Counts of farms for the fruit, nut, berry survey that had acceptable reports for various items are shown in the following table:

#### Weighted Counts of Number of Farms and of Farms Reporting Selected Items

	Farms	
	reporting	Percent
Farms tabulated	45,709	100
Hired-labor expenditures	34,355	75
Labor on the fruit, nut, berry operations:		
Farm operator labor	22,304	49
Other unpaid workers	11,667	26
Regular workers (150 to 249 days)	6,221	14
Regular workers (250 days or more)	6,051	13
Part-time workers (less than 25 days)	12,712	28
Part-time workers (25 to 149 days)	11,678	26
Contract workers	6,217	14
Citrus fruits	11,489	100
Fertilized acres	9,778	85
Noncitrus fruits	20,756	100
Fertilized acres	13,904	67
Berries	4,730	100
Fertilized acres		100
Tree nuts	3,402	72
Fertilized acres	8,271	100
Other fruits and nuts	5,477	66
Fertilized acres	9,695	100
. c. c ac. c	4,828	50

# Weighted Counts of Number of Farms and of Farms Reporting Selected Items—Continued

	Farms reporting		
Oranges:			
Farms	10,153	100	
Insect treatment	7,124	70	
Disease treatment	3,332	33	
Weed treatment	3,745	37	
Airplane treatment	1,019	10	
Customwork-total cost		63	
Apples:			
Farms	9,800	100	
Insect treatment	8,714	89	
Disease treatment	6,183	63	
Weed treatment	3,603	37	
Airplane treatment	310	3	
Customwork-total cost	1,329	14	
Grapes:			
Farms	9,695	100	
Insect treatment	6,680	69	
Disease treatment	4,257	44	
Weed treatment	4,438	46	
Airplane treatment	571	6	
Customwork-total cost	. 4,582	47	

Some indication of the degree of completion of response for these items may be obtained from this table. For example, for citrus fruits, 85 percent of the respondents in the survey reported acres fertilized, and 67 percent of the respondents for noncitrus fruits reported fertilized acres. Forty-nine percent of the operators reported both their total days of farmwork during the year and the portion of that time which they spent on fruit and nut operations. Seventy-five percent of the farms reported hired labor for fruit and nut operations compared with 77 percent of the fruit-and-nut-type farms in the 1969 census.

#### Imputation and Analytical Review

Acres harvested and production—Production was not imputed when acres of trees, vines, or plants of bearing age were reported but production was not reported, and the reported production was deleted when it was inconsistent with specified per-acre limits. The computer edit program identified these cases for analytical review, and also deleted and identified all production data when there was no entry for corresponding acres of bearing trees, vines, or plants.

Percentage used for processing and machine harvested—If quantity harvested was reported, an entry of 100 or less was accepted for percentage used for processing and for machine harvested. If the entry was greater than 100 but did not exceed quantity harvested, it was assumed the data were reported in pounds; the entry was divided by quantity harvested to convert it to percent. If the entry exceeded quantity harvested it was deleted.

Growth regulators and methods of thinning fruits—If acres treated to prevent fruit drop exceeded bearing acres of the crop or crop group, the entry was changed to equal bearing acres of the crop or crops. Acres treated "for other purposes" were identified for review when they exceeded bearing acres and they were changed to equal the sum of nonbearing and bearing age acres when acres treated exceeded the sum of nonbearing and bearing acres.

Each method of thinning was edited separately. Any entry which exceeded bearing acres was changed to equal bearing acres.

Commercial fertilizer—The fertilizer section provided for up to three different fertilizer applications to be reported for each crop group. The maximum acreage accepted for each application reported was the total acres of the group of crops as reported in section 3. For each crop group, total acres was imputed as acres fertilized for reports with no acres fertilized reported and any or all of the following reported: (1) Total tons of fertilizer including filler, (2) percentage analysis, and (3) nutrients per acre. Otherwise, the form of the fertilizer and the method of application were deleted. Reports of acres fertilized only were acceptable and are included in the acres-fertilized data.

Total tons of fertilizer including filler was acceptable in all cases where the average tons per acre was less than 3.0. Percentage analysis was accepted and used in computing pounds of nutrients per acre for all instances where the sum of percentage analysis was less than 91. Up to 350 pounds per acre of any of the elements (nitrogen, phosphate, or potash) and 1,000 pounds of total nutrients per acre were acceptable. All cases exceeding these limits were deleted and reviewed. Where total tons of fertilizer including filler, percentage analysis, and/or pounds of nutrients per acre were reported, the percentage analysis was used in determining pounds of nutrients per acre.

When both dry and liquid or gas forms were reported and the method of application was through the irrigation system, the dry form was deleted. When fertilizer was not applied through an irrigation system and both forms were reported, both were deleted. A report of acres fertilized without a report of form applied was acceptable.

Generally, only one of the four possible methods of application was acceptable for each application. However, fertilizer applied through an irrigation system and one of the three remaining methods was permissible. Fertilizer applied through the irrigation system was allowed only if the acres were irrigated. A report of acres fertilized without a report of method of application was acceptable.

Insecticides, fungicides, herbicides, or other pesticides—For each crop or crop group, acres treated was not allowed to exceed the total acres (bearing plus nonbearing). When number of times treated was not reported, but acres treated was reported, one time was edited in for the number of times treated. The reported number of times treated was accepted up to and including 24. All reports of five or more times treated for insects, disease, or weeds were reviewed and reduced in cases of obvious reporting errors. For example, if the respondent

reported 20 acres of orange trees and 20 times treated for weed control, it was assumed 20 acres were treated once rather than 20 times and the number of times treated was changed to 1. However, if the respondent reported 20 acres and 10 times treated, the report was accepted. If the reported number of times exceeded 24, the edit divided the reported entry by 10 until the reported entry was equal to or less than 24. The method of application was accepted as reported; if the method of application was not reported, it was not imputed.

Area treated with chemicals by airplane—In general, an entry for acres treated by airplane was accepted only if the respondent reported custom application for insect control, disease control, and/or weed control. The largest entry of acres treated for insects, disease, and/or weed control was determined to be the maximum accepted value for acres treated by airplane for all cases with two or more of these practices used. EXAMPLE: If the respondent reported 50 acres treated for insects and 100 acres treated for disease and the method of application was custom applied, 100 acres was the largest value to be accepted for acres treated by airplane. EXAMPLE: If the respondent reported just acres treated for insects as custom applied, acres treated for insects was the maximum acceptable value for cases treated by airplane.

Contracts—In order to be accepted as a valid contract for inclusion in the tabulations, the report only had to have acres under contract equal to or less than bearing acres of the crop.

If acres under contract exceeded bearing acres of the crop, contract acres were changed to equal bearing acres provided there was an entry in type of contract or items furnished by the contractor. If this condition did not exist, contract acres were deleted. All entries in the contract section were deleted if acres under contract were not reported. Only one type of contract was acceptable per crop.

Because of inadvertent omission, farms reporting contracts were not tabulated for table 12. This information cannot be derived from either the summation of farms reporting type of contract or the summation of farms reporting items furnished because some respondents with contract acres did not report this related data and many respondents who did report entered more than one item furnished by the contractor.

Customwork-Acres custom tilled was accepted up to six times the total acres of that crop (bearing plus nonbearing). In cases where acres tilled exceeded six times the total acres, the computer edit program changed acres tilled to equal the total crop acres. Acres of custom planting or tree replacement was accepted up to the nonbearing acres of the crop. Acres custom fertilizer or limed was accepted up to acres fertilized plus the total acres of the crop when the method of application was custom applied or applied by the operator with equipment not owned by the operator. Acres custom pruned or hedged, etc. was accepted up to the total acres of the crop. Acres custom sprayed or dusted was accepted up to the sum of acres treated for insect control, disease control, and weed control times the number of times treated when the method of application was custom applied or applied by the operator with equipment not owned by the operator. Acres custom harvested was accepted

up to the bearing acres of the crop. Acres for other machine hire or customwork was accepted up to three times the total acres of the crop. Expenditures for customwork and machine hire were accepted if within tolerances based on acres reported for each customwork item times a specified dollar limit for each item.

Storage facilities—No computer changes were made for capacity of storage facilities. However, the computer identified for review any entry of over 50,000 cubic feet capacity for any type of facility.

#### Crops Reported

The following table shows the fruit, nut, and berry crops reported in this survey by farms reporting and acres of bearing and nonbearing trees, vines, or plants.

Farms Reporting, Acres Under Cultivation, Percentage of All Fruits and Nuts

, .,, ,				
			Acres	
		_	under	_
	_	Per-	cultiva-	Per-
	Farms	cent	tion	cent
Total in survey	45,709	100	3,497,979	100
Grapefruit	4,366	10	168,801	5
Oranges	10,153	22	782,723	22
Lemons	1,417	3	52,009	1
All other citrus	1,472	3	173,811	5
Apples	9,800	21	471,716	13
Cherries	5,378	12	122,878	4
Peaches	6,826	15	242,042	7
Pears	5,027	11	170,702	5
Plums and prunes	5,630	12	121,712	3
All other noncitrus	4,021	9	108,669	3
American type grapes European type grapes:	3,713	8	111,893	3
Raisin varieties	3,163	7	144,453	4
Table varieties	989	2	55,820	2
Wine varieties	3,642	8	184,201	5
Strawberries	2,408	5	32,680	1
Cranberries	620	1	22,231	1
Raspberries	892	2	8,386	(1)
Blackberries and dewberries	521	1	5,388	(1)
Blueberries	912	2	49,372	1
All other berries	309	1	2,796	(1)
Walnuts	4,606	10	141,627	4
Almonds	3,082	7	178,174	5
Pecans, improved	818	2	101,500	3
Pecans, wild and seedling	245	1	19,738	1
Other fruit and nut trees	840	2	24,657	1

Less than 0.5 percent.

#### Reporting Problems

Although not major, some problems did show up in the reporting of data on the report forms and in the computer edit. During the computer and the clerical review operations, several tests were made for reporting errors and keypunch errors.

Although the majority of these errors were identified and corrected, some inconsistencies were not adjusted. The specific suspected problem areas in this survey are as follows.

Custom spraying and dusting—There were indications of misreporting on numerous occasions for acres sprayed or dusted. The computer edit determined and placed in storage two values (the maximum and minimum accepted values) for testing the reported acres custom sprayed or dusted. The maximum accepted value was the sum of acres treated times the number of times treated for insects, disease, and weeds when the method of application was reported as custom applied and/or applied by the operator with equipment not owned by the operator. The minimum accepted value for acres sprayed or dusted was determined as follows:

- a. Acres treated was defined as the minimum accepted value for acres sprayed or dusted for all cases with only one report of acres treated for insects, disease, or weeds, with the method of application as custom applied and/or applied by the operator with equipment not owned by the operator. EXAMPLE: If the respondent reported just acres sprayed for insects as custom applied and/or applied by him with equipment not owned by him, acres treated for insects was determined to be the minimum accepted value.
- b. In cases with more than one acreage reported, the largest entry of acres treated for insects, disease, and/or weeds,

was determined to be the minimum accepted value for acres sprayed or dusted for all cases with two of these practices or more used and the method of application was custom applied and/or applied by the operator with equipment not owned by the operator. EXAMPLE: If the respondent reported 50 acres treated for insects and 100 acres treated for disease and the method of application was custom applied and/or applied by operator with equipment not owned by operator, 100 acres was determined to be the minimum accepted value.

Other customwork or machine rental acres—Respondents were requested to report the acres and to specify in the remarks the purpose of other customwork or machine rental; that is, customwork or rental machine for fruits, nuts, and berries other than tilling, planting, or tree replacement, fertilizing or liming, pruning, hedging, etc., spraying and dusting, and harvesting. The recognizable reporting errors in the "other machine hire or customwork" question were corrected. However, unspecified entries were not deleted or moved.

Cost of customwork or machine rented—Respondents were requested to report the cost of customwork (machine plus operator) and the cost of machines rented for fruits, nuts, and berries in 1971. The cost of materials was not to be included. The obvious errors in reporting were corrected; however, it appears likely that the cost of materials used was included in the retained data in many cases. All reported cost data were accepted up to specified limits.