

Table 10. Agricultural Chemicals Used, Including Fertilizer: 1992 and 1987

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | North Carolina | Alamance | Alexander | Alleghany | Anson | Ashe | Avery |
|--|----------------|----------|-----------|-----------|--------|--------|-------|
| Commercial fertilizer -----farms, 1992 -- | 40 317 | 568 | 324 | 430 | 152 | 834 | 252 |
| 1987 -- | 46 980 | 642 | 359 | 351 | 182 | 949 | 217 |
| acres on which used, 1992 -- | 3 741 135 | 33 541 | 14 492 | 19 790 | 23 924 | 11 215 | 4 774 |
| 1987 -- | 3 362 202 | 27 504 | 14 663 | 12 605 | 20 631 | 12 489 | 4 327 |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 35 765 | 443 | 227 | 373 | 137 | 720 | 241 |
| 1987 -- | 42 530 | 535 | 296 | 290 | 116 | 887 | 201 |
| acres on which used, 1992 -- | 3 386 240 | 23 268 | 9 448 | 10 531 | 21 141 | 5 318 | 3 908 |
| 1987 -- | 3 035 770 | 21 150 | 9 621 | 8 264 | 16 403 | 6 664 | 2 895 |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 10 951 | 289 | 133 | 203 | 60 | 273 | 31 |
| 1987 -- | 10 783 | 270 | 138 | 116 | 95 | 257 | 67 |
| acres on which used, 1992 -- | 354 895 | 10 273 | 5 044 | 9 259 | 2 783 | 5 897 | 866 |
| 1987 -- | 326 432 | 6 354 | 5 042 | 4 341 | 4 228 | 5 825 | 1 432 |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 18 367 | 185 | 67 | 65 | 38 | 227 | 130 |
| 1987 -- | 24 458 | 237 | 112 | 97 | 26 | 286 | 121 |
| acres on which used, 1992 -- | 1 531 775 | 4 078 | 2 459 | 2 130 | 2 728 | 1 112 | 2 208 |
| 1987 -- | 1 451 995 | 3 869 | 3 963 | 4 100 | 2 751 | 1 418 | 1 526 |
| Nematodes in crops -----farms, 1992 -- | 7 805 | 36 | 18 | 19 | 3 | 28 | 13 |
| 1987 -- | 10 839 | 93 | 17 | 42 | 1 | 41 | 14 |
| acres on which used, 1992 -- | 445 562 | 926 | 271 | 100 | (D) | 87 | 31 |
| 1987 -- | 404 368 | 856 | 350 | 352 | (D) | 497 | 14 |
| Diseases in crops and orchards -----farms, 1992 -- | 6 379 | 39 | 38 | 90 | 4 | 189 | 69 |
| 1987 -- | 7 505 | 63 | 32 | 76 | 10 | 215 | 90 |
| acres on which used, 1992 -- | 317 908 | 874 | 922 | 586 | (D) | 634 | 776 |
| 1987 -- | 243 372 | 819 | 801 | 325 | 667 | 851 | 1 258 |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 18 064 | 156 | 109 | 133 | 97 | 184 | 109 |
| 1987 -- | 24 298 | 241 | 208 | 126 | 114 | 342 | 132 |
| acres on which used, 1992 -- | 2 493 561 | 14 688 | 4 238 | 5 587 | 20 044 | 1 711 | 1 460 |
| 1987 -- | 2 254 489 | 10 704 | 6 440 | 5 775 | 15 779 | 6 912 | 1 538 |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 3 702 | 36 | 13 | 22 | 12 | 58 | 31 |
| 1987 -- | 3 653 | 14 | 19 | 2 | 1 | 33 | 19 |
| acres on which used, 1992 -- | 329 505 | 313 | 273 | 227 | 209 | 156 | 424 |
| 1987 -- | 137 014 | 181 | 437 | (D) | (D) | 142 | 65 |

| Chemicals used | Beaufort | Bertie | Bladen | Brunswick | Buncombe | Burke | Cabarrus |
|--|----------|--------|--------|-----------|----------|-------|----------|
| Commercial fertilizer -----farms, 1992 -- | 396 | 379 | 496 | 167 | 886 | 259 | 323 |
| 1987 -- | 567 | 462 | 620 | 260 | 1 026 | 253 | 320 |
| acres on which used, 1992 -- | 102 977 | 70 983 | 49 895 | 14 961 | 24 437 | 7 408 | 22 257 |
| 1987 -- | 85 174 | 59 216 | 46 794 | 12 760 | 22 691 | 8 129 | 27 617 |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 389 | 379 | 476 | 156 | 758 | 235 | 253 |
| 1987 -- | 552 | 462 | 601 | 237 | 914 | 158 | 244 |
| acres on which used, 1992 -- | 102 292 | 70 320 | 48 598 | 14 531 | 12 444 | 5 509 | 13 055 |
| 1987 -- | 84 702 | 59 009 | 45 909 | 12 257 | 13 706 | 4 705 | 19 475 |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 8 | 14 | 59 | 16 | 312 | 83 | 174 |
| 1987 -- | 31 | 9 | 44 | 26 | 375 | 129 | 162 |
| acres on which used, 1992 -- | 685 | 663 | 1 297 | 430 | 11 993 | 1 899 | 9 202 |
| 1987 -- | 472 | 207 | 885 | 503 | 8 985 | 3 424 | 8 142 |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 234 | 319 | 274 | 74 | 188 | 103 | 59 |
| 1987 -- | 396 | 403 | 408 | 160 | 380 | 85 | 85 |
| acres on which used, 1992 -- | 37 424 | 45 382 | 22 575 | 11 036 | 2 336 | 1 769 | 1 503 |
| 1987 -- | 47 829 | 45 388 | 23 085 | 5 291 | 3 205 | 1 690 | 1 699 |
| Nematodes in crops -----farms, 1992 -- | 69 | 134 | 136 | 12 | 21 | 1 | 1 |
| 1987 -- | 174 | 218 | 232 | 91 | 32 | 16 | -- |
| acres on which used, 1992 -- | 3 970 | 11 303 | 6 261 | 2 400 | 572 | (D) | (D) |
| 1987 -- | 8 144 | 11 275 | 10 360 | 1 770 | 868 | 343 | -- |
| Diseases in crops and orchards -----farms, 1992 -- | 44 | 159 | 100 | 22 | 109 | 66 | 20 |
| 1987 -- | 96 | 200 | 118 | 59 | 163 | 39 | 26 |
| acres on which used, 1992 -- | 2 810 | 12 600 | 4 754 | 1 803 | 899 | 867 | 90 |
| 1987 -- | 2 571 | 13 497 | 5 559 | 1 472 | 865 | 617 | 519 |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 295 | 278 | 300 | 93 | 217 | 137 | 67 |
| 1987 -- | 446 | 363 | 405 | 169 | 307 | 70 | 130 |
| acres on which used, 1992 -- | 97 326 | 59 523 | 39 192 | 11 040 | 2 811 | 3 743 | 5 731 |
| 1987 -- | 78 085 | 57 338 | 32 466 | 12 471 | 9 323 | 2 154 | 13 094 |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 42 | 49 | 43 | 5 | 44 | 3 | 8 |
| 1987 -- | 54 | 94 | 77 | 23 | 68 | 16 | -- |
| acres on which used, 1992 -- | 5 294 | 9 890 | 3 208 | 47 | 676 | (D) | 40 |
| 1987 -- | 1 529 | 3 171 | 1 941 | 264 | 154 | 218 | -- |

Table 10. **Agricultural Chemicals Used, Including Fertilizer: 1992 and 1987** —Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | Counties | | | | | | | |
|--|----------|--------|----------|---------|---------|---------|----------|--|
| | Caldwell | Camden | Carteret | Caswell | Catawba | Chatham | Cherokee | |
| Commercial fertilizer -----farms, 1992 -- | 237 | 74 | 84 | 527 | 392 | 416 | 199 | |
| 1987 -- | 298 | 83 | 100 | 612 | 486 | 560 | 175 | |
| acres on which used, 1992 -- | 5 710 | 35 601 | 40 437 | 17 518 | 30 052 | 18 062 | 9 074 | |
| 1987 -- | 7 060 | 32 225 | 25 428 | 19 706 | 21 207 | 26 163 | 3 204 | |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 179 | 74 | 84 | 498 | 267 | 275 | 135 | |
| 1987 -- | 246 | 83 | 98 | 586 | 388 | 345 | 121 | |
| acres on which used, 1992 -- | 3 643 | 35 461 | (D) | 13 023 | 18 384 | 9 482 | 4 865 | |
| 1987 -- | 4 130 | 32 160 | (D) | 15 455 | 14 916 | 13 136 | 1 856 | |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 92 | 5 | 2 | 125 | 252 | 212 | 110 | |
| 1987 -- | 98 | 4 | 2 | 145 | 232 | 271 | 68 | |
| acres on which used, 1992 -- | 2 067 | 140 | (D) | 4 495 | 11 668 | 8 580 | 4 209 | |
| 1987 -- | 2 930 | 65 | (D) | 4 251 | 6 291 | 13 027 | 1 348 | |
| Sprays, dusts, granules, fumigants, etc., to control — | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 89 | 35 | 44 | 330 | 41 | 118 | 49 | |
| 1987 -- | 110 | 70 | 69 | 398 | 66 | 125 | 56 | |
| acres on which used, 1992 -- | 1 504 | 14 956 | 29 213 | 5 014 | 1 815 | 2 271 | 1 019 | |
| 1987 -- | 1 609 | 25 783 | 22 960 | 6 264 | 2 687 | 4 429 | 508 | |
| Nematodes in crops -----farms, 1992 -- | 4 | 3 | 15 | 71 | 4 | 16 | 5 | |
| 1987 -- | 15 | 6 | 20 | 138 | 9 | 32 | 20 | |
| acres on which used, 1992 -- | 86 | (D) | 1 044 | 1 076 | 296 | 536 | (D) | |
| 1987 -- | 138 | 825 | 1 783 | 1 685 | 33 | 702 | 157 | |
| Diseases in crops and orchards -----farms, 1992 -- | 41 | 4 | 22 | 36 | 17 | 34 | 10 | |
| 1987 -- | 36 | 1 | 19 | 78 | 29 | 27 | 28 | |
| acres on which used, 1992 -- | 269 | (D) | 3 284 | 617 | 210 | 378 | 31 | |
| 1987 -- | 342 | (D) | 1 209 | 1 340 | 56 | 348 | 104 | |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 96 | 68 | 64 | 169 | 122 | 164 | 83 | |
| 1987 -- | 125 | 67 | 78 | 218 | 171 | 243 | 78 | |
| acres on which used, 1992 -- | 1 612 | 34 182 | 40 246 | 3 897 | 11 893 | 6 225 | 3 390 | |
| 1987 -- | 2 231 | 30 736 | 26 236 | 7 227 | 6 591 | 9 978 | 1 475 | |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 13 | 2 | 7 | 46 | 1 | 3 | — | |
| 1987 -- | 2 | — | 9 | 42 | 3 | 20 | 8 | |
| acres on which used, 1992 -- | 33 | (D) | 331 | 744 | (D) | (D) | — | |
| 1987 -- | (D) | — | 188 | 594 | 241 | 337 | 8 | |

| Chemicals used | Counties | | | | | | | |
|--|----------|-------|-----------|----------|--------|------------|-----------|-------|
| | Chowan | Clay | Cleveland | Columbus | Craven | Cumberland | Currituck | Dare |
| Commercial fertilizer -----farms, 1992 -- | 167 | 131 | 509 | 971 | 259 | 337 | 77 | 3 |
| 1987 -- | 200 | 144 | 532 | 1 193 | 370 | 418 | 80 | 4 |
| acres on which used, 1992 -- | 34 636 | 3 457 | 29 816 | 82 391 | 46 508 | 45 465 | 27 817 | (D) |
| 1987 -- | 26 559 | 4 824 | 31 840 | 74 833 | 42 014 | 39 175 | (D) | (D) |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 147 | 104 | 360 | 936 | 255 | 294 | 77 | 3 |
| 1987 -- | 200 | 107 | 316 | 1 176 | 364 | 387 | 80 | 4 |
| acres on which used, 1992 -- | 34 196 | 1 897 | 19 964 | 80 343 | 45 952 | 42 084 | 27 757 | (D) |
| 1987 -- | 26 314 | 1 706 | 16 767 | 73 525 | 41 533 | 36 668 | (D) | (D) |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 25 | 56 | 227 | 112 | 13 | 62 | 4 | — |
| 1987 -- | 8 | 72 | 319 | 71 | 12 | 59 | 2 | — |
| acres on which used, 1992 -- | 440 | 1 560 | 9 852 | 2 048 | 556 | 3 381 | 60 | — |
| 1987 -- | 245 | 3 118 | 15 073 | 1 308 | 481 | 2 507 | (D) | — |
| Sprays, dusts, granules, fumigants, etc., to control — | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 116 | 35 | 95 | 593 | 122 | 214 | 50 | 1 |
| 1987 -- | 187 | 30 | 105 | 781 | 270 | 316 | 64 | 2 |
| acres on which used, 1992 -- | 20 648 | (D) | 3 780 | 31 681 | 21 526 | 20 849 | 10 641 | (D) |
| 1987 -- | 18 731 | 222 | 5 039 | 39 644 | 21 393 | 21 589 | 20 018 | (D) |
| Nematodes in crops -----farms, 1992 -- | 53 | 5 | 7 | 414 | 90 | 82 | 8 | 1 |
| 1987 -- | 87 | 6 | 4 | 543 | 163 | 82 | 13 | — |
| acres on which used, 1992 -- | 6 722 | 20 | 560 | 11 903 | 6 443 | 7 114 | 173 | (D) |
| 1987 -- | 5 016 | (D) | (D) | 15 384 | 8 358 | 3 372 | 1 484 | — |
| Diseases in crops and orchards -----farms, 1992 -- | 69 | 17 | 25 | 240 | 35 | 63 | 17 | 1 |
| 1987 -- | 45 | 10 | 44 | 266 | 75 | 55 | 10 | 2 |
| acres on which used, 1992 -- | 5 935 | 128 | 1 016 | 7 288 | 2 208 | 6 955 | 935 | (D) |
| 1987 -- | 2 841 | 55 | 548 | 5 719 | 1 784 | 2 374 | 238 | (D) |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 115 | 35 | 128 | 511 | 130 | 165 | 57 | 5 |
| 1987 -- | 187 | 62 | 207 | 801 | 276 | 186 | 69 | 4 |
| acres on which used, 1992 -- | 28 968 | 707 | 13 846 | 48 590 | 35 138 | 33 604 | 30 827 | 3 520 |
| 1987 -- | 25 213 | 1 173 | 15 504 | 55 484 | 34 602 | 25 033 | 25 121 | (D) |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 83 | 9 | 27 | 92 | 30 | 25 | — | — |
| 1987 -- | 80 | 5 | 25 | 79 | 30 | 18 | 1 | — |
| acres on which used, 1992 -- | 10 682 | 22 | 3 807 | 2 900 | 7 349 | 2 470 | — | — |
| 1987 -- | 4 110 | 50 | 1 045 | 988 | 790 | 496 | (D) | — |

Table 10. Agricultural Chemicals Used, Including Fertilizer: 1992 and 1987 –Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | Davidson | Davie | Duplin | Durham | Edgecombe | Forsyth | Franklin | Gaston |
|--|----------|--------|---------|--------|-----------|---------|----------|--------|
| Commercial fertilizer -----farms, 1992 -- | 698 | 425 | 990 | 132 | 281 | 500 | 434 | 245 |
| 1987 -- | 887 | 420 | 1 204 | 168 | 401 | 589 | 533 | 245 |
| acres on which used, 1992 -- | 28 205 | 23 964 | 123 189 | 5 897 | 90 346 | 18 174 | 29 598 | 11 197 |
| 1987 -- | 34 607 | 26 372 | 93 607 | 5 884 | 78 302 | 15 348 | 25 321 | 11 530 |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 609 | 310 | 967 | 126 | 248 | 425 | 390 | 169 |
| 1987 -- | 721 | 309 | 1 202 | 141 | 395 | 519 | 514 | 178 |
| acres on which used, 1992 -- | 22 585 | 13 927 | 121 683 | 4 834 | 88 280 | 13 157 | 26 530 | 6 813 |
| 1987 -- | 26 369 | 16 630 | 92 441 | 4 321 | 77 288 | 10 304 | 23 498 | 7 133 |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 255 | 230 | 60 | 38 | 83 | 163 | 74 | 125 |
| 1987 -- | 398 | 218 | 45 | 36 | 28 | 196 | 48 | 134 |
| acres on which used, 1992 -- | 5 620 | 10 037 | 1 506 | 1 063 | 2 066 | 5 017 | 3 068 | 4 384 |
| 1987 -- | 8 238 | 9 742 | 1 166 | 1 563 | 1 014 | 5 044 | 1 823 | 4 397 |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 188 | 90 | 549 | 74 | 187 | 216 | 259 | 18 |
| 1987 -- | 282 | 70 | 778 | 105 | 319 | 176 | 317 | 55 |
| acres on which used, 1992 -- | 3 225 | 3 062 | 63 765 | 2 086 | 45 038 | 3 436 | 8 490 | 383 |
| 1987 -- | 7 719 | 3 643 | 40 613 | 1 346 | 40 119 | 2 250 | 7 520 | 859 |
| Nematodes in crops -----farms, 1992 -- | 40 | 11 | 315 | 22 | 127 | 34 | 97 | 2 |
| 1987 -- | 94 | 26 | 443 | 28 | 187 | 64 | 184 | -- |
| acres on which used, 1992 -- | 1 470 | 231 | 20 784 | 857 | 11 347 | 561 | 4 434 | (D) |
| 1987 -- | 1 476 | 677 | 14 402 | 317 | 10 042 | 757 | 3 290 | -- |
| Diseases in crops and orchards -----farms, 1992 -- | 16 | 22 | 92 | 11 | 85 | 16 | 54 | 11 |
| 1987 -- | 22 | 24 | 167 | 24 | 98 | 70 | 89 | 21 |
| acres on which used, 1992 -- | 166 | 290 | 11 640 | 377 | 12 673 | 173 | 2 949 | 23 |
| 1987 -- | 254 | 220 | 5 821 | 134 | 10 695 | 424 | 2 159 | 161 |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 178 | 98 | 590 | 42 | 210 | 96 | 235 | 38 |
| 1987 -- | 301 | 93 | 845 | 65 | 277 | 226 | 297 | 77 |
| acres on which used, 1992 -- | 9 152 | 6 156 | 90 711 | 1 547 | 69 223 | 5 754 | 18 949 | 3 051 |
| 1987 -- | 12 689 | 9 184 | 58 800 | 1 894 | 50 345 | 3 391 | 18 562 | 4 558 |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 26 | 2 | 73 | 9 | 84 | 19 | 15 | 8 |
| 1987 -- | 26 | 1 | 91 | 12 | 59 | 30 | 45 | 13 |
| acres on which used, 1992 -- | 1 094 | (D) | 8 876 | 288 | 17 731 | 210 | 492 | 157 |
| 1987 -- | 312 | (D) | 1 524 | 197 | 6 994 | 241 | 475 | 27 |

| Chemicals used | Gates | Graham | Granville | Greene | Guilford | Halifax | Harnett | Haywood |
|--|--------|--------|-----------|--------|----------|---------|---------|---------|
| Commercial fertilizer -----farms, 1992 -- | 173 | 121 | 640 | 348 | 799 | 243 | 624 | 700 |
| 1987 -- | 222 | 135 | 728 | 436 | 919 | 374 | 807 | 782 |
| acres on which used, 1992 -- | 42 694 | 1 380 | 22 236 | 78 713 | 41 148 | 97 204 | 53 137 | 12 447 |
| 1987 -- | 35 730 | 776 | 21 302 | 53 912 | 37 146 | 88 704 | 44 805 | 14 735 |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 158 | 115 | 588 | 346 | 671 | 224 | 552 | 623 |
| 1987 -- | 216 | 130 | 685 | 436 | 792 | 365 | 724 | 694 |
| acres on which used, 1992 -- | 40 502 | 647 | 17 909 | 78 397 | 30 829 | 92 554 | 48 079 | 7 341 |
| 1987 -- | 35 398 | 402 | 15 524 | 53 614 | 32 212 | 84 992 | 40 415 | 6 841 |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 33 | 31 | 137 | 21 | 362 | 45 | 177 | 254 |
| 1987 -- | 18 | 14 | 157 | 14 | 269 | 38 | 178 | 289 |
| acres on which used, 1992 -- | 2 192 | 733 | 4 327 | 316 | 10 319 | 4 650 | 5 058 | 5 106 |
| 1987 -- | 332 | 374 | 5 778 | 298 | 4 934 | 3 712 | 4 390 | 7 894 |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 144 | 66 | 304 | 273 | 359 | 177 | 351 | 258 |
| 1987 -- | 201 | 54 | 402 | 324 | 435 | 284 | 467 | 265 |
| acres on which used, 1992 -- | 26 975 | 139 | 7 463 | 35 417 | 7 784 | 63 647 | 25 198 | 2 007 |
| 1987 -- | 25 282 | (D) | 6 793 | 22 567 | 8 533 | 54 990 | 20 163 | 1 922 |
| Nematodes in crops -----farms, 1992 -- | 29 | 5 | 75 | 202 | 62 | 56 | 273 | 32 |
| 1987 -- | 62 | 1 | 136 | 309 | 150 | 125 | 375 | 65 |
| acres on which used, 1992 -- | 5 253 | 14 | 1 646 | 18 503 | 1 696 | 13 247 | 12 414 | 107 |
| 1987 -- | 4 546 | (D) | 2 078 | 12 478 | 1 905 | 14 924 | 10 029 | 402 |
| Diseases in crops and orchards -----farms, 1992 -- | 94 | 34 | 29 | 98 | 70 | 67 | 114 | 203 |
| 1987 -- | 88 | 16 | 94 | 92 | 143 | 113 | 164 | 155 |
| acres on which used, 1992 -- | 7 028 | 74 | 778 | 8 109 | 1 380 | 17 803 | 4 599 | 983 |
| 1987 -- | 4 813 | 35 | 2 639 | 3 272 | 3 014 | 15 936 | 4 688 | 1 149 |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 129 | 25 | 99 | 255 | 240 | 144 | 276 | 265 |
| 1987 -- | 180 | 24 | 235 | 310 | 392 | 293 | 481 | 351 |
| acres on which used, 1992 -- | 36 365 | 38 | 5 003 | 56 680 | 13 714 | 72 440 | 25 775 | 3 551 |
| 1987 -- | 31 054 | (D) | 7 539 | 38 541 | 17 796 | 72 154 | 31 171 | 5 051 |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 62 | 10 | 49 | 89 | 48 | 117 | 83 | 55 |
| 1987 -- | 48 | 7 | 53 | 44 | 120 | 118 | 101 | 56 |
| acres on which used, 1992 -- | 7 530 | 29 | 1 134 | 7 547 | 1 423 | 33 221 | 8 178 | 483 |
| 1987 -- | 2 287 | 9 | 1 062 | 2 361 | 2 036 | 13 641 | 4 243 | 613 |

Table 10. **Agricultural Chemicals Used, Including Fertilizer: 1992 and 1987** –Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | Henderson | Hertford | Hoke | Hyde | Iredell | Jackson | Johnston | Jones |
|--|-----------|----------|--------|--------|---------|---------|----------|--------|
| Commercial fertilizer -----farms, 1992 -- | 426 | 160 | 125 | 125 | 713 | 149 | 1 232 | 150 |
| 1987 -- | 447 | 248 | 141 | 139 | 867 | 209 | 1 487 | 239 |
| acres on which used, 1992 -- | 21 804 | 31 200 | 36 041 | 61 871 | 52 848 | 2 783 | 114 527 | 39 689 |
| 1987 -- | 23 622 | 35 079 | 38 083 | 55 518 | 55 559 | 2 747 | 97 299 | 31 262 |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 402 | 160 | 116 | 122 | 519 | 124 | 1 127 | 148 |
| 1987 -- | 430 | 248 | 136 | 139 | 610 | 173 | 1 409 | 239 |
| acres on which used, 1992 -- | 18 819 | 31 200 | 35 196 | 61 796 | 38 917 | 1 497 | 106 076 | 38 547 |
| 1987 -- | 21 560 | (D) | 37 665 | 55 481 | 36 809 | 1 833 | 91 689 | 31 052 |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 64 | -- | 25 | 8 | 385 | 75 | 263 | 32 |
| 1987 -- | 62 | 2 | 20 | 3 | 451 | 85 | 212 | 11 |
| acres on which used, 1992 -- | 2 985 | -- | 845 | 75 | 13 931 | 1 286 | 8 451 | 1 142 |
| 1987 -- | 2 062 | (D) | 418 | 37 | 18 750 | 914 | 5 610 | 210 |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 294 | 112 | 85 | 81 | 156 | 45 | 724 | 104 |
| 1987 -- | 311 | 204 | 92 | 107 | 205 | 64 | 978 | 159 |
| acres on which used, 1992 -- | 14 656 | 16 654 | 15 871 | 34 526 | 11 299 | 433 | 37 680 | 24 610 |
| 1987 -- | 14 971 | 24 401 | 22 825 | 29 995 | 7 039 | 280 | 37 485 | 16 645 |
| Nematodes in crops -----farms, 1992 -- | 22 | 58 | 24 | 5 | 14 | 7 | 458 | 62 |
| 1987 -- | 31 | 105 | 38 | 11 | 15 | 17 | 667 | 107 |
| acres on which used, 1992 -- | 1 218 | 5 096 | 4 842 | 2 105 | 1 116 | 36 | 22 076 | 7 233 |
| 1987 -- | 1 274 | 5 919 | 2 695 | 2 425 | 508 | 39 | 23 098 | 7 195 |
| Diseases in crops and orchards -----farms, 1992 -- | 253 | 54 | 22 | 14 | 24 | 25 | 173 | 41 |
| 1987 -- | 271 | 75 | 26 | 2 | 19 | 33 | 159 | 42 |
| acres on which used, 1992 -- | 9 226 | 6 819 | 4 840 | 4 498 | 394 | 216 | 9 430 | 5 252 |
| 1987 -- | 9 005 | 6 492 | 1 457 | (D) | 215 | 67 | 6 527 | 3 200 |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 261 | 110 | 82 | 98 | 156 | 56 | 667 | 101 |
| 1987 -- | 236 | 176 | 86 | 130 | 324 | 90 | 945 | 188 |
| acres on which used, 1992 -- | 15 822 | 27 914 | 25 654 | 65 283 | 17 386 | 548 | 65 608 | 26 962 |
| 1987 -- | 10 325 | 32 948 | 27 244 | 59 588 | 19 284 | 1 528 | 63 678 | 26 715 |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 99 | 32 | 29 | 4 | 24 | 1 | 97 | 36 |
| 1987 -- | 110 | 19 | 43 | -- | 7 | 5 | 141 | 24 |
| acres on which used, 1992 -- | 2 879 | 3 412 | 8 568 | 569 | 1 023 | (D) | 7 553 | 8 603 |
| 1987 -- | 3 078 | 1 542 | 3 951 | -- | (D) | 5 | 3 283 | 1 130 |

| Chemicals used | Lee | Lenoir | Lincoln | McDowell | Macon | Madison | Martin | Mecklenburg |
|--|--------|--------|---------|----------|-------|---------|--------|-------------|
| Commercial fertilizer -----farms, 1992 -- | 207 | 459 | 366 | 135 | 238 | 1 083 | 426 | 206 |
| 1987 -- | 314 | 607 | 366 | 167 | 195 | 1 183 | 531 | 223 |
| acres on which used, 1992 -- | 9 630 | 91 181 | 21 491 | 4 427 | 4 440 | 8 732 | 70 768 | 11 103 |
| 1987 -- | 10 725 | 66 589 | 22 819 | 4 803 | 4 159 | 9 256 | 63 905 | 8 967 |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 180 | 452 | 222 | 97 | 214 | 1 048 | 413 | 160 |
| 1987 -- | 287 | 607 | 298 | 140 | 167 | 1 165 | 531 | 163 |
| acres on which used, 1992 -- | 7 453 | 90 790 | 16 211 | 2 756 | 2 922 | 4 816 | 69 493 | 7 716 |
| 1987 -- | 8 946 | 66 196 | 17 491 | 3 449 | 2 489 | 6 268 | 62 623 | 6 628 |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 78 | 20 | 204 | 61 | 95 | 140 | 46 | 117 |
| 1987 -- | 75 | 46 | 125 | 66 | 93 | 166 | 60 | 109 |
| acres on which used, 1992 -- | 2 177 | 391 | 5 280 | 1 671 | 1 518 | 3 916 | 1 275 | 3 387 |
| 1987 -- | 1 779 | 393 | 5 328 | 1 354 | 1 670 | 2 988 | 1 282 | 2 339 |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 92 | 322 | 49 | 29 | 50 | 461 | 341 | 44 |
| 1987 -- | 185 | 484 | 150 | 71 | 92 | 571 | 407 | 49 |
| acres on which used, 1992 -- | 2 650 | 48 629 | 1 632 | 448 | 1 122 | 1 605 | 46 719 | 1 026 |
| 1987 -- | 2 742 | 27 500 | 5 369 | 938 | 834 | 1 668 | 38 004 | 1 383 |
| Nematodes in crops -----farms, 1992 -- | 86 | 237 | 8 | 1 | 6 | 79 | 188 | 3 |
| 1987 -- | 159 | 324 | 1 | 2 | 6 | 54 | 288 | 11 |
| acres on which used, 1992 -- | 1 886 | 22 393 | 175 | (D) | 21 | 245 | 14 870 | 234 |
| 1987 -- | 2 060 | 14 390 | (D) | (D) | 36 | 214 | 12 917 | 333 |
| Diseases in crops and orchards -----farms, 1992 -- | 27 | 106 | 14 | 13 | 21 | 262 | 183 | 15 |
| 1987 -- | 60 | 161 | 58 | 36 | 23 | 313 | 187 | 8 |
| acres on which used, 1992 -- | 948 | 10 420 | 302 | 232 | 691 | 723 | 12 318 | 105 |
| 1987 -- | 1 031 | 6 936 | 1 003 | 198 | 276 | 1 072 | 8 801 | 27 |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 97 | 295 | 144 | 41 | 55 | 326 | 305 | 34 |
| 1987 -- | 171 | 499 | 148 | 100 | 72 | 354 | 429 | 102 |
| acres on which used, 1992 -- | 3 799 | 64 430 | 10 811 | 911 | 410 | 2 675 | 55 806 | 3 371 |
| 1987 -- | 6 823 | 50 470 | 8 596 | 2 405 | 716 | 3 746 | 50 960 | 5 725 |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 22 | 91 | 5 | 1 | -- | 85 | 80 | 3 |
| 1987 -- | 38 | 40 | 15 | 6 | 17 | 91 | 52 | -- |
| acres on which used, 1992 -- | 651 | 11 838 | 414 | (D) | -- | 256 | 8 165 | (D) |
| 1987 -- | 1 170 | 1 863 | 480 | 6 | 21 | 253 | 2 608 | -- |

Table 10. Agricultural Chemicals Used, Including Fertilizer: 1992 and 1987 – Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | Mitchell | Montgomery | Moore | Nash | New Hanover | Northampton | Onslow | Orange |
|--|---|------------|--------|--------|-------------|-------------|--------|--------|
| | Commercial fertilizer -----farms, 1992 -- | 276 | 145 | 457 | 422 | 49 | 314 | 366 |
| 1987 -- | 295 | 144 | 508 | 518 | 45 | 372 | 402 | 369 |
| acres on which used, 1992 -- | 3 475 | 6 238 | 12 851 | 77 599 | (D) | 70 731 | 35 256 | 26 012 |
| 1987 -- | 2 264 | 6 593 | 13 489 | 67 654 | 2 159 | 68 356 | 28 853 | 35 209 |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 253 | 114 | 410 | 390 | 47 | 314 | 322 | 245 |
| 1987 -- | 288 | 117 | 429 | 491 | 43 | 363 | 389 | 332 |
| acres on which used, 1992 -- | 1 999 | 5 063 | 10 740 | 73 810 | (D) | 70 113 | 34 208 | 20 177 |
| 1987 -- | 1 662 | 5 533 | 11 118 | 64 794 | 2 071 | 66 627 | 28 463 | 25 724 |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 80 | 50 | 104 | 76 | 2 | 11 | 69 | 121 |
| 1987 -- | 57 | 35 | 92 | 55 | 4 | 45 | 36 | 181 |
| acres on which used, 1992 -- | 1 476 | 1 175 | 2 111 | 3 789 | (D) | 618 | 1 048 | 5 835 |
| 1987 -- | 602 | 1 060 | 2 371 | 2 860 | 88 | 1 729 | 390 | 9 485 |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 127 | 45 | 199 | 271 | 28 | 268 | 194 | 105 |
| 1987 -- | 179 | 59 | 267 | 335 | 22 | 300 | 193 | 169 |
| acres on which used, 1992 -- | 505 | 1 552 | 4 358 | 43 762 | 1 181 | 56 441 | 14 081 | 4 312 |
| 1987 -- | 897 | 1 798 | 3 749 | 33 824 | 350 | 54 425 | 12 348 | 4 581 |
| Nematodes in crops -----farms, 1992 -- | 25 | 16 | 83 | 167 | 5 | 100 | 124 | 57 |
| 1987 -- | - | 14 | 123 | 207 | 4 | 97 | 129 | 65 |
| acres on which used, 1992 -- | 68 | 541 | 2 520 | 14 439 | 38 | 13 849 | 5 701 | 1 457 |
| 1987 -- | - | 206 | 2 260 | 11 740 | (D) | 14 564 | 5 465 | 1 182 |
| Diseases in crops and orchards -----farms, 1992 -- | 71 | 31 | 68 | 95 | 14 | 134 | 42 | 45 |
| 1987 -- | 58 | 21 | 61 | 94 | 9 | 119 | 35 | 29 |
| acres on which used, 1992 -- | 353 | 2 018 | 1 388 | 5 113 | 79 | 19 121 | 1 562 | 686 |
| 1987 -- | 398 | 724 | 888 | 8 888 | 88 | 16 742 | 1 099 | 241 |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 80 | 81 | 250 | 264 | 22 | 256 | 232 | 118 |
| 1987 -- | 65 | 58 | 245 | 377 | 23 | 317 | 264 | 190 |
| acres on which used, 1992 -- | 631 | 4 563 | 7 568 | 56 275 | 440 | 61 584 | 26 383 | 9 238 |
| 1987 -- | 245 | 3 079 | 6 406 | 45 967 | 1 349 | 57 877 | 20 517 | 9 432 |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 35 | 13 | 31 | 75 | - | 161 | 25 | 11 |
| 1987 -- | 15 | 10 | 15 | 84 | 2 | 106 | 27 | 25 |
| acres on which used, 1992 -- | 133 | 173 | 853 | 12 730 | - | 24 067 | 1 489 | 278 |
| 1987 -- | 86 | 87 | 238 | 4 476 | (D) | 8 996 | 518 | 6 107 |

| Chemicals used | Pamlico | Pasquotank | Pender | Perquimans | Person | Pitt | Polk | Randolph |
|--|---|------------|--------|------------|--------|---------|-------|----------|
| | Commercial fertilizer -----farms, 1992 -- | 67 | 164 | 283 | 199 | 419 | 496 | 126 |
| 1987 -- | 67 | 197 | 316 | 233 | 486 | 639 | 145 | 809 |
| acres on which used, 1992 -- | 31 468 | 61 194 | 30 192 | 51 923 | 25 970 | 109 321 | 5 039 | 41 095 |
| 1987 -- | 25 632 | 56 798 | 21 449 | 48 860 | 23 961 | 100 132 | 6 002 | 37 151 |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 63 | 163 | 241 | 198 | 406 | 480 | 93 | 585 |
| 1987 -- | 67 | 191 | 313 | 233 | 453 | 631 | 93 | 643 |
| acres on which used, 1992 -- | 31 395 | 61 074 | 29 375 | 51 631 | 22 103 | 108 227 | 3 227 | 29 203 |
| 1987 -- | 25 583 | 56 450 | 21 283 | 47 301 | 18 639 | 98 415 | 3 064 | 27 774 |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 6 | 5 | 47 | 19 | 87 | 56 | 61 | 358 |
| 1987 -- | 3 | 24 | 7 | 40 | 81 | 30 | 83 | 322 |
| acres on which used, 1992 -- | 73 | 120 | 817 | 292 | 3 867 | 1 094 | 1 812 | 11 892 |
| 1987 -- | 49 | 348 | 166 | 1 559 | 5 322 | 1 717 | 2 938 | 9 377 |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 41 | 86 | 132 | 116 | 263 | 334 | 34 | 115 |
| 1987 -- | 55 | 170 | 212 | 181 | 288 | 500 | 47 | 186 |
| acres on which used, 1992 -- | 22 532 | 32 711 | 17 439 | 19 702 | 6 681 | 50 641 | 963 | 3 874 |
| 1987 -- | 16 697 | 40 391 | 12 128 | 27 950 | 7 344 | 56 590 | 834 | 3 488 |
| Nematodes in crops -----farms, 1992 -- | 17 | 8 | 54 | 27 | 112 | 267 | - | 18 |
| 1987 -- | 10 | 21 | 69 | 63 | 113 | 299 | 1 | 24 |
| acres on which used, 1992 -- | 2 891 | 1 523 | 2 775 | 3 114 | 2 040 | 16 417 | - | 642 |
| 1987 -- | 917 | 3 209 | 4 766 | 3 884 | 2 409 | 15 055 | (D) | 256 |
| Diseases in crops and orchards -----farms, 1992 -- | 17 | 11 | 26 | 41 | 51 | 104 | 27 | 35 |
| 1987 -- | 12 | 21 | 39 | 60 | 36 | 165 | 37 | 41 |
| acres on which used, 1992 -- | 4 962 | 3 036 | 2 276 | 1 800 | 1 066 | 10 560 | 699 | 892 |
| 1987 -- | 1 174 | 1 049 | 1 543 | 2 558 | 953 | 8 364 | 350 | 214 |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 51 | 134 | 174 | 145 | 177 | 304 | 40 | 271 |
| 1987 -- | 59 | 164 | 221 | 185 | 132 | 445 | 55 | 357 |
| acres on which used, 1992 -- | 31 906 | 58 516 | 22 252 | 49 706 | 9 273 | 77 839 | 1 246 | 15 846 |
| 1987 -- | 22 815 | 55 474 | 15 800 | 37 445 | 10 105 | 78 609 | 1 154 | 17 578 |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 12 | 18 | 13 | 47 | 38 | 117 | 2 | 17 |
| 1987 -- | 10 | 14 | 7 | 27 | 28 | 36 | 37 | 14 |
| acres on which used, 1992 -- | 1 530 | 2 158 | 477 | 4 844 | 463 | 11 782 | (D) | 424 |
| 1987 -- | 233 | 713 | 32 | 1 229 | 391 | 2 720 | 615 | 379 |

Table 10. Agricultural Chemicals Used, Including Fertilizer: 1992 and 1987 –Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | Richmond | | | | | | | | |
|--|----------|---------|------------|--------------|------------|---------|----------|--------|--|
| | Richmond | Robeson | Rockingham | Rowan | Rutherford | Sampson | Scotland | Stanly | |
| Commercial fertilizer -----farms, 1992 -- | 128 | 1 035 | 767 | 518 | 323 | 1 090 | 102 | 356 | |
| 1987 -- | 142 | 1 312 | 915 | 595 | 378 | 1 263 | 97 | 374 | |
| acres on which used, 1992 -- | 21 534 | 175 804 | 26 585 | 39 112 | 10 808 | 140 523 | 38 105 | 44 679 | |
| 1987 -- | 11 103 | 141 640 | 28 546 | 38 796 | 14 994 | 121 403 | 32 500 | 43 378 | |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 120 | 1 029 | 696 | 401 | 201 | 1 072 | 91 | 253 | |
| 1987 -- | 131 | 1 306 | 884 | 450 | 246 | 1 221 | 96 | 279 | |
| acres on which used, 1992 -- | 21 004 | 174 511 | 21 892 | 27 615 | 3 810 | 138 816 | 37 766 | 37 509 | |
| 1987 -- | 9 645 | 140 445 | 24 653 | 26 447 | 8 717 | 119 443 | 31 956 | 39 369 | |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 21 | 84 | 224 | 308 | 213 | 111 | 13 | 180 | |
| 1987 -- | 29 | 54 | 205 | 395 | 194 | 111 | 9 | 141 | |
| acres on which used, 1992 -- | 530 | 1 293 | 4 693 | 11 497 | 6 998 | 1 707 | 339 | 7 170 | |
| 1987 -- | 1 458 | 1 195 | 3 893 | 12 349 | 6 277 | 1 960 | 544 | 4 009 | |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 67 | 643 | 363 | 82 | 46 | 664 | 55 | 77 | |
| 1987 -- | 63 | 964 | 582 | 139 | 39 | 886 | 64 | 106 | |
| acres on which used, 1992 -- | 5 428 | 67 383 | 7 721 | 3 248 | 580 | 78 589 | 13 861 | 3 170 | |
| 1987 -- | 2 976 | 72 148 | 7 295 | 4 203 | 984 | 61 529 | 16 310 | 6 898 | |
| Nematodes in crops -----farms, 1992 -- | 28 | 348 | 218 | 4 | 1 | 388 | 19 | 13 | |
| 1987 -- | 8 | 529 | 267 | 10 | 1 | 410 | 19 | 13 | |
| acres on which used, 1992 -- | 1 799 | 30 404 | 3 416 | (D) | (D) | 21 760 | 3 705 | 486 | |
| 1987 -- | 517 | 23 553 | 4 137 | 227 | (D) | 20 527 | 1 869 | 1 195 | |
| Diseases in crops and orchards -----farms, 1992 -- | 21 | 180 | 77 | 18 | 14 | 171 | 3 | 27 | |
| 1987 -- | 19 | 171 | 111 | 50 | 28 | 210 | 6 | 9 | |
| acres on which used, 1992 -- | 824 | 11 252 | 1 747 | 460 | 20 | 13 555 | 1 028 | 946 | |
| 1987 -- | (D) | 7 694 | 1 131 | 512 | 332 | 10 256 | 657 | 48 | |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 93 | 643 | 279 | 177 | 88 | 655 | 59 | 146 | |
| 1987 -- | 79 | 798 | 366 | 163 | 110 | 769 | 67 | 204 | |
| acres on which used, 1992 -- | 10 845 | 121 452 | 8 504 | 17 689 | 1 280 | 93 735 | 23 935 | 29 737 | |
| 1987 -- | 4 963 | 91 592 | 14 427 | 12 147 | 2 820 | 69 374 | 21 319 | 25 607 | |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 9 | 112 | 34 | 10 | -- | 127 | 34 | 2 | |
| 1987 -- | 2 | 108 | 62 | 8 | 7 | 155 | 34 | 3 | |
| acres on which used, 1992 -- | 186 | 10 662 | 570 | 271 | -- | 23 132 | 10 229 | (D) | |
| 1987 -- | (D) | 8 626 | 601 | 32 | (D) | 6 671 | 7 307 | 127 | |
| Chemicals used | Stokes | | | | | | | | |
| | Stokes | Surry | Swain | Transylvania | Tyrrell | Union | Vance | Wake | |
| Commercial fertilizer -----farms, 1992 -- | 985 | 1 057 | 58 | 120 | 79 | 519 | 243 | 628 | |
| 1987 -- | 997 | 1 088 | 63 | 149 | 94 | 556 | 327 | 810 | |
| acres on which used, 1992 -- | 16 816 | 37 632 | 903 | 4 721 | 44 030 | 75 970 | 12 777 | 34 512 | |
| 1987 -- | 15 721 | 35 287 | 1 024 | 4 599 | 39 724 | 86 239 | 10 149 | 33 774 | |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 925 | 904 | 51 | 97 | 74 | 432 | 218 | 593 | |
| 1987 -- | 963 | 1 004 | 51 | 120 | 94 | 470 | 321 | 729 | |
| acres on which used, 1992 -- | 12 284 | 26 356 | 604 | 2 492 | 43 971 | 71 883 | 11 605 | 31 016 | |
| 1987 -- | 10 858 | 26 025 | 628 | 3 159 | 39 596 | 82 692 | 9 117 | 28 815 | |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 223 | 386 | 15 | 66 | 6 | 121 | 51 | 115 | |
| 1987 -- | 214 | 287 | 23 | 71 | 13 | 158 | 32 | 123 | |
| acres on which used, 1992 -- | 4 532 | 11 276 | 299 | 2 229 | 59 | 4 087 | 1 172 | 3 496 | |
| 1987 -- | 4 863 | 9 262 | 396 | 1 440 | 128 | 3 547 | 1 032 | 4 959 | |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 563 | 411 | 23 | 44 | 42 | 81 | 130 | 331 | |
| 1987 -- | 559 | 475 | 24 | 62 | 67 | 72 | 191 | 511 | |
| acres on which used, 1992 -- | 6 101 | 11 609 | 237 | 781 | 26 076 | 9 007 | 3 751 | 12 780 | |
| 1987 -- | 4 448 | 7 353 | 244 | 510 | 23 063 | 7 118 | 4 009 | 14 459 | |
| Nematodes in crops -----farms, 1992 -- | 213 | 272 | 8 | 1 | 7 | 4 | 79 | 260 | |
| 1987 -- | 356 | 253 | 3 | 1 | 7 | 2 | 83 | 320 | |
| acres on which used, 1992 -- | 2 619 | 4 229 | (D) | (D) | 5 273 | (D) | 2 291 | 9 541 | |
| 1987 -- | 2 507 | 4 843 | (D) | (D) | 2 084 | (D) | 2 045 | 8 503 | |
| Diseases in crops and orchards -----farms, 1992 -- | 64 | 112 | 16 | 16 | 4 | 27 | 32 | 127 | |
| 1987 -- | 111 | 78 | 14 | 33 | 9 | 29 | 55 | 170 | |
| acres on which used, 1992 -- | 1 043 | 2 137 | 46 | 66 | 2 132 | 3 437 | 1 674 | 4 594 | |
| 1987 -- | 634 | 1 392 | 84 | 601 | 509 | 578 | 1 238 | 3 933 | |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 328 | 323 | 28 | 56 | 49 | 351 | 136 | 345 | |
| 1987 -- | 393 | 443 | 20 | 74 | 85 | 343 | 140 | 420 | |
| acres on which used, 1992 -- | 3 653 | 12 706 | 271 | 779 | 36 313 | 79 132 | 11 796 | 19 271 | |
| 1987 -- | 4 172 | 12 862 | 267 | 1 100 | 40 030 | 82 018 | 5 943 | 17 954 | |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 94 | 103 | 5 | 3 | 2 | 9 | 25 | 57 | |
| 1987 -- | 46 | 52 | 2 | 2 | 4 | 3 | 22 | 84 | |
| acres on which used, 1992 -- | 836 | 2 119 | 27 | 9 | (D) | 603 | 995 | 2 195 | |
| 1987 -- | 284 | 1 437 | (D) | (D) | (D) | (D) | 632 | 1 592 | |

Table 10. Agricultural Chemicals Used, Including Fertilizer: 1992 and 1987 –Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | Warren | Washington | Watauga | Wayne | Wilkes | Wilson | Yadkin | Yancey |
|--|--------|------------|---------|---------|--------|--------|--------|--------|
| Commercial fertilizer -----farms, 1992 -- | 254 | 191 | 592 | 700 | 518 | 453 | 732 | 615 |
| 1987 -- | 243 | 219 | 654 | 881 | 534 | 593 | 816 | 659 |
| acres on which used, 1992 -- | 14 633 | 61 212 | 7 744 | 104 508 | 19 161 | 81 245 | 42 779 | 5 487 |
| 1987 -- | 16 115 | 63 437 | 6 661 | 89 146 | 17 189 | 67 849 | 38 305 | 5 052 |
| Cropland fertilized, except pastureland -----farms, 1992 -- | 237 | 189 | 532 | 682 | 423 | 443 | 678 | 600 |
| 1987 -- | 232 | 217 | 600 | 879 | 468 | 587 | 709 | 640 |
| acres on which used, 1992 -- | 10 479 | (D) | 3 679 | 102 645 | 13 651 | 80 615 | 35 338 | 3 476 |
| 1987 -- | 12 740 | 62 830 | 3 140 | 86 689 | 13 531 | 67 565 | 31 321 | 3 454 |
| Pastureland and rangeland fertilized -----farms, 1992 -- | 64 | 3 | 185 | 83 | 210 | 47 | 278 | 139 |
| 1987 -- | 70 | 8 | 153 | 85 | 163 | 21 | 286 | 95 |
| acres on which used, 1992 -- | 4 154 | (D) | 4 065 | 1 863 | 5 510 | 630 | 7 441 | 2 011 |
| 1987 -- | 3 375 | 607 | 3 521 | 2 457 | 3 658 | 284 | 6 984 | 1 598 |
| Sprays, dusts, granules, fumigants, etc., to control -- | | | | | | | | |
| Insects on hay and other crops -----farms, 1992 -- | 132 | 97 | 220 | 503 | 128 | 317 | 348 | 245 |
| 1987 -- | 160 | 151 | 200 | 595 | 170 | 460 | 296 | 351 |
| acres on which used, 1992 -- | 4 378 | 28 104 | 1 124 | 53 232 | 6 026 | 38 019 | 9 415 | 991 |
| 1987 -- | 4 292 | 31 553 | 714 | 42 291 | 4 324 | 35 210 | 7 901 | 831 |
| Nematodes in crops -----farms, 1992 -- | 40 | 28 | 29 | 371 | 43 | 284 | 148 | 10 |
| 1987 -- | 105 | 23 | 1 | 435 | 38 | 336 | 171 | 15 |
| acres on which used, 1992 -- | 1 712 | 2 478 | 156 | 19 470 | 1 580 | 17 486 | 2 896 | 61 |
| 1987 -- | 2 458 | 2 205 | (D) | 18 623 | 1 785 | 12 939 | 2 800 | 57 |
| Diseases in crops and orchards -----farms, 1992 -- | 22 | 61 | 157 | 146 | 65 | 144 | 71 | 149 |
| 1987 -- | 29 | 27 | 169 | 155 | 65 | 105 | 68 | 182 |
| acres on which used, 1992 -- | 707 | 4 221 | 344 | 6 389 | 674 | 8 115 | 1 178 | 348 |
| 1987 -- | 697 | 1 859 | 688 | 6 060 | 1 600 | 3 578 | 760 | 389 |
| Weeds, grass, or brush in crops and pasture -----farms, 1992 -- | 74 | 161 | 203 | 427 | 283 | 361 | 225 | 140 |
| 1987 -- | 146 | 165 | 205 | 591 | 297 | 397 | 384 | 180 |
| acres on which used, 1992 -- | 5 535 | 56 166 | 1 667 | 71 707 | 8 897 | 60 711 | 14 663 | 613 |
| 1987 -- | 7 094 | 57 758 | 2 910 | 60 363 | 10 879 | 46 657 | 21 928 | 1 397 |
| Chemicals used for defoliation or for growth control of crops or thinning of fruit -----farms, 1992 -- | 13 | 21 | 34 | 136 | 2 | 88 | 55 | 50 |
| 1987 -- | 15 | 20 | 34 | 134 | 35 | 80 | 48 | 62 |
| acres on which used, 1992 -- | 325 | 4 027 | 44 | 12 110 | (D) | 5 212 | 724 | 171 |
| 1987 -- | 242 | 1 345 | 103 | 2 220 | 923 | 3 211 | 530 | 139 |