

Table 39. Fertilizers and Chemicals Applied: 2002 and 1997

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Item | Wisconsin | Adams | Ashland | Barron | Bayfield | Brown | Buffalo |
|---|-----------|---------|----------|---------|----------|----------|---------|
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | |
| farms, 2002 | 38,303 | 235 | 94 | 759 | 111 | 485 | 571 |
| 1997 | 49,128 | 277 | 103 | 1,121 | 161 | 813 | 757 |
| acres treated, 2002 | 6,473,456 | 73,098 | 6,161 | 140,384 | 7,267 | 95,379 | 100,056 |
| 1997 | 6,514,992 | 62,900 | 6,666 | 146,425 | 6,302 | 97,688 | 90,725 |
| Cropland fertilized, except cropland pastured | | | | | | | |
| farms, 2002 | 37,335 | 227 | 82 | 735 | 111 | 467 | 560 |
| 1997 | 49,529 | 270 | 97 | 1,095 | 161 | 813 | 757 |
| acres treated, 2002 | 6,344,416 | 72,744 | 5,573 | 136,644 | 7,077 | 94,909 | 97,391 |
| 1997 | 6,398,501 | 62,823 | 6,078 | 142,777 | 6,302 | 97,688 | 89,107 |
| Pastureland and rangeland fertilized | | | | | | | |
| farms, 2002 | 4,953 | 23 | 24 | 107 | 13 | 52 | 129 |
| 1997 | 3,710 | 7 | 18 | 136 | - | - | 48 |
| acres treated, 2002 | 129,040 | 354 | 588 | 3,740 | 190 | 470 | 2,665 |
| 1997 | 116,491 | 77 | 588 | 3,648 | - | - | 1,618 |
| Manure | | | | | | | |
| farms, 2002 | 30,491 | 80 | 71 | 682 | 106 | 508 | 517 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 2,316,691 | 5,935 | 5,154 | 62,882 | 9,299 | 52,136 | 42,417 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | |
| farms, 2002 | 12,338 | 78 | 4 | 121 | 31 | 97 | 172 |
| 1997 | 15,461 | 49 | 7 | 146 | 44 | 146 | 179 |
| acres treated, 2002 | 1,582,101 | 35,316 | 308 | 10,913 | 1,337 | 11,304 | 15,778 |
| 1997 | 1,601,456 | 34,247 | 366 | 10,529 | 1,517 | 14,065 | 19,888 |
| Weeds, grass, or brush | | | | | | | |
| farms, 2002 | 30,561 | 145 | 30 | 601 | 69 | 407 | 474 |
| 1997 | 34,729 | 194 | 38 | 770 | 43 | 508 | 542 |
| acres treated, 2002 | 4,595,578 | 54,107 | 1,707 | 91,406 | 3,053 | 69,028 | 61,335 |
| 1997 | 4,138,375 | 45,977 | 2,198 | 79,176 | 1,709 | 55,741 | 49,007 |
| Nematodes | | | | | | | |
| farms, 2002 | 1,291 | 13 | - | 13 | - | 3 | 25 |
| 1997 | 1,851 | 13 | - | - | - | 20 | 12 |
| acres treated, 2002 | 152,241 | 5,739 | - | 1,242 | - | 350 | 3,856 |
| 1997 | 169,422 | 6,310 | - | 1,157 | - | 582 | 1,528 |
| Diseases in crops and orchards | | | | | | | |
| farms, 2002 | 1,605 | 16 | - | 10 | 13 | 23 | - |
| 1997 | 3,090 | 40 | 3 | 17 | 19 | 31 | 2 |
| acres treated, 2002 | 168,150 | 16,650 | - | 3,907 | 250 | 971 | - |
| 1997 | 222,800 | 18,156 | 15 | 3,573 | 287 | 778 | (D) |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | |
| farms, 2002 | 910 | 13 | - | 5 | 4 | 6 | 20 |
| 1997 | 1,557 | 17 | - | 23 | 13 | 32 | 7 |
| acres on which used, 2002 | 84,117 | 9,840 | - | 1,847 | 20 | 300 | 430 |
| 1997 | 138,921 | 12,521 | - | 3,221 | 65 | 1,045 | 3,122 |
| Item | Burnett | Calumet | Chippewa | Clark | Columbia | Crawford | Dane |
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | |
| farms, 2002 | 185 | 415 | 907 | 1,464 | 968 | 614 | 1,421 |
| 1997 | 255 | 576 | 1,195 | 1,673 | 1,216 | 648 | 1,775 |
| acres treated, 2002 | 28,450 | 83,306 | 140,562 | 169,803 | 207,683 | 54,458 | 272,416 |
| 1997 | 29,050 | 75,388 | 146,233 | 184,448 | 194,656 | 45,974 | 297,985 |
| Cropland fertilized, except cropland pastured | | | | | | | |
| farms, 2002 | 179 | 415 | 865 | 1,413 | 967 | 597 | 1,412 |
| 1997 | 255 | 576 | 1,195 | 1,641 | 1,202 | 620 | 1,752 |
| acres treated, 2002 | 27,770 | 82,954 | 137,822 | 167,757 | 205,381 | 52,035 | 271,311 |
| 1997 | 27,295 | 75,137 | 143,363 | 181,012 | 191,037 | 44,289 | 295,886 |
| Pastureland and rangeland fertilized | | | | | | | |
| farms, 2002 | 31 | 8 | 152 | 189 | 118 | 60 | 101 |
| 1997 | 31 | 11 | 86 | 105 | 103 | 42 | 132 |
| acres treated, 2002 | 680 | 352 | 2,740 | 2,046 | 2,302 | 2,423 | 1,105 |
| 1997 | 1,755 | 251 | 2,870 | 3,436 | 3,619 | 1,685 | 2,099 |
| Manure | | | | | | | |
| farms, 2002 | 143 | 350 | 927 | 1,339 | 562 | 443 | 975 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 8,561 | 31,119 | 59,915 | 102,329 | 39,729 | 30,288 | 96,377 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | |
| farms, 2002 | 37 | 134 | 148 | 313 | 450 | 161 | 857 |
| 1997 | 49 | 154 | 187 | 284 | 502 | 205 | 1,080 |
| acres treated, 2002 | 3,510 | 13,696 | 14,071 | 21,501 | 66,565 | 15,149 | 129,664 |
| 1997 | 2,345 | 10,590 | 17,796 | 14,944 | 65,448 | 13,119 | 144,850 |
| Weeds, grass, or brush | | | | | | | |
| farms, 2002 | 117 | 393 | 702 | 1,106 | 746 | 462 | 1,186 |
| 1997 | 214 | 408 | 875 | 1,177 | 881 | 434 | 1,308 |
| acres treated, 2002 | 17,234 | 58,846 | 83,616 | 93,463 | 171,217 | 32,853 | 221,818 |
| 1997 | 18,233 | 48,890 | 74,172 | 94,609 | 147,774 | 26,119 | 206,009 |
| Nematodes | | | | | | | |
| farms, 2002 | 5 | 27 | 21 | 7 | 13 | 22 | 118 |
| 1997 | 40 | 40 | 2 | 14 | 61 | 17 | 129 |
| acres treated, 2002 | 5 | 1,380 | 429 | 1,925 | 3,140 | 1,048 | 8,802 |
| 1997 | - | 2,266 | (D) | 525 | 8,704 | 1,200 | 12,864 |
| Diseases in crops and orchards | | | | | | | |
| farms, 2002 | 6 | 14 | 38 | 13 | 44 | 4 | 93 |
| 1997 | 18 | 4 | 30 | 39 | 47 | 22 | 205 |
| acres treated, 2002 | (D) | 244 | 401 | 325 | 1,648 | 632 | 4,622 |
| 1997 | 178 | 824 | 759 | 424 | 2,527 | 1,314 | 5,602 |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | |
| farms, 2002 | 1 | 30 | 17 | 31 | 16 | 37 | 104 |
| 1997 | 11 | 9 | 26 | 37 | 55 | 19 | 106 |
| acres on which used, 2002 | (D) | 1,965 | 34 | 1,070 | 1,181 | 468 | 1,684 |
| 1997 | 286 | 197 | 545 | 1,259 | 1,309 | 271 | 2,340 |

See footnote(s) at end of table.

--continued

Table 39. Fertilizers and Chemicals Applied: 2002 and 1997 - Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Item | Dodge | Door | Douglas | Dunn | Eau Claire | Florence | Fond du Lac |
|---|---------|---------|---------|------------|------------|----------|-------------|
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | |
| farms, 2002 | 1,140 | 489 | 75 | 664 | 486 | 43 | 853 |
| 1997 | 1,515 | 541 | 98 | 1,018 | 706 | 51 | 1,205 |
| acres treated, 2002 | 236,992 | 74,877 | 4,532 | 137,126 | 68,795 | 3,034 | 199,955 |
| 1997 | 229,977 | 54,881 | 3,711 | 160,955 | 71,900 | 2,288 | 197,864 |
| Cropland fertilized, except cropland pastured | | | | | | | |
| farms, 2002 | 1,140 | 472 | 75 | 655 | 486 | 38 | 845 |
| 1997 | 1,499 | 530 | 98 | 976 | 698 | 51 | 1,197 |
| acres treated, 2002 | 236,596 | 74,626 | 4,112 | 135,608 | 66,300 | 2,833 | 198,749 |
| 1997 | 229,160 | 54,305 | 3,441 | 155,929 | 66,899 | 2,113 | 196,961 |
| Pastureland and rangeland fertilized | | | | | | | |
| farms, 2002 | 68 | 44 | 20 | 34 | 32 | 10 | 93 |
| 1997 | 52 | 37 | 9 | 122 | 116 | 5 | 32 |
| acres treated, 2002 | 396 | 251 | 420 | 1,518 | 2,495 | 201 | 1,206 |
| 1997 | 817 | 576 | 270 | 5,026 | 5,001 | 175 | 903 |
| Manure | | | | | | | |
| farms, 2002 | 942 | 331 | 67 | 552 | 455 | 27 | 689 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 71,562 | 15,417 | 3,512 | 40,400 | 21,895 | 1,225 | 67,156 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | |
| farms, 2002 | 591 | 265 | 5 | 155 | 57 | 5 | 426 |
| 1997 | 723 | 172 | 7 | 206 | 114 | 3 | 457 |
| acres treated, 2002 | 71,698 | 12,666 | (D) | 27,079 | 5,069 | 319 | 48,245 |
| 1997 | 70,760 | 6,623 | 913 | 32,884 | 5,954 | 154 | 50,479 |
| Weeds, grass, or brush | | | | | | | |
| farms, 2002 | 1,082 | 358 | 9 | 590 | 382 | 14 | 796 |
| 1997 | 1,191 | 396 | 16 | 705 | 540 | 24 | 867 |
| acres treated, 2002 | 186,052 | 55,284 | 722 | 92,744 | 49,865 | 1,270 | 146,018 |
| 1997 | 162,376 | 32,621 | 2,893 | 99,793 | 49,033 | 1,131 | 120,275 |
| Nematodes | | | | | | | |
| farms, 2002 | 72 | - | - | 6 | - | 2 | 19 |
| 1997 | 89 | 17 | - | 17 | 30 | 1 | 61 |
| acres treated, 2002 | 7,133 | - | - | 1,487 | - | (D) | 2,801 |
| 1997 | 9,837 | 27 | - | 2,787 | 750 | (D) | 6,736 |
| Diseases in crops and orchards | | | | | | | |
| farms, 2002 | 39 | 114 | 1 | 6 | 1 | 2 | 34 |
| 1997 | 65 | 173 | 1 | 22 | 10 | 1 | 44 |
| acres treated, 2002 | 6,063 | 2,588 | (D) | 3,283 | (D) | (D) | 1,067 |
| 1997 | 5,605 | 5,148 | (D) | 3,363 | 380 | (D) | 3,231 |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | |
| farms, 2002 | 13 | 24 | - | 5 | 1 | 2 | 9 |
| 1997 | 72 | 55 | - | 23 | 15 | 1 | 32 |
| acres on which used, 2002 | 381 | 1,141 | - | 3,549 | (D) | (D) | (D) |
| 1997 | 5,563 | 2,837 | - | 6,222 | 953 | (D) | 1,325 |
| Item | Forest | Grant | Green | Green Lake | Iowa | Iron | Jackson |
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | |
| farms, 2002 | 41 | 1,400 | 731 | 453 | 714 | 23 | 423 |
| 1997 | 59 | 1,667 | 958 | 497 | 833 | 21 | 559 |
| acres treated, 2002 | 3,085 | 240,047 | 171,814 | 82,717 | 120,703 | (D) | 63,276 |
| 1997 | 3,620 | 218,721 | 162,843 | 71,240 | 122,375 | 561 | 71,565 |
| Cropland fertilized, except cropland pastured | | | | | | | |
| farms, 2002 | 41 | 1,375 | 731 | 453 | 666 | 23 | 423 |
| 1997 | 55 | 1,619 | 940 | 497 | 810 | 21 | 549 |
| acres treated, 2002 | 3,029 | 223,297 | 168,395 | 82,311 | 110,150 | (D) | 62,689 |
| 1997 | 3,368 | 203,343 | 158,869 | 70,586 | 111,830 | 561 | 70,435 |
| Pastureland and rangeland fertilized | | | | | | | |
| farms, 2002 | 4 | 342 | 94 | 23 | 199 | 5 | 31 |
| 1997 | 9 | 380 | 96 | 7 | 186 | - | 41 |
| acres treated, 2002 | 56 | 16,750 | 3,419 | 406 | 10,553 | (D) | 587 |
| 1997 | 252 | 15,378 | 3,974 | 654 | 10,545 | (D) | 1,130 |
| Manure | | | | | | | |
| farms, 2002 | 30 | 1,295 | 674 | 333 | 620 | 21 | 327 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 1,337 | 99,821 | 57,088 | 17,136 | 47,753 | 731 | 23,805 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | |
| farms, 2002 | 7 | 873 | 419 | 153 | 394 | 8 | 97 |
| 1997 | 10 | 989 | 488 | 205 | 486 | 8 | 148 |
| acres treated, 2002 | 159 | 81,532 | 57,186 | 26,793 | 48,383 | (D) | 17,257 |
| 1997 | 461 | 95,916 | 59,085 | 19,132 | 53,470 | 196 | 20,835 |
| Weeds, grass, or brush | | | | | | | |
| farms, 2002 | 21 | 1,295 | 639 | 392 | 624 | 7 | 337 |
| 1997 | 15 | 1,151 | 708 | 375 | 563 | 9 | 391 |
| acres treated, 2002 | 870 | 153,144 | 123,179 | 69,690 | 76,752 | 157 | 53,085 |
| 1997 | 886 | 119,481 | 96,778 | 44,892 | 62,813 | 299 | 40,137 |
| Nematodes | | | | | | | |
| farms, 2002 | - | 103 | 48 | 38 | 86 | - | 2 |
| 1997 | - | 128 | 115 | 26 | 43 | - | 14 |
| acres treated, 2002 | - | 9,412 | 4,437 | 3,040 | 6,865 | - | (D) |
| 1997 | - | 11,739 | 7,896 | 1,835 | 4,971 | - | 754 |
| Diseases in crops and orchards | | | | | | | |
| farms, 2002 | 6 | 55 | 31 | 19 | 42 | 2 | 19 |
| 1997 | 6 | 25 | 31 | 28 | 18 | 4 | 37 |
| acres treated, 2002 | 133 | 1,485 | 705 | 1,410 | 6,818 | (D) | 3,025 |
| 1997 | 303 | 1,526 | 3,281 | 1,927 | 5,832 | (D) | 6,873 |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | |
| farms, 2002 | - | 9 | 34 | 11 | 15 | 2 | 2 |
| 1997 | 3 | 9 | 29 | 15 | 13 | 1 | 25 |
| acres on which used, 2002 | - | 162 | 1,364 | 55 | 377 | (D) | (D) |
| 1997 | 300 | 9 | 1,407 | 139 | 1,853 | (D) | 658 |

See footnote(s) at end of table.

--continued

Table 39. Fertilizers and Chemicals Applied: 2002 and 1997 - Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Item | Jefferson | Juneau | Kenosha | Kewaunee | La Crosse | Lafayette | Langlade |
|---|-----------|-----------|----------|-----------|-----------|-----------|-----------|
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | |
| farms, 2002 | 767 | 408 | 249 | 512 | 531 | 713 | 271 |
| 1997 | 1,023 | 492 | 260 | 610 | 595 | 871 | 269 |
| acres treated, 2002 | 152,133 | 71,216 | 50,033 | 88,553 | 56,934 | 188,852 | 43,544 |
| 1997 | 147,662 | 71,529 | 51,333 | 86,275 | 50,365 | 182,293 | 45,404 |
| Cropland fertilized, except cropland pastured | | | | | | | |
| farms, 2002 | 760 | 339 | 246 | 502 | 509 | 639 | 271 |
| 1997 | 1,017 | 490 | 260 | 610 | 585 | 847 | 267 |
| acres treated, 2002 | 151,714 | 70,352 | 49,919 | 88,023 | 55,513 | 178,177 | 42,504 |
| 1997 | 146,628 | 70,739 | 51,183 | 86,096 | 49,522 | 171,562 | 44,951 |
| Pastureland and rangeland fertilized | | | | | | | |
| farms, 2002 | 44 | 72 | 6 | 38 | 55 | 218 | 26 |
| 1997 | 63 | 31 | 11 | 11 | 37 | 181 | 28 |
| acres treated, 2002 | 419 | 864 | 114 | 530 | 1,421 | 10,675 | 1,040 |
| 1997 | 1,034 | 790 | 150 | 179 | 843 | 10,731 | 453 |
| Manure | | | | | | | |
| farms, 2002 | 487 | 208 | 138 | 415 | 399 | 533 | 176 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 31,775 | 20,670 | 8,501 | 46,114 | 23,696 | 68,480 | 13,752 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | |
| farms, 2002 | 286 | 108 | 91 | 136 | 95 | 430 | 55 |
| 1997 | 442 | 113 | 112 | 91 | 196 | 574 | 77 |
| acres treated, 2002 | 36,389 | 20,157 | 9,813 | 8,109 | 11,410 | 72,644 | 13,881 |
| 1997 | 43,186 | 14,478 | 10,191 | 5,302 | 11,850 | 74,025 | 16,703 |
| Weeds, grass, or brush | | | | | | | |
| farms, 2002 | 596 | 300 | 218 | 520 | 333 | 595 | 157 |
| 1997 | 723 | 325 | 226 | 471 | 419 | 703 | 230 |
| acres treated, 2002 | 123,331 | 59,663 | 50,006 | 60,134 | 36,880 | 128,216 | 36,067 |
| 1997 | 112,540 | 43,873 | 48,345 | 48,231 | 30,100 | 125,484 | 29,291 |
| Nematodes | | | | | | | |
| farms, 2002 | 7 | 14 | 6 | 1 | 9 | 71 | 6 |
| 1997 | 35 | 8 | - | 21 | 14 | 125 | 2 |
| acres treated, 2002 | 798 | 1,880 | (D) | (D) | 1,320 | 10,619 | 3,553 |
| 1997 | 2,393 | 840 | - | 295 | 954 | 13,771 | (D) |
| Diseases in crops and orchards | | | | | | | |
| farms, 2002 | 22 | 13 | 25 | 31 | 1 | 1 | 23 |
| 1997 | 35 | 16 | 18 | 13 | 34 | - | 76 |
| acres treated, 2002 | 4,803 | 3,454 | 264 | 1,057 | (D) | (D) | 7,516 |
| 1997 | 6,424 | 4,733 | 1,118 | 1,039 | 124 | - | 11,731 |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | |
| farms, 2002 | 19 | 17 | - | 49 | - | 20 | 28 |
| 1997 | 33 | 36 | 14 | 6 | 1 | 13 | 69 |
| acres on which used, 2002 | 3,076 | 2,670 | - | 455 | - | 406 | 7,354 |
| 1997 | 5,466 | 7,390 | 617 | 828 | (D) | 2,370 | 11,121 |
| Item | Lincoln | Manitowoc | Marathon | Marinette | Marquette | Menominee | Milwaukee |
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | |
| farms, 2002 | 240 | 769 | 1,456 | 305 | 388 | 2 | 41 |
| 1997 | 279 | 854 | 2,390 | 436 | 353 | 3 | 60 |
| acres treated, 2002 | 19,994 | 108,474 | 178,228 | 54,485 | 62,971 | (D) | 2,330 |
| 1997 | 17,232 | 116,811 | 209,576 | 50,923 | 59,902 | (D) | 2,750 |
| Cropland fertilized, except cropland pastured | | | | | | | |
| farms, 2002 | 217 | 769 | 1,439 | 305 | 355 | 2 | 41 |
| 1997 | 277 | 844 | 2,369 | 427 | 353 | 3 | 59 |
| acres treated, 2002 | 19,173 | 107,914 | 173,265 | 53,345 | 61,507 | (D) | 2,330 |
| 1997 | 17,068 | 116,477 | 206,857 | 49,085 | (D) | (D) | (D) |
| Pastureland and rangeland fertilized | | | | | | | |
| farms, 2002 | 65 | 33 | 146 | 80 | 57 | - | - |
| 1997 | 10 | 31 | 146 | 29 | 2 | - | 1 |
| acres treated, 2002 | 821 | 560 | 4,963 | 1,140 | 1,464 | - | - |
| 1997 | 164 | 334 | 2,719 | 1,838 | (D) | - | (D) |
| Manure | | | | | | | |
| farms, 2002 | 169 | 708 | 1,183 | 238 | 222 | - | 8 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 9,489 | 65,390 | 98,190 | 24,169 | 14,129 | - | 49 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | |
| farms, 2002 | 59 | 284 | 362 | 26 | 95 | - | 18 |
| 1997 | 48 | 286 | 588 | 48 | 77 | - | 33 |
| acres treated, 2002 | 1,701 | 30,989 | 16,841 | 4,650 | 13,987 | - | 276 |
| 1997 | 1,306 | 27,056 | 18,372 | 5,026 | 14,089 | - | 491 |
| Weeds, grass, or brush | | | | | | | |
| farms, 2002 | 142 | 715 | 1,130 | 207 | 224 | - | 29 |
| 1997 | 180 | 649 | 1,535 | 293 | 169 | - | 27 |
| acres treated, 2002 | 11,703 | 80,195 | 103,934 | 32,892 | 41,768 | - | 2,008 |
| 1997 | 9,697 | 65,671 | 99,872 | 30,032 | 33,891 | - | 3,309 |
| Nematodes | | | | | | | |
| farms, 2002 | 6 | 15 | 33 | 1 | 2 | - | 2 |
| 1997 | 8 | 21 | 65 | 1 | - | - | 5 |
| acres treated, 2002 | 360 | 1,587 | 477 | (D) | (D) | - | (D) |
| 1997 | 756 | 1,894 | 643 | (D) | - | - | (D) |
| Diseases in crops and orchards | | | | | | | |
| farms, 2002 | 13 | 8 | 235 | 20 | 13 | - | 9 |
| 1997 | 14 | 84 | 609 | 53 | 16 | - | 19 |
| acres treated, 2002 | 240 | 624 | 2,026 | 308 | 2,514 | - | 22 |
| 1997 | 191 | 1,615 | 5,546 | 1,000 | 3,816 | - | 195 |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | |
| farms, 2002 | 8 | 16 | 43 | 9 | 1 | - | 3 |
| 1997 | - | 37 | 96 | 17 | 2 | - | 6 |
| acres on which used, 2002 | 24 | 180 | 2,069 | (D) | (D) | - | 7 |
| 1997 | - | 7,429 | 3,024 | (D) | (D) | - | (D) |

See footnote(s) at end of table.

--continued

Table 39. Fertilizers and Chemicals Applied: 2002 and 1997 - Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Item | Monroe | Oconto | Oneida | Outagamie | Ozaukee | Pepin | Pierce |
|---|--------|--------|--------|-----------|---------|--------|---------|
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | |
| farms, 2002 | 881 | 626 | 61 | 707 | 240 | 293 | 675 |
| 1997 | 1,182 | 756 | 72 | 1,019 | 231 | 327 | 889 |
| acres treated, 2002 | 97,925 | 88,645 | 5,730 | 146,107 | 38,125 | 39,897 | 103,926 |
| 1997 | 99,198 | 91,686 | 6,317 | 157,918 | 34,928 | 38,107 | 112,735 |
| Cropland fertilized, except cropland pastured | | | | | | | |
| farms, 2002 | 870 | 626 | 61 | 707 | 240 | 283 | 652 |
| 1997 | 1,182 | 747 | 68 | 1,014 | 230 | 327 | 889 |
| acres treated, 2002 | 95,191 | 86,657 | (D) | 145,465 | 37,765 | 39,665 | 102,376 |
| 1997 | 95,912 | 91,354 | 6,182 | 157,271 | 34,688 | 38,008 | 111,385 |
| Pastureland and rangeland fertilized | | | | | | | |
| farms, 2002 | 98 | 43 | 1 | 42 | 29 | 32 | 84 |
| 1997 | 110 | 26 | 6 | 17 | 12 | 3 | 50 |
| acres treated, 2002 | 2,734 | 1,988 | (D) | 642 | 360 | 232 | 1,550 |
| 1997 | 3,286 | 332 | 135 | 647 | 240 | 99 | 1,350 |
| Manure | | | | | | | |
| farms, 2002 | 822 | 381 | 29 | 498 | 146 | 214 | 564 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 53,084 | 31,673 | 697 | 43,227 | 10,602 | 19,200 | 36,100 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | |
| farms, 2002 | 248 | 130 | 26 | 184 | 143 | 93 | 180 |
| 1997 | 311 | 96 | 23 | 279 | 139 | 97 | 295 |
| acres treated, 2002 | 21,953 | 14,807 | 3,705 | 29,185 | 9,972 | 10,633 | 25,638 |
| 1997 | 25,865 | 7,776 | 3,669 | 26,352 | 8,056 | 9,472 | 23,879 |
| Weeds, grass, or brush | | | | | | | |
| farms, 2002 | 679 | 419 | 26 | 564 | 206 | 259 | 574 |
| 1997 | 702 | 494 | 43 | 797 | 171 | 251 | 731 |
| acres treated, 2002 | 61,906 | 55,296 | 4,912 | 118,034 | 29,548 | 28,808 | 71,544 |
| 1997 | 45,616 | 56,194 | 4,545 | 113,063 | 24,598 | 24,010 | 71,778 |
| Nematodes | | | | | | | |
| farms, 2002 | 34 | 17 | 3 | 11 | 6 | 1 | 13 |
| 1997 | 63 | 11 | 2 | 14 | 12 | 28 | 22 |
| acres treated, 2002 | 1,156 | 1,442 | (D) | 835 | (D) | (D) | 2,670 |
| 1997 | 2,419 | 613 | (D) | 2,168 | 1,045 | 2,736 | 2,451 |
| Diseases in crops and orchards | | | | | | | |
| farms, 2002 | 18 | 43 | 11 | 15 | 42 | - | 3 |
| 1997 | 75 | 38 | 18 | 37 | 39 | 1 | 53 |
| acres treated, 2002 | 1,140 | 2,987 | 1,081 | 2,563 | 1,280 | (D) | 784 |
| 1997 | 2,293 | 4,478 | 2,976 | 145 | 1,923 | (D) | |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | |
| farms, 2002 | 7 | 23 | 2 | 4 | 8 | 9 | - |
| 1997 | 34 | 21 | 7 | 30 | 7 | 21 | - |
| acres on which used, 2002 | 210 | 627 | (D) | 1,391 | (D) | 109 | - |
| 1997 | 441 | 165 | 1,330 | 1,486 | 410 | 1,040 | 1,870 |

| Item | Polk | Portage | Price | Racine | Richland | Rock | Rusk | St. Croix |
|---|---------|---------|--------|--------|----------|---------|--------|-----------|
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | | |
| farms, 2002 | 702 | 634 | 252 | 251 | 514 | 804 | 306 | 656 |
| 1997 | 881 | 775 | 221 | 436 | 647 | 972 | 393 | 974 |
| acres treated, 2002 | 106,633 | 148,370 | 14,090 | 75,170 | 60,838 | 221,635 | 34,658 | 119,927 |
| 1997 | 109,184 | 145,520 | 15,172 | 82,231 | 66,170 | 243,896 | 35,294 | 142,274 |
| Cropland fertilized, except cropland pastured | | | | | | | | |
| farms, 2002 | 702 | 607 | 244 | 222 | 504 | 788 | 298 | 641 |
| 1997 | 881 | 762 | 221 | 436 | 647 | 938 | 393 | 967 |
| acres treated, 2002 | 104,486 | 143,983 | 13,309 | 74,914 | 59,005 | 218,936 | 32,333 | 118,306 |
| 1997 | 108,714 | 144,098 | 14,682 | 82,111 | 64,348 | 243,156 | 34,392 | 140,061 |
| Pastureland and rangeland fertilized | | | | | | | | |
| farms, 2002 | 86 | 133 | 22 | 52 | 76 | 136 | 59 | 52 |
| 1997 | 27 | 83 | 12 | 11 | 70 | 85 | 32 | 56 |
| acres treated, 2002 | 2,147 | 4,387 | 781 | 256 | 1,833 | 2,699 | 2,325 | 1,621 |
| 1997 | 470 | 1,422 | 490 | 120 | 1,822 | 740 | 902 | 2,213 |
| Manure | | | | | | | | |
| farms, 2002 | 482 | 513 | 156 | 147 | 481 | 526 | 400 | 552 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 33,355 | 34,801 | 11,301 | 8,424 | 37,502 | 30,156 | 28,907 | 36,514 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | | |
| farms, 2002 | 154 | 124 | 19 | 85 | 161 | 395 | 58 | 131 |
| 1997 | 70 | 155 | 36 | 181 | 195 | 498 | 36 | 205 |
| acres treated, 2002 | 11,827 | 61,045 | 1,264 | 16,568 | 24,359 | 70,926 | 3,021 | 26,671 |
| 1997 | 5,933 | 55,227 | 1,472 | 11,820 | 13,980 | 85,314 | 1,685 | 23,623 |
| Weeds, grass, or brush | | | | | | | | |
| farms, 2002 | 486 | 400 | 91 | 238 | 349 | 651 | 265 | 505 |
| 1997 | 667 | 552 | 107 | 324 | 408 | 751 | 278 | 745 |
| acres treated, 2002 | 58,903 | 108,029 | 4,851 | 77,358 | 41,570 | 193,304 | 21,637 | 84,607 |
| 1997 | 67,996 | 100,563 | 4,971 | 73,761 | 33,297 | 201,495 | 21,641 | 101,207 |
| Nematodes | | | | | | | | |
| farms, 2002 | 30 | 24 | 1 | 18 | 19 | 56 | 11 | 31 |
| 1997 | 30 | 40 | - | 19 | 39 | 69 | - | 10 |
| acres treated, 2002 | 4,303 | 13,237 | (D) | 2,057 | 906 | 7,873 | 330 | 1,814 |
| 1997 | 2,632 | 7,922 | - | 3,690 | 2,075 | 10,829 | - | 1,080 |
| Diseases in crops and orchards | | | | | | | | |
| farms, 2002 | 37 | 38 | 9 | 17 | 12 | 41 | - | 16 |
| 1997 | 34 | 103 | 3 | 45 | 16 | 67 | 6 | 30 |
| acres treated, 2002 | 1,497 | 34,619 | 434 | 1,167 | 495 | 3,035 | - | 754 |
| 1997 | 4,495 | 42,103 | (D) | 2,836 | 482 | 4,622 | 6 | 3,144 |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | | |
| farms, 2002 | 8 | 37 | - | 6 | 1 | 24 | - | 13 |
| 1997 | 16 | 50 | 1 | 12 | 14 | 22 | 13 | 20 |
| acres on which used, 2002 | 214 | 20,714 | - | 870 | (D) | 1,689 | - | 447 |
| 1997 | 1,428 | 19,211 | (D) | 299 | 575 | 685 | - | 481 |

See footnote(s) at end of table.

--continued

Table 39. Fertilizers and Chemicals Applied: 2002 and 1997 - Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Item | Sauk | Sawyer | Shawano | Sheboygan | Taylor | Trempealeau | Vernon | Vilas |
|---|----------|----------|------------|-----------|---------|-------------|-----------|--------|
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | | |
| farms, 2002 | 732 | 72 | 917 | 587 | 438 | 736 | 1,188 | 15 |
| 1997 | 1,050 | 114 | 1,021 | 709 | 740 | 886 | 1,519 | 25 |
| acres treated, 2002 | 132,484 | 12,756 | 131,860 | 104,824 | 55,598 | 118,006 | 107,377 | 1,560 |
| 1997 | 127,438 | 13,556 | 116,243 | 107,608 | 59,682 | 117,639 | 85,447 | (D) |
| Cropland fertilized, except cropland pastured | | | | | | | | |
| farms, 2002 | 689 | 62 | 882 | 587 | 410 | 735 | 1,174 | 15 |
| 1997 | 1,026 | 109 | 993 | 709 | 740 | 886 | 1,511 | 23 |
| acres treated, 2002 | 127,429 | 11,996 | 130,243 | 104,540 | 53,349 | 114,703 | 103,283 | (D) |
| 1997 | 123,430 | 12,966 | 114,847 | 107,066 | 58,299 | 115,821 | 81,676 | (D) |
| Pastureland and rangeland fertilized | | | | | | | | |
| farms, 2002 | 187 | 20 | 123 | 23 | 60 | 121 | 186 | 1 |
| 1997 | 154 | 10 | 50 | 23 | 55 | 50 | 123 | 2 |
| acres treated, 2002 | 5,055 | 760 | 1,617 | 284 | 2,249 | 3,303 | 4,094 | (D) |
| 1997 | 4,008 | 590 | 1,396 | 542 | 1,383 | 1,818 | 3,771 | (D) |
| Manure | | | | | | | | |
| farms, 2002 | 674 | 71 | 758 | 455 | 428 | 627 | 1,000 | 7 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 59,218 | 7,215 | 52,936 | 39,619 | 27,049 | 58,148 | 53,055 | 352 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | | |
| farms, 2002 | 346 | 13 | 112 | 208 | 22 | 83 | 321 | 9 |
| 1997 | 384 | 16 | 162 | 282 | 73 | 226 | 473 | 11 |
| acres treated, 2002 | 50,256 | 887 | 8,733 | 25,533 | 1,832 | 18,163 | 25,777 | 1,059 |
| 1997 | 46,867 | 941 | 6,168 | 28,574 | 2,096 | 19,835 | 15,698 | 1,241 |
| Weeds, grass, or brush | | | | | | | | |
| farms, 2002 | 590 | 49 | 671 | 471 | 348 | 544 | 1,016 | 10 |
| 1997 | 815 | 69 | 790 | 499 | 460 | 649 | 958 | 17 |
| acres treated, 2002 | 93,348 | 5,429 | 75,546 | 65,518 | 34,357 | 75,290 | 72,206 | 1,260 |
| 1997 | 85,405 | 7,204 | 67,780 | 72,592 | 25,070 | 72,219 | 43,893 | 1,642 |
| Nematodes | | | | | | | | |
| farms, 2002 | 30 | - | 10 | 3 | 10 | 3 | 51 | - |
| 1997 | 50 | 1 | 15 | 31 | 1 | 41 | 71 | 1 |
| acres treated, 2002 | 6,589 | - | 167 | 615 | 500 | 1,695 | 2,194 | - |
| 1997 | 3,742 | (D) | 15 | 2,013 | (D) | 2,137 | 2,145 | (D) |
| Diseases in crops and orchards | | | | | | | | |
| farms, 2002 | 16 | 6 | 47 | 10 | 2 | 5 | 31 | 3 |
| 1997 | 59 | 3 | 66 | 36 | 25 | 29 | 129 | 6 |
| acres treated, 2002 | 2,358 | 104 | 1,824 | (D) | (D) | 1,665 | 476 | (D) |
| 1997 | 1,655 | (D) | 1,320 | 1,423 | 373 | 2,614 | 584 | 586 |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | | |
| farms, 2002 | 18 | - | 1 | 18 | 1 | 1 | 43 | 2 |
| 1997 | 22 | - | 38 | 67 | - | 15 | 58 | 1 |
| acres on which used, 2002 | 1,110 | - | (D) | 393 | (D) | (D) | 451 | (D) |
| 1997 | 478 | - | 866 | 3,193 | - | 983 | 770 | (D) |
| Item | Walworth | Washburn | Washington | Waukesha | Waupaca | Waushara | Winnebago | Wood |
| Commercial fertilizer, lime, and soil conditioners ¹ | | | | | | | | |
| farms, 2002 | 459 | 177 | 460 | 410 | 673 | 432 | 433 | 556 |
| 1997 | 591 | 182 | 608 | 358 | 930 | 490 | 551 | 786 |
| acres treated, 2002 | 137,269 | 23,769 | 65,687 | 53,162 | 102,724 | 94,925 | 91,867 | 73,307 |
| 1997 | 139,568 | 20,431 | 75,712 | 59,126 | 107,845 | 87,580 | 93,325 | 72,139 |
| Cropland fertilized, except cropland pastured | | | | | | | | |
| farms, 2002 | 459 | 152 | 447 | 360 | 658 | 432 | 425 | 556 |
| 1997 | 575 | 182 | 592 | 358 | 920 | 484 | 551 | 786 |
| acres treated, 2002 | 136,552 | 22,601 | 64,935 | 52,639 | 101,301 | 94,501 | 91,739 | 72,328 |
| 1997 | 139,056 | 20,000 | 75,283 | 58,932 | 107,028 | 87,295 | 93,307 | 71,778 |
| Pastureland and rangeland fertilized | | | | | | | | |
| farms, 2002 | 42 | 43 | 64 | 66 | 88 | 52 | 24 | 62 |
| 1997 | 29 | 44 | 47 | 9 | 80 | 16 | 6 | 20 |
| acres treated, 2002 | 717 | 1,168 | 752 | 523 | 1,423 | 424 | 128 | 979 |
| 1997 | 512 | 431 | 429 | 194 | 817 | 285 | 18 | 361 |
| Manure | | | | | | | | |
| farms, 2002 | 254 | 129 | 389 | 281 | 503 | 303 | 249 | 502 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| acres treated, 2002 | 19,123 | 6,222 | 31,623 | 8,837 | 30,459 | 15,487 | 18,061 | 34,361 |
| 1997 | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) | (NA) |
| Chemicals used to control- Insects ² | | | | | | | | |
| farms, 2002 | 235 | 62 | 203 | 129 | 100 | 47 | 100 | 114 |
| 1997 | 361 | 46 | 327 | 134 | 186 | 115 | 192 | 124 |
| acres treated, 2002 | 37,765 | 3,021 | 19,040 | 11,195 | 13,100 | 37,735 | 13,012 | 6,429 |
| 1997 | 51,139 | 2,271 | 21,365 | 15,495 | 9,983 | 37,110 | 18,392 | 11,517 |
| Weeds, grass, or brush | | | | | | | | |
| farms, 2002 | 377 | 99 | 381 | 391 | 642 | 289 | 354 | 467 |
| 1997 | 386 | 97 | 449 | 229 | 636 | 396 | 436 | 529 |
| acres treated, 2002 | 116,534 | 13,399 | 51,747 | 48,851 | 73,460 | 71,965 | 62,747 | 38,302 |
| 1997 | 120,303 | 6,723 | 44,714 | 44,268 | 65,927 | 63,191 | 70,120 | 39,231 |
| Nematodes | | | | | | | | |
| farms, 2002 | 24 | - | 46 | 2 | 3 | 15 | 1 | 2 |
| 1997 | 22 | 1 | 11 | 8 | 35 | 20 | 11 | 14 |
| acres treated, 2002 | 2,597 | - | 4,387 | (D) | 663 | 7,988 | (D) | (D) |
| 1997 | 4,489 | (D) | (D) | 364 | 1,368 | 4,303 | 916 | 1,147 |
| Diseases in crops and orchards | | | | | | | | |
| farms, 2002 | 2 | 3 | 29 | 32 | 14 | 20 | 8 | 16 |
| 1997 | 54 | 9 | 36 | 15 | 16 | 63 | 36 | 14 |
| acres treated, 2002 | (D) | 720 | 662 | 672 | 948 | 22,840 | 8 | 1,442 |
| 1997 | 1,590 | 876 | 1,520 | 1,023 | 1,188 | 22,369 | 388 | 2,124 |
| Chemicals used to control growth, thin fruit, or defoliate | | | | | | | | |
| farms, 2002 | 8 | 1 | 20 | 1 | 15 | 13 | - | 2 |
| 1997 | 7 | 2 | 6 | 7 | 9 | 43 | 11 | 11 |
| acres on which used, 2002 | 112 | (D) | 153 | (D) | 538 | 9,114 | (D) | (D) |
| 1997 | 50 | (D) | 36 | 70 | 755 | 9,493 | 368 | (D) |

¹ Data for 1997 exclude lime.

² Data for 1997 include treatment of crops, including hay, but not other land.